PRODUCT DATA SHEET

Cutting Oil Thread Cutting Lubricant, 12 Wt Oz
Part Number: 14050

Product Description	Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum.
Applications	Tapping, threading, drilling, sawing, shearing, turning, and reaming metal parts, pipes, conduit, screws, bolt holes, housings, aluminum sheets, strapping, gears and chains.
Unit Package Description	16 Ounce Aerosol
Brand	CRC
Generic Description 1	Thread Cutting Lubricant
Net Fill	12 Wt Oz
UPC Code	078254140506
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	8.1H x 8.3W x 11.1D in
Cases Per Pallet	133
Case Weight	12 lbs
I 2 of 5 Code	30078254140507
Appearance	Brown Liquid
Base Type	Petroleum
Flash point (F)	>300°F
Flash point (C)	>149°C
Flammability Class - CPSC	Flammable
Spec Gravity Concentrate	0.924
Plastic Safe	Safe on Acrylic Plastics
Film Type	Non-Drying
Evaporation Rate	Slow
Working Temp (F)	Max 300°F
Working Temp (C)	Max 148.9°C
Propellant	Hydrocarbon

PRODUCT DATA SHEET

NSF Category Code	P1
NSF Number	017206
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Federal)	20
VOC g/L (Federal)	184.8
VOC Lbs./Gal. (Federal)	1.54
VOC Category	Cutting or Tapping Oil (Aerosol)
Restricted from Sale In:	SCAQMD
Removal (How To)	Remove with general purpose degreaser.