



PRODUCT DATA SHEET

Zinc-It® Instant Cold Galvanize, 13 Wt Oz
Part Number: 18412

Product Description

High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1 - 2 years.

Applications

On threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks, and guard rails.

Unit Package Description

16 Ounce Aerosol

Brand

CRC

Generic Description 1

Instant Cold Galvanized Coating

Net Fill

13 Wt Oz

UPC Code

078254184128

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.69H x 8.44W x 11.31D in

Cases Per Pallet

75

Case Weight

14 lbs

I 2 of 5 Code

30078254184129

Appearance

Gray Viscous Liquid

Flash point (F)

-2°F

Flash point (C)

29°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

0.77 to 0.85

Plastic Safe

Yes

Evaporation Rate

Fast

Dry Time - Fully Dry

8 Hours

Dry Time - Tack Free

20 Minutes

Recoat

Before 1 Hour or After 48 Hours



Last revised: 11/12/2015
Page 1 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET



Coverage	28 to 32 Sq Ft at 3 Mil Dry
Working Temp (F)	130°F (Continuous) / 150°F (Intermittent)
Working Temp (C)	54.4°C (Continuous) / 65.6°C (Intermittent)
Propellant	Hydrocarbon
Aerosol Flammability Level	III
Military Specification Number	Meets requirements of Mil-P-21035B, Meets requirements of Mil-P-26915, Meets requirements of Mil-P-46105
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Federal)	45.6
VOC g/L (Federal)	555.6
VOC Lbs./Gal. (Federal)	4.64
VOC Category	Metallic Coating
MIR Limit	1.9
Removal (How To)	Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.

Last revised: 11/12/2015
Page 2 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.