





EE-Zone für durchkontaktierte Löcher  $\phi 0.6 \pm 0.05$   
 compliant zone for through hole  $\phi 0.6 \pm 0.05$




Kontaktversionen, Messerkontakte  
 Contact Selection Options, Male Contacts



Kontaktversionen, Schirmmesser  
 Contact Selection Options, Shielding Contacts




Bestückungsplan - contact layout



Lochbild für Leiterplatte  
 (Bestückungsseite)

Board hole pattern  
 (Component mounting side)



- 1)  $\phi 0.6 \pm 0.05$  Durchmesser des metallisierten Loches  
 $\phi 0.6 \pm 0.05$  Diameter of finished plated-through hole
- $\phi 0.7 \pm 0.02$  Bohrungsdurchmesser des Loches  
 $\phi 0.7 \pm 0.02$  Diameter of drilled hole

Schichtaufbau im metallisierten Loch  
 siehe Zeichnung 114406

Metal plating of plated-through hole  
 see drawing 114406

Information: B + Y siehe Bestückungsplan / see contact layout Anforderungsstufe 2 / class 2	Tolerances  All Dimensions in mm	Scale	2:1
		Designation <b>ERmetZD Messerleiste 2-10</b> <b>ERmetZD Male Connector 2-10</b>	
All rights reserved. Only for information. To insure that this is the latest version of this drawing, please contact one of the ERNI companies before using.	Subject to modification without prior notice. Drawing will not be updated.	<b>973063</b>	
		www.ERNI.com	I
b	22.03.2004	H:00039481.SZN	
Index	Date	ERMZD	

Consider protection memo from DFN 34