





- NOTES:
- PRESS FIT LEGS, 0.120 INCHES LONG.
1.57 [0.062] MINIMUM PCB THICKNESS.
 - THIS CAGE IS FOR SINGLE SIDED USE ONLY.
 - CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)
 - MATERIAL: COPPER ALLOY
PLATING: PRE-PLATED WITH NICKEL
 - THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

REV DIMS-CAGE REV		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
REV	DESCRIPTION	SYMBOL	VALUE	mm	INCH	MM/IN	DATE	5:1	METRIC				
1	DRWN:SECRET 2010/04/27	▽=0	4 PLACES ±---	±---	±---	JRESENDE	2009/09/28						
2	CHKD:KJANOTA 2010/05/04	▽=0	3 PLACES ±---	±0.005	±0.005	JRESENDE	2009/09/28						
3	APPR:KJANOTA		2 PLACES ±0.13	±0.01	±0.01	JRESENDE	2009/09/28						
4			1 PLACE ±0.25	±---	±---	JRESENDE	2009/09/28						
				ANGULAR ± 1 °									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
						MATERIAL NO.		DOCUMENT NO.					
						747370033		SD-74737-0033					
						SIZE D							

TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) W/ MODIFIED LATCH TANG



MOLEX INCORPORATED

SHEET NO. 1 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

1. PADS AND VIAS ARE CHASSIS GROUND.
2. HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
3. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.






DETAIL1
SCALE 10:1

REV DIMS-CAGE REV EC NO. USY2010-0515 DRAWN/SECRET CHKD/KJ/NTA APPR/KJ/NTA 2010/04/27 2010/05/04	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 8:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
			4 PLACES ± --- ± ---		DRAWN BY JRESENDE		DATE 2009/09/28		TITLE SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) W/ MODIFIED LATCH TANG			
			3 PLACES ± --- ± 0.005		CHECKED BY JRESENDE		DATE 2009/09/28		MOLEX INCORPORATED			
			2 PLACES ± 0.13 ± 0.01		APPROVED BY JRESENDE		DATE 2009/09/28					
			1 PLACE ± 0.25 ± ---		MATERIAL NO. 747370033		DOCUMENT NO. SD-74737-0033					
			ANGULAR ± 1 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SHEET NO. 2 OF 3					
			REV			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE REPRODUCED, COPIED, OR USED WITHOUT WRITTEN PERMISSION						



20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M
L
K
J
I
H
G
F
E
D
C
B
A



NOTES:

1. PRESS FIT LEGS, 0.120 INCHES LONG.
1.57 [0.062] MINIMUM PCB THICKNESS.
2. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
3. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)

747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)

4. MATERIAL: COPPER ALLOY
PLATING: PRE-PLATED WITH NICKEL



5. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT
LIGHT PIPE COVER

CAGE IDENTIFICATION
LAST 2 DIGITS P/N
AND REV LETTER
(ex: 36 X)


ONE PIECE DESIGN
SECURLY FASTENED




INITIAL RELEASE EC NO: USY2011-0106 DRAWN: JERWIN 2010/08/18 CHECKED: CHYKDA JOHNSTON 2010/08/18 APPROVED: K JANOTA 2010/08/26 REV DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
						TITLE		
	4 PLACES ± --- ± ---		mm		DRAWN BY JERWIN		DATE 2010/08/18	
	3 PLACES ± --- ± .005		INCH		CHECKED BY A JOHNSTON		DATE 2010/08/18	
	2 PLACES ± 0.13 ± .01				APPROVED BY K JANOTA		DATE 2010/08/26	
	1 PLACE ± 0.25 ± ---				MATERIAL NO. 747370036		DOCUMENT NO. SD-74737-0036	
	ANGULAR ± 1 °				SHEET NO. 1 OF 4			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

- [illegible]





INITIAL RELEASE EC NO: USY2011-0106 DRAWN: JERWIN CHECKED: AJOHNSTON APPROVED: KJANOTA	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) NO EMI PINS MOLEX INCORPORATED				
			mm		INCH		DRAWN BY JERWIN				DATE 2010/08/18			
			4 PLACES ± ---		± ---		CHECKED BY AJOHNSTON				DATE 2010/08/18			
			3 PLACES ± ---		± .005		APPROVED BY KJANOTA				DATE 2010/08/26			
			2 PLACES ± 0.13		± .01									
			1 PLACE ± 0.25		± ---									
			ANGULAR ± 1 °											
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. 747370036				DOCUMENT NO. SD-74737-0036		SHEET NO. 3 OF 4	
							SIZE D				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																									
<table><tr><td>DATE</td><td>REV</td><td>CHANGES</td></tr><tr><td>2010/08/18</td><td>A</td><td>INITIAL RELEASE</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>																				DATE	REV	CHANGES	2010/08/18	A	INITIAL RELEASE																																																			
DATE	REV	CHANGES																																																																										
2010/08/18	A	INITIAL RELEASE																																																																										
<table><tr><td rowspan="4">INITIAL RELEASE EC NO: USY2011-0106 DRAWN: JERWIN 2010/08/18 CHKD: AJOHNSTON 2010/08/18 APPR: KJANOTA 2010/08/26</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0</td><td rowspan="4">DESCRIPTION REV</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE 1:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY JERWIN</td><td>DATE 2010/08/18</td><td colspan="3" rowspan="3">TITLE SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) NO EMI PINS MOLEX INCORPORATED</td></tr><tr><td>4 PLACES</td><td>± .005</td><td>± .005</td><td>CHECKED BY AJOHNSTON</td><td>DATE 2010/08/18</td></tr><tr><td>3 PLACES</td><td>± .013</td><td>± .01</td><td>APPROVED BY KJANOTA</td><td>DATE 2010/08/26</td></tr><tr><td colspan="3"></td><td>1 PLACE</td><td>± 0.25</td><td>± .01</td><td colspan="2">ANGULAR ± 1 °</td><td colspan="2">MATERIAL NO. 747370036</td><td>DOCUMENT NO. SD-74737-0036</td><td colspan="2">SHEET NO. 4 OF 4</td></tr><tr><td colspan="3"></td><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SIZE D</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																				INITIAL RELEASE EC NO: USY2011-0106 DRAWN: JERWIN 2010/08/18 CHKD: AJOHNSTON 2010/08/18 APPR: KJANOTA 2010/08/26	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY JERWIN	DATE 2010/08/18	TITLE SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) NO EMI PINS MOLEX INCORPORATED			4 PLACES	± .005	± .005	CHECKED BY AJOHNSTON	DATE 2010/08/18	3 PLACES	± .013	± .01	APPROVED BY KJANOTA	DATE 2010/08/26				1 PLACE	± 0.25	± .01	ANGULAR ± 1 °		MATERIAL NO. 747370036		DOCUMENT NO. SD-74737-0036	SHEET NO. 4 OF 4					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
INITIAL RELEASE EC NO: USY2011-0106 DRAWN: JERWIN 2010/08/18 CHKD: AJOHNSTON 2010/08/18 APPR: KJANOTA 2010/08/26	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																		
				mm	INCH	DRAWN BY JERWIN	DATE 2010/08/18	TITLE SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) NO EMI PINS MOLEX INCORPORATED																																																																				
			4 PLACES	± .005	± .005	CHECKED BY AJOHNSTON	DATE 2010/08/18																																																																					
			3 PLACES	± .013	± .01	APPROVED BY KJANOTA	DATE 2010/08/26																																																																					
			1 PLACE	± 0.25	± .01	ANGULAR ± 1 °		MATERIAL NO. 747370036		DOCUMENT NO. SD-74737-0036	SHEET NO. 4 OF 4																																																																	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																				
1b_frame_D_P_AM_T Rev. E 2006/04/15	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																									

INITIAL RELEASE
EC NO: USY2011-0106
DRAWN: JERWIN 2010/08/18
CHKD: A JOHNSTON 2010/08/18
APPR: K JANOTA 2010/08/26
REV

DESCRIPTION

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± .005
2 PLACES ± 0.13 ± .01
1 PLACE ± 0.25 ± ---
ANGULAR ± 1 °
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN




DRAWN BY JERWIN
CHECKED BY A JOHNSTON
APPROVED BY K JANOTA
DATE 2010/08/18
DATE 2010/08/18
DATE 2010/08/26

TITLE
SFP ONE PIECE CAGE
PRESS-FIT (0.120 LEGS)
NO EMI PINS
MATERIAL NO. 747370036
DOCUMENT NO. SD-74737-0036
SHEET NO. 4 OF 4

SCALE 1:1
DESIGN UNITS METRIC
THIRD ANGLE PROJECTION

MOLEX INCORPORATED

SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION





SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT
LIGHT PIPE COVER

CAGE IDENTIFICATION
LAST 2 DIGITS P/N
AND REV LETTER
(ex: 04 X)

ONE PIECE DESIGN
SECURLY FASTENED



NOTES:

- PRESS FIT LEGS, 0.090 INCHES LONG.
1.57 [0.062] MINIMUM PCB THICKNESS.
- CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)



747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)

- MATERIAL: COPPER ALLOY
PLATING: PRE-PLATED WITH NICKEL


- THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

UPDATED 3D MODELS EC NO: USY2008-0243 DRAWN BY: CCOX CHKD: CHYKO APPROV: RMHMOOD REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
			mm	INCH					
		4 PLACES ± ---	± ---			DRAWN BY CCOX	DATE 2006/11/30		TITLE SFP ONE PIECE CAGE 0.090" PRESS FIT LEGS BLY-BLY ASSEMBLY
		3 PLACES ± ---	± .005			CHECKED BY RMHMOOD	DATE 2006/11/30		
		2 PLACES ± 0.13	± .01			APPROVED BY RMHMOOD	DATE		
		1 PLACE ± 0.25	± ---			MOLEX INCORPORATED			
		ANGULAR ± 1 °		MATERIAL NO 747370004		DOCUMENT NO. SD-74737-004		SHEET NO. 1 OF 4	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 2 PADS AND VIAS ARE CHASSIS GROUND.
- 3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.



UPDATED 3D MODELS EC NO. USY2008-0243 DRAWN: CCOX CHKD: 2007/12/07 APPR: KMMORE REV DESCRIPTION	QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0 ▽=0		mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± --- ANGULAR ± 1 °		MM/IN		8:1	METRIC	◎ □	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWN BY DATE CCOX 2006/11/30 CHECKED BY DATE RMAHMOOD 2006/11/30 APPROVED BY DATE RMAHMOOD		TITLE		SFP ONE PIECE CAGE 0.090" PRESS FIT LEGS BLY-BLY ASSEMBLY		MOLEX MOLEX INCORPORATED	
			MATERIAL NO. 747370004		DOCUMENT NO. SD-74737-004		SHEET NO. 2 OF 4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	



UPDATED 3D MODELS EC NO. USY2008-0243 DRAWN: CCOX CHKD: 2007/12/10 APPR: KMNORE REV: 2007/12/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm INCH		DRAWN BY DATE		TITLE			
		4 PLACES ± ± ± ±		CCOX 2006/11/30		SFP ONE PIECE CAGE			
		3 PLACES ± ± ± ±		CHECKED BY DATE		0.090" PRESS FIT LEGS			
		2 PLACES ± ± ± ±		RMAHMOOD 2006/11/30		BLY-BLY ASSEMBLY			
		1 PLACE ± ± ± ±		APPROVED BY DATE		MOLEX INCORPORATED			
		ANGULAR ± 1 °		RMAHMOOD		MOLEX INCORPORATED			
DRAFT WHERE APPLICABLE		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
MUST REMAIN WITHIN DIMENSIONS		747370004		SD-74737-004		3 OF 4			
SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

DATE	REV	CHANGES
2007/01/17	A	INITIAL RELEASE
2007/01/24	B	UPDATED VIEWS
2007/02/08	C	ADDED NOTE 5
2007/03/06	D	ADDED SHEETS 2 AND 3
2007/01/23	E	UPDATED 2D VIEWS TO REFLECT CHG'S MADE TO EM-74737-004 REV E.
2007/04/25	F	[1] ADDED REV SHEET; [2] UPDATED REV SHEET NOTES A-E; [3] UPDATED DRAWING TO REFLECT CHG'S MADE TO EM-74737-004-ASSY REV D; [4] DELETED NOTE 2 ON SHT1 AND SHIFTED NUMBERS. [5] ON SHT1 ROTATED BTM_VIEW 180 DEGREES.
2007/11/27	G	[1] UPDATED VIEWS TO MATCH EM-74737-004-ASSY REV E.

UPDATED 3D MODELS
EC NO: USY2008-0363
DRAWN:CCOX
CHKD: 2007/12/10
APPR:KMNIDE 2007/12/10

REV
DESCRIPTION

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mmINCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± .005
2 PLACES ± 0.13 ± .01
1 PLACE ± 0.25 ± ---
ANGULAR ± 1 °
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY DATE
CCOX 2006/11/30
CHECKED BY DATE
RMAHMOOD 2006/11/30
APPROVED BY DATE
RMAHMOOD

TITLE
SFP ONE PIECE CAGE
0.090" PRESS FIT LEGS
BLY-BLY ASSEMBLY
MOLEX INCORPORATED

MATERIAL NO.
747370004
DOCUMENT NO.
SD-74737-004
SHEET NO.
4 OF 4

SCALE
1:1

DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION

SIZE
D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION