

英制钢丝螺套规格参数表:					
符号说明:					
d--钢丝螺套公称直径 (螺钉公称直径) K--钢丝螺套公称长度 t--钢丝螺套公称长度					
P--螺距					
do--钢丝螺套安装用钻头直径 ?? Dz--钢丝螺套自由状态下外径 ? N--钢丝螺套自由状态下圈数					
螺纹规格 d×p	k×d	t(mm)	do(mm)	Dz(mm)	N(≈)
4-40	1d	2.9	3	3.66-4.04	3.2
	1.5d	4.3			5.1
	2d	5.8			7.2
5-40	1d	3.2	3.4	4.01-4.39	3.7
	1.5d	4.8			5.9
	2d	6.4			8.2
6-32	1d	3.5	3.7	4.52-4.90	2.8
	1.5d	5.3			4.8
	2d	7.0			6.8
8-32	1d	4.2	4.4	5.20-5.56	4.0
	1.5d	6.25			6.0
	2d	8.3			8.7
10-24	1d	4.8	5.1	6.19-6.58	3.3
	1.5d	7.2			5.4
	2d	9.6			7.5
12-24	1d	5.5	5.8	6.86-7.24	4.0
	1.5d	8.2			6.3
	2d	11.0			8.8
1/4"-20	1d	6.4	6.7	7.86-8.38	3.9
	1.5d	9.5			6.2
	2d	12.7			8.6
3/8"-16	1d	9.5	9.9	11.48-11.99	4.8
	1.5d	14.3			7.7
	2d	19.1			10.6
7/16"-14	1d	11.1	11.6	13.36-13.99	4.9
	1.5d	16.7			7.9
	2d	22.2			10.7
1/2"-13	1d	12.7	13.1	15.16-15.8	5.2
	1.5d	19.1			8.3
	2d	25.4			11.4
5/8"-11	1d	15.9	16.4	18.84-19.48	5.7
	1.5d	23.8			9.0
	2d	31.8			12.3
3/4"-10	1d	19.1	19.6	22.36-23.00	6.3

	1.5d	28.6			9.9
	2d	38.1			13.5
1"-8	1d	25.4	26.1	29.62-30.38	6.8
	1.5d	38.1			10.6
	2d	50.8			15.4
8-36	1d	4.2	4.3	5.18-5.68	4.5
	1.5d	6.3			7.2
	2d	8.3			9.7
10-32	1d	4.83	5.0	5.99-6.50	4.1
	1.5d	7.24			6.9
	2d	9.6			10
1/4"-28	1d	6.35	6.6	7.77-8.28	5.0
	1.5d	9.5			8.6
	2d	12.7			11.8
5/16"-24	1d	7.9	8.2	9.65-10.16	5.9
	1.5d	11.9			9.4
	2d	15.9			12.8
3/8"-24	1d	9.5	9.8	11.37-11.88	7.3
	1.5d	14.3			11.5
	2d	19.1			15.6
7/16"-20	1d	11.1	11.4	13.3-13.7	7.0
	1.5d	16.7			11.1
	2d	22.2			15.0
1/2"-20	1d	12.7	13.0	15.03-15.67	7.9
	1.5d	19.1			12.8
	2d	25.4			17.3
9/16"-18	1d	14.3	14.6	16.91-17.55	7.9
	1.5d	21.5			12.0
	2d	28.6			16.0
5/8"-18	1d	15.9	16.2	18.61-19.25	9.4
	1.5d	23.8			14.5
	2d	31.8			19.7
3/4"-16	1d	19.1	19.4	22.25-22.88	10.1
	1.5d	28.6			15.6
	2d	31.8			21.0
7/8"-14	1d	22.2	22.6	25.93-26.69	10.3
	1.5d	33.3			15.9
	2d	44.5			21.6
1"-14	1d	25.4	25.9	29.69-30.45	11.8
	1.5d	38.1			18.1
	2d	50.8			24.5
1"-12	1d	25.4	30.0	29.69-30.45	10.0

	1.5d	38.1			15.6
--	------	------	--	--	------