

赛多利斯实验室产品及服务  
实验室天平及水分仪价目表（人民币含税）  
(自2015年4月1日执行)  
内部资料，仅限赛多利斯授权经销商及合作伙伴使用



赛多利斯（上海）贸易有限公司  
热线电话：400 920 9889 / 800 820 9889  
上海市浦东新区张江高科技园区金科路4560号1号楼北楼3层 201210

turning science **into solutions**

## Semi-Micro Balances: CPA、BT

Readability (mg)	Weighing capacity (g)	Model	2015 Price in RMB
---------------------	--------------------------	-------	----------------------

<b>Microbalances</b>			
0.002   0.01	5   21	CPA26P	121,787

<b>Semi-microbalance</b>			
0.01   0.1	100   220	CPA225D	39,800
0.01	21	BT25S	25,788
0.01/0.1	41/120	BT125D	29,632

## Secura

Readability (mg)	Weighing capacity (g)	Model	2015 Price in RMB
0.1	220	Secura224-1CN	32,560
0.1	120	Secura124-1CN	27,830
1	510	Secura513-1CN	25,880
1	310	Secura313-1CN	21,200
1	210	Secura213-1CN	20,680
10	5100	Secura5102-1CN	25,870
10	3100	Secura3102-1CN	21,210
10	2100	Secura2102-1CN	20,160
10	1100	Secura1102-1CN	19,550

## Quintix

Readability (mg)	Weighing capacity (g)	Model	2015 Price in RMB
0.1	220	Quintix224-1CN	18,530
0.1	120	Quintix124-1CN	16,050
1	510	Quintix513-1CN	15,790
1	310	Quintix313-1CN	13,370
1	210	Quintix213-1CN	12,190
10	5100	Quintix5102-1CN	16,640
10	3100	Quintix3102-1CN	14,320
10	2100	Quintix2102-1CN	12,960
10	1100	Quintix1102-1CN	12,480
10	610	Quintix612-1CN	12,010
100	5100	Quintix5101-1CN	13,120
1000	5100	Quintix5100-1CN	12,700

## Practum

Readability (mg)	Weighing capacity (g)	Model	2015 Price in RMB
0.1	220	Practum224-1CN	13,980
0.1	120	Practum124-1CN	11,460
1	310	Practum313-1CN	9,330
1	210	Practum213-1CN	7,730
10	2100	Practum2102-1CN	9,380
10	1100	Practum1102-1CN	9,030
10	610	Practum612-1CN	8,390
100	5100	Practum5101-1CN	8,890
1000	5100	Practum5100-1CN	7,170

**Basic Balances: BSA external calibration balance**

Model	Readability	Weighing capacity	2015 Price in RMB
<b>Analytical balances</b>			
BSA224S	0.1mg	220g	12,977
BSA124S	0.1mg	120g	10,509
<b>Precision balances</b>			
BSA623S	0.001g	620g	17,476
BSA423S	0.001g	420g	11,784
BSA323S	0.001g	320g	8,562
BSA223S	0.001g	220g	7,074
BSA6202S	0.01g	6200g	18,657
BSA4202S	0.01g	4200g	11,797
BSA3202S	0.01g	3200g	9,211
BSA2202S	0.01g	2200g	8,596
BSA822	0.01g	820g	8,029
BSA8201	0.1g	8200g	11,335
BSA5201	0.1g	5200g	8,147
BSA2201	0.1g	2200g	6,967

**Basic Balance:BSA-CW internal calibration balance**

Model	Readability	Weighing capacity	2015 Price in RMB
<b>Analytical balances</b>			
BSA224S-CW	0.1mg	220g	16,508
BSA124S-CW	0.1mg	120g	14,159
<b>Precision balances</b>			
BSA623S-CW	0.001g	620g	22,198
BSA423S-CW	0.001g	420g	13,934
BSA323S-CW	0.001g	320g	11,797
BSA223S-CW	0.001g	220g	10,746
BSA6202S-CW	0.01g	6200g	22,789
BSA4202S-CW	0.01g	4200g	14,879
BSA3202S-CW	0.01g	3200g	12,752
BSA2202S-CW	0.01g	2200g	11,430
BSA822-CW	0.01g	820g	10,696
BSA8201-CW	0.1g	8200g	14,879
BSA5201-CW	0.1g	5200g	11,572
BSA2201-CW	0.1g	2200g	10,155

## Moisture Analyzer: MA

Measuring a Weighing capacity		Repeatability	Model	2015 Price in RMB
(mg)	(g)	for initial sample wt. 1 g   5 g		
1	35	±0.2   ±0.05	MA35M-000230V1	22,484
0.1	100	±0.1   ±0.02	MA100C-000230V1	75,759
0.1	100	±0.1   ±0.02	MA100H-000230V1	75,759
0.1	100	±0.1   ±0.02	MA100Q-000230V1	75,759
1	150	±0.2   ±0.05	MA150C-000230V1	35,260
1	150	±0.2   ±0.05	MA150Q-000230V1	35,260
1	70	±0.2   ±0.05	MA37-1	24,277
1	200	±0.2   ±0.05	MA160-1	38,079

C =	Equipped with ceramic IR heating element
H =	Equipped with halogen IR lamp
Q=	Equipped with quartz IR heating element
OCE =	Verified at the factory for use in legal metrology in the European Economic Area
000 =	Not for use in legal metrology
115 230 =	Indicates the voltage required
V1 =	Equipped with glass panels

---