


F · S · T[®]

FINE SCIENCE TOOLS



FINE SURGICAL INSTRUMENTS
FOR RESEARCH™

FINE SCIENCE TOOLS CATALOG 2021



Letter from the Managing Partner

Dear Customers,

After my uncle and founder of Fine Science Tools, Hans, handed over the management of the company to my cousin Rob and I last year, a lot has happened. Coming to FST as an “outsider”, my primary goal was to learn everything about the products, customers and the entire company. From my very first day, I learned just how much my uncle Hans and the excellent managerial team, Rob, Michael and Christina were able to grow the company over the last 45 years from a single office in Vancouver into a global enterprise, a tremendous achievement that they should be proud of. Through excellent customer service, impeccable product quality and a passionate team, FST has become a household name in surgical and microsurgical instruments and accessories.

During the COVID19 pandemic and the following worldwide lockdown, whether at their home office or on-site, our teams around the world were able to provide our customers with the instruments and accessories they needed. Under challenging circumstances, we kept our warehouses open in order to ship products to research laboratories, biotech’s and academic institutions around the world while our support staff actively continued to provide assistance to all customer questions and inquiries.

I would like to thank my colleagues, our suppliers and our customers – who have stuck with us over the years and especially, over the last few months. I am looking forward to our continued cooperation as well as a successful and healthy future for all of us.



Sincerely,

Markus Gawenda,
Managing Partner



Rob Gawenda
President



Michael Dosch
Chief Executive Officer



Christina Callanta
Chief of Operations

Please note the following information for your safety.

All surgical instruments and devices from the Fine Science Tools product range are intended exclusively for use in experimental research laboratories and facilities or in veterinary medicine. Our Customer Support is available to answer any questions you may have about the field of application and the material properties.



Scissors	3 – 35
Spring	3 – 14
Fine	15 – 28
Surgical	29 – 35
Bone Instruments	36 – 49
Rongeurs	36 – 38
Cutters	39 – 47
Other Bone Instruments	47 – 48
Curettes & Chisels	49
Scalpels & Knives	50 – 61




Forceps	63 – 91
Dumont	63 – 73
Fine	72 – 80
Moria	74
S&T	75, 77
Standard	81 – 91
Hemostats	92 – 97



Probes & Hooks	99 – 103
Spatulae	102 – 105
Spoons	107
Pins & Holders	108 – 109
Wound Closure	110 – 121
Needle Holders & Suture	110 – 118
Staplers, Clips & Applicators	119 – 121
Retractors	122 – 129
Vascular Instruments	130 – 139
Clamps & Occluders	130 – 134
Ligation Aids	135
Dilation & Cannulation	136 – 139



Animal Accessories	141 – 143
Feeding Needles	141
Animal Identification	142 – 143
Instrument Care & Accessories	144 – 155
Hot Bead Sterilizer	149
Instrument Cases	152 – 155
Surgical Accessories	156 – 159
Drill Accessories	157
Cauterizers	158
Laboratory Accessories	160 – 171
Tools	160 – 165
Magnifiers & Lens Paper	166 – 171



Student Quality Instruments	173 – 179
Quality instruments with the student in mind	
Cutter	174
Scissors	173 – 174
Vessel Dilator	175
Forceps	175 – 177
Hemostat, Needle Holder, Pin Holder, Scalpel Handle & Retractor	178 – 179



Reference Pages	181 – 200
Worldwide Locations	181
Scissors Test	182
Features and Alloys	183
Maintenance and Care	184 – 185
Quality Control	186
Student Line	187
Selection	188
Dumont	189
Numerical and Alphabetical Indexes	190 – 199
Additional Information	200



Scissors, Bone Instruments & Scalpels

Spring Scissors	Pages	3 – 14
Fine Scissors	Pages	15 – 28
Surgical Scissors	Pages	29 – 35
Bone Instruments	Pages	36 – 49
Scalpels & Knives	Pages	50 – 61





These Vannas-style spring scissors have the smallest blades ever produced. They are ideal where space is restricted and where absolute precision is demanded.

The short taper is ideal for small, precise cuts.



200%




Cutting edge: 2 mm
Tip diameter: 0.05 mm
8 cm

- 
 Straight
 No. 15000-03
- 
 Curved
 No. 15000-04



250%

Cutting edge: 2.5 mm
Tip diameter: 0.05 mm
8 cm

- 
 Straight
 No. 15000-08
- 
 Curved
 No. 15001-08
- 
 Angled to side
 No. 15002-08

MOST POPULAR

The long taper is ideal for cutting vessel walls or when a longer cutting edge is needed.



Cutting edge: 3 mm
Tip diameter: 0.05 mm
8 cm



Straight

No. 15000-00



Curved

No. 15000-10

MOST POPULAR

Vannas



Cutting edge: 4 mm
Tip diameter: 0.15 mm
10.5 cm



Straight

No. 15018-10



Curved

No. 15019-10

Vannas-Tübingen



Cutting edge: 5 mm
Tip diameter: 0.075 mm



Straight
8.5 cm

No. 15003-08



Angled to side
8.5 cm

No. 15008-08

MOST POPULAR



Curved
8.5 cm

No. 15004-08



Angled up
9.5 cm

No. 15005-08

Vannas Scissors with Microserrations

Microserrated to minimize slippage.



Tip diameter: 0.1 mm



Straight

Cutting edge: 4 mm
8.5 cm
No. 15070-08



Curved

Cutting edge: 4 mm
8.5 cm
No. 15071-08

Cutting edge: 5 mm
9 cm
No. 15007-08

Miniature Vannas

Hand finished under high magnification, these tips are especially useful when incising vessel walls for catheter insertion.



Cutting edge: 5 mm
Tip diameter: 0.1 mm
8 cm



Straight

Moria 9600
No. 15396-00



Curved

Moria 9601
No. 15396-01

Titanium Vannas



•TITANIUM•

For more information see page 183.

Cutting edge: 5 mm
Tip diameter: 0.3 mm
9.5 cm

Cohan-Vannas

Long cutting blades for a more controlled cut.



Cutting edge: 6 mm
Tip diameter: 0.1 mm
6 cm

ToughCut® Spring Scissors



TOUGH CUT

For more information see page 183.

Cutting edge: 6 mm
Tip diameter: 0.3 mm
12.5 cm



Straight

No. 15610-08



Curved

No. 15615-08



Angled up

No. 15617-08



Straight

Sharp/Sharp
No. 15000-02



Curved

Sharp/Sharp
No. 15000-01

Blunt/Blunt
No. 15000-12

Blunt/Blunt
No. 15000-11



Straight

No. 15124-12



Curved

No. 15123-12

Round Handled Vannas

Round handles allow easy fingertip adjustments.



Cutting edge: 6 mm
Tip diameter: 0.075 mm
12.5 cm




Straight

No. 15400-12




Curved

No. 15401-12




Cutting edge: 6 mm
Tip diameter: 0.15 mm
14 cm



Straight

No. 15020-15




Curved

No. 15021-15

Ceramic Coated Spring Scissors



For more information about our ceramic instruments please visit page 183



Straight

No. 15750-11



Curved

No. 15751-11


FINESCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

Vannas-Wolff

Ultra long cutting edge without sacrificing tip width.



Cutting edge: 7 mm
Tip diameter: 0.15 mm
10 cm



Straight




Curved

Moria MC52
No. 15370-52

Moria MC50
No. 15370-50



Cutting edge: 8 mm
Tip diameter: 0.1 mm
8.5 cm



Straight

No. 15009-08



Cutting edge: 10 mm
Tip diameter: 0.125 mm
10 cm



Angled

No. 15006-09

Same as No. 15006-09 but with a ball tip to prevent piercing of underlying tissue.



Cutting edge: 8 mm
Tip diameter: 1.3 mm Ball
9 cm



Angled

No. 15033-09



Cutting edge: 8 mm
Tip diameter: 0.15 mm
10 cm



Straight
Sharp/Sharp

No. 15024-10



Straight
Blunt/Blunt

No. 15025-10



Curved
Sharp/Sharp

No. 15023-10




Cutting edge: 10 mm
Tip diameter: 0.1 mm
11.5 cm



Straight

No. 15040-11




Angled up

No. 15042-11

Noyes



Cutting edge: 14 mm
Tip diameter: 0.2 mm
12 cm




Straight

No. 15012-12



Curved

No. 15011-12



Angled up

No. 15013-12

Tungsten Carbide Noyes

Tungsten carbide cutting edges provide long lasting sharpness.



**TUNGSTEN
CARBIDE**

For more information
see page 183.

Tungsten Carbide Cutting Edges


Cutting edge: 14 mm
Tip diameter: 0.275 mm
12 cm




Straight

No. 15514-12

Castroviejo



Cutting edge: 10 mm
Tip diameter: 0.2 mm
10 cm



Sharply curved

No. 15017-10

Ceramic Coated Titanium Castroviejo



•TITANIUM•

For more information see page 183.

For more information about our ceramic instruments please visit page 183

Cutting edge: 5 mm
Tip diameter: 0.2 mm
11 cm



Straight

No. 15650-11



Curved

No. 15651-11

Westcott



Cutting edge: 15 mm
Tip diameter: 0.25 mm
11 cm



Slightly curved

No. 15015-11


Fine Angled Spring Scissors

These spring scissors aid in cutting tissues from various angles.



Angled
Cutting edge: 2 mm
Tip diameter: 0.1 mm
9.5 cm

No. 15010-09



Angled
Cutting edge: 4 mm
Tip diameter: 0.125 mm
10 cm

No. 15010-10

Trident II

A re-release of a popular spring scissors now with a new innovative design for a better feel.



Cutting edge: 8 mm
Tip diameter: 0.2 mm
8 cm



Straight

No. 15110-08



Angled


No. 15111-08

Pascheff-Wolff

Very delicate blades.



Cutting edge: 3 mm
Tip diameter: 0.15 mm
10.5 cm



Angled

Moria MC19/B
No. 15371-92

Cutting edge: 5 mm
Tip diameter: 0.2 mm
18.5 cm



Straight

No. 15028-18



Curved

No. 15027-18



Vitreotomy Scissors

The finest blades on spring scissors. Designed for ophthalmic surgery (vitrectomy). The spring handles are made of ribbed plastic to ensure a solid grip. **Autoclavable.**



Cutting edge: 2.5 mm
Tip diameter: 0.175 mm
14.5 cm



200% of actual size

Straight
Microserrations to minimize slippage.


No. 15030-14



200% of actual size

Angled to side

No. 15031-14



14 cm



200% of actual size

Straight
Cutting edge: 2.2 mm
Tip diameter: 0.15 mm

No. 15036-14



200% of actual size

Angled 90°
Cutting edge: 1 mm
Tip diameter: 0.1 mm

No. 15037-14

Ultra Fine Clipper Scissors II

For microscopic dissections of soft and mucous tissue. The minute fineness of the blades allows clear visualization of the tissue being dissected.



Uses:

- Removing sheath of ganglia to access neurons in aplysia.
- Cutting single nerve axons in aplysia, mollusk and snail.
- Stripping fascia off arteries and muscles.
- Ultra fine brain tissue dissection.
- Cutting of minute fiber optic strands.

Blade shape: Triangular
 Blade thickness: 0.1 mm
 Tip thickness: 0.05-0.08 mm
 Cutting edge: 1.5-2 mm
 10 cm

No. 15300-00

Biemer Scissors

These scissors are designed to securely cut vessels without slipping.



Cutting edge: 4 mm
 8.5 cm


No. 15032-08

Cutting edge: 2 mm
 13 cm

No. 15032-13

Extra Fine Bonn

Our finest iris scissors, best suited for microdissection under high magnification.



Straight
8.5 cm

Sharp/Sharp
No. 14084-08



Curved
8.5 cm

Sharp/Sharp
No. 14085-08

MOST POPULAR

MOST POPULAR



Sharp/Blunt
No. 14083-08

Bonn

Highly polished.



Straight
Sharp/Sharp
9 cm

No. 14184-09



Curved
Sharp/Sharp
9 cm

No. 14185-09

ToughCut® Bonn-Strabismus

A fusion of two light and delicate iris scissors with ToughCut cutting edges.



For more information see page 183.

ToughCut



Straight
Blunt/Blunt
9 cm

No. 14084-09




Curved
Blunt/Blunt
9 cm

No. 14085-09

Hardened Fine Iris Scissors

These scissors have an anti-reflective finish to reduce glare.



Straight
Sharp/Sharp

**MOST
POPULAR**

9 cm
No. 14090-09

11 cm
No. 14090-11



Curved
Sharp/Sharp

9 cm
No. 14091-09

11 cm
No. 14091-11

Fine Iris Scissors

Made from Martensitic stainless steel, combined with Molybdenum and Vanadium.



Straight
Sharp/Sharp
10.5 cm

No. 14094-11



Curved
Sharp/Sharp
10.5 cm

No. 14095-11

Delicate pattern.



Straight
Sharp/Sharp

9 cm
No. 14060-09

10.5 cm
No. 14060-10

11.5 cm
No. 14060-11




Curved
Sharp/Sharp

9 cm
No. 14061-09

10.5 cm
No. 14061-10


11.5 cm
No. 14061-11



Curved to side
Sharp/Sharp

9 cm
No. 14062-09

10.5 cm
No. 14062-10



Angled to side
Sharp/Sharp

9 cm
No. 14063-09

11.5 cm
No. 14063-11



Straight
Sharp/Sharp

10.5 cm
No. 14160-10



Curved
Sharp/Sharp

10.5 cm
No. 14161-10

MOST
POPULAR

Extra narrow, delicate pattern. Very slim blades with gentle cutting action.



Moria



Straight
Sharp/Sharp
10.5 cm

Moria 4877
No. 14370-22



Shallow curve
Sharp/Sharp
10.5 cm

Moria 4878
No. 14370-23




Side-view showing
extra narrow pattern

Straight
Sharp/Sharp
10.5 cm

No. 14088-10

**MOST
POPULAR**

Wagner



Straight
Sharp/Sharp
Large finger loops
10 cm

No. 14040-10



Curved
Sharp/Sharp
Large finger loops
10 cm

No. 14041-10



Straight
Sharp/Sharp
Non-serrated
12 cm

No. 14068-12



Curved
Sharp/Sharp
Non-serrated
12 cm

No. 14069-12



Straight
Sharp/Sharp
Serrated
12 cm

No. 14070-12



Curved
Sharp/Sharp
Serrated
12 cm

No. 14071-12

ToughCut®



For more information see page 183.

ToughCut

Tungsten Carbide



For more information see page 183.

Tungsten Carbide Cutting Edges



Straight
Sharp/Sharp

MOST POPULAR

9 cm
No. 14058-09



Curved
Sharp/Sharp

9 cm
No. 14059-09

MOST POPULAR

11.5 cm
No. 14058-11

11.5 cm
No. 14059-11



Straight
Sharp/Sharp

MOST POPULAR

9 cm
No. 14568-09



Curved
Sharp/Sharp

9 cm
No. 14569-09

MOST POPULAR

11.5 cm
No. 14568-12

11.5 cm
No. 14569-12

ToughCut® and Tungsten Carbide



For more information see page 183.



For more information see page 183.



ToughCut and Tungsten Carbide Cutting Edges



Straight
Sharp/Sharp

9 cm
No. 14558-09

11.5 cm
No. 14558-11



Curved
Sharp/Sharp

9 cm
No. 14559-09

11.5 cm
No. 14559-11

CeramaCut®

These ceramic-coated scissors are the cleanest cutting, longest lasting scissors ever produced. Utilizing the unique properties of a ceramic coating, they will last six times longer than tungsten carbide instruments and cut even better than ToughCut® scissors. The black, corrosion-resistant coating has a non-glare finish.



For more information see page 183.



CeramaCut



Straight
Sharp/Sharp

9 cm
No. 14958-09

11.5 cm
No. 14958-11



Curved
Sharp/Sharp

9 cm
No. 14959-09

11.5 cm
No. 14959-11



Straight
Sharp/Blunt
10 cm

No. 14028-10



Curved
Sharp/Blunt
10 cm

No. 14029-10

Lexer-Baby



Straight
Blunt/Blunt
10 cm

No. 14078-10



Curved
Blunt/Blunt
10 cm

No. 14079-10

Strabismus



Straight
Blunt/Blunt

9 cm
No. 14074-09

11.5 cm
No. 14074-11



Curved
Blunt/Blunt

9 cm
No. 14075-09

11.5 cm
No. 14075-11

Tungsten Carbide Strabismus



**TUNGSTEN
CARBIDE**

For more information
see page 183.

Tungsten Carbide Cutting Edges



Straight
Blunt/Blunt

9 cm
No. 14574-09

11 cm
No. 14574-11



Curved
Blunt/Blunt

9 cm
No. 14575-09

11 cm
No. 14575-11

Walton



Slightly curved
Sharp/Sharp

9.5 cm
No. 14077-09

10.5 cm
No. 14077-10

Stevens Tenotomy



Straight
Sharp/Sharp
11 cm

No. 14064-11



Straight
Blunt/Blunt
11 cm

No. 14066-11



Curved
Sharp/Sharp
11 cm

No. 14065-11



Curved
Blunt/Blunt
11 cm

No. 14067-11

LaGrange

One edge is serrated to minimize slippage of tissue during cutting. Curved handle helps when cutting from an awkward angle.



Side View



Curved
Sharp/Sharp
11.5 cm

No. 14173-12

Shea

Transplant scissors with light and delicate pattern.



Curved
Blunt/Blunt
12 cm

No. 14105-12

Dissector Scissors

Slim blades for cutting tissue.

Similar to 14081-09, but with stronger blades for cutting fine bone.

Spencer Ligature

Used for cutting stitches or suture.



Angled to side
Sharp/Sharp
Cutting edge: 8 mm
10 cm

No. 14081-09



Angled to side
Sharp/Sharp
Cutting edge: 12 mm
10.5 cm

No. 14082-09



Sharp/Sharp
9 cm

No. 14076-09

Bonn Artery

Iris scissors with one ball tip to prevent piercing of underlying tissue.

Tissue Separating Scissors



Delicate

Sharp/1.5 mm Ball
9 cm

No. 14086-09



Sharp/1.5 mm Ball
11.5 cm

No. 14080-11



Blunt/Blunt
11.5 cm


No. 14072-10

See page 8 for artery-style spring scissors.

FINE SCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

Kaye

These scissors have semi-sharp outer edges to better facilitate dissection.





Sharply angled up
Sharp/Sharp
10.5 cm


No. 14037-10



Straight
Large finger loops
9.5 cm



Sharp/Sharp
No. 14106-09



Blunt/Blunt
No. 14108-09




Gently curved
Blunt/Blunt
Serrated
Large finger loops
10.5 cm

No. 14171-10

Standard Pattern

Our standard surgical scissors are recognized for these important features:

- Excellent feel and handling capability.
- Overall execution that marks them as fine examples of German craftsmanship.



Length (cm)	Straight Sharp/Sharp	Straight Sharp/Blunt	Straight Blunt/Blunt
12	No. 14002-12	No. 14001-12	No. 14000-12
13	No. 14002-13	No. 14001-13	No. 14000-13
14.5	No. 14002-14	No. 14001-14*	No. 14000-14
16.5	No. 14002-16	No. 14001-16	No. 14000-16
18.5		No. 14001-18	No. 14000-18
20			No. 14000-20

MOST POPULAR

* Left-handed version also available.



No. 14008-14



Length (cm)	Curved Sharp/Sharp	Curved Sharp/Blunt	Curved Blunt/Blunt
12	No. 14005-12	No. 14004-12	No. 14003-12
13	No. 14005-13	No. 14004-13	No. 14003-13
14.5	No. 14005-14	No. 14004-14	No. 14003-14
16.5	No. 14005-16	No. 14004-16	No. 14003-16
18.5		No. 14004-18	No. 14003-18
20			No. 14003-20

ToughCut® Standard Pattern



80% of actual size



For more information see page 183.

ToughCut



Straight Sharp/Blunt

MOST POPULAR

13 cm
No. 14054-13

17.5 cm
No. 14130-17

Tungsten Carbide Standard Pattern



80% of actual size



For more information see page 183.

Tungsten Carbide Cutting Edges



Straight Sharp/Sharp
14.5 cm

No. 14502-14



Straight Sharp/Blunt
14.5 cm

No. 14501-14



Curved Sharp/Sharp
14.5 cm

No. 14505-14



Curved Sharp/Blunt
14.5 cm

No. 14504-14

Standard Pattern with Serrations



80% of actual size

Straight Sharp/Blunt Serrated
14 cm

No. 14007-14

Standard Pattern with Large Finger Loops



80% of actual size



Straight
Sharp/Blunt
Large finger loops
14.5 cm

No. 14101-14

Tungsten Carbide Mini-Lister



For more information see page 183.

Tungsten Carbide Cutting Edges

Angled to side
Blunt/Blunt
Smooth
9 cm

No. 14531-09

Lister

Excellent skin cutting scissors. Longer, blunt blade prevents damaging tissue underneath skin without losing the cutting line.



80% of actual size

Angled to side
Blunt/Blunt
Serrated
14 cm

No. 14131-14

Metzenbaum Baby



Straight
Blunt/Blunt

13 cm
No. 14018-13

14.5 cm
No. 14018-14

18 cm
No. 14018-18



Curved
Blunt/Blunt

13 cm
No. 14019-13

14.5 cm
No. 14019-14

18 cm
No. 14019-18

Tungsten Carbide Metzenbaum Fino



**TUNGSTEN
CARBIDE**

For more information
see page 183.

Tungsten Carbide Cutting Edges



Straight
Blunt/Blunt
Ultra fine tips

14.5 cm
No. 14508-15



Straight
Blunt/Blunt

14.5 cm
No. 14518-14

18 cm
No. 14518-18



Curved
Blunt/Blunt
Ultra fine tips

14.5 cm
No. 14509-15



Curved
Blunt/Blunt

14.5 cm
No. 14519-14

18 cm
No. 14519-18

Metzenbaum








ToughCut® Metzenbaum



For more information see page 183.

ToughCut

		
Straight Sharp/Blunt	Straight Blunt/Blunt	Curved Blunt/Blunt
14.5 cm No. 14024-14	14.5 cm No. 14016-14	14.5 cm No. 14017-14
	18 cm No. 14016-18	18 cm No. 14017-18

	
Straight Blunt/Blunt	Curved Blunt/Blunt
14.5 cm No. 14116-14	14.5 cm No. 14117-14
18 cm No. 14116-18	18 cm No. 14117-18

Mayo

ToughCut® Mayo

Tungsten Carbide Mayo



TOUGH CUT

For more information see page 183.

TUNGSTEN CARBIDE

For more information see page 183.

ToughCut

Tungsten Carbide Cutting Edges



Straight
Blunt/Blunt

15 cm
No. 14010-15

17 cm
No. 14010-17



Curved
Blunt/Blunt

15 cm
No. 14011-15

17 cm
No. 14011-17



Straight
Blunt/Blunt

15 cm
No. 14110-15

17 cm
No. 14110-17



Curved
Blunt/Blunt

15 cm
No. 14111-15

17 cm
No. 14111-17



Straight
Blunt/Blunt

15 cm
No. 14510-15

17 cm
No. 14510-17



Curved
Blunt/Blunt

15 cm
No. 14511-15

17 cm
No. 14511-17



Straight
Blunt/Blunt
ToughCut

15 cm
No. 14512-15

17 cm
No. 14512-17

Mayo-Stille



Straight
Blunt/Blunt

15 cm
No. 14012-15

17 cm
No. 14012-17



Curved
Blunt/Blunt

15 cm
No. 14013-15

17 cm
No. 14013-17

Mayo-Noble



Straight
Blunt/Blunt
16.5 cm

No. 14014-17



Curved
Blunt/Blunt
16.5 cm

No. 14015-17

Decapitation Scissors

Stop guard at tips to prevent slippage.



80% of
actual size




Straight
Blunt/Blunt
21 cm

No. 14200-21

Friedman-Pearson

This popular, fine-tipped rongeur is suited for delicate work. The fine-cupped jaws have been designed with a longer and slimmer approach for better visibility. Handmade in our Heidelberg, Germany workshop.

MOST POPULAR



Straight
14 cm

0.5 mm Cup
No. 16220-14

0.7 mm Cup
No. 16120-14

1 mm Cup
No. 16020-14

Curved
14 cm

0.5 mm Cup
No. 16221-14


0.7 mm Cup
No. 16121-14

1 mm Cup
No. 16021-14

Cautionary note: The fine rongeur tips shown on this page are extremely fragile. Removal of material with a twisting motion can damage the tips.

Pearson

Provides excellent visibility at dissection site due to its extra long and narrow approach to the fine cutting jaws. Especially suitable for larger hands. Handmade in our Heidelberg, Germany workshop.



Shallow bend
1.2 mm Cup
19 cm

No. 16015-17

Sharp bend
1.2 mm Cup
17 cm

No. 16016-17


Baby-Beyer

Double-action rongeur with strong jaws helps relieve hand strain.

Beyer


Double-action rongeur with strong jaws helps relieve hand strain.


Diameter of this circle determines cup size.
 Form an imaginary circle that will fit in the very tip of the instrument and measure its diameter.





 Straight
 2 mm Cup
 15 cm
 No. 16023-15



 Curved
 2 mm Cup
 15 cm
 No. 16022-15


 Curved
 2.5 mm Cup
 18 cm
 No. 16002-18

Friedman

Strong and large jaws are ideal for use on the harder, outer regions of the spinal cord. Also can be used to gain access to delicate structures encased in bone.


60% of actual size



Lempert

Extra fine jaws.

60% of actual size




Luer

60% of actual size



Diameter of this circle determines cup size.

Form an imaginary circle that will fit in the very tip of the instrument and measure its diameter.




Curved
2.5 mm Cup
13 cm

No. 16000-14



Straight
2.5 mm Cup
16 cm

No. 16004-16



Curved
2.5 mm Cup
16 cm

No. 16005-16



Curved
4 mm Cup
15 cm

No. 16001-15

Bone Trimmers



Curved
Cutting edge: 8 mm
14 cm

No. 16109-14

Cartilage Cutter

Round cutting blades for tissue, cartilage and soft bone.



Curved
Cutting edge: 9 mm
14 cm


No. 16107-14

Dumont #15a Bone Cutter

Cutting edge on both outside and inside bevel. Cuts suture, cartilage, bone and steel wire to 0.06 mm, and copper wire to 0.15 mm. **Not autoclavable.**



Hard carbon steel



Cutting edge: 10 mm
Jaw opening: 2.5 mm
Hard carbon steel
11.5 cm

No. 11215-01

**Dumont #15a Bone Cutter
Epoxy Coated**


Same structure and functionality as Item No. 11215-01 (left), but with an epoxy coating up to the cutting edge for easier care and maintenance. **Not autoclavable.**



Cutting edge: 6 mm
Jaw opening: 2.5 mm
Epoxy coated carbon steel
11.5 cm

No. 11215-02

Tungsten Carbide Bone Cutter



Angled
Cutting edge: 10 mm
Stainless Steel handle with
Tungsten Carbide Tips
11.5 cm

No. 11515-02

**NEW
ITEM**

Micro Bone Cutter



Angled 25°
Cutting edge: 5 mm
Rolling Bearing Steel handle with TPE Grip
13 cm

No. 16103-11

**NEW
ITEM**

Bone Forceps

Strong cross-serrated tips for
bone crushing and removal.



Angled
Cross serrated
Tip diameter: 1 mm
11.5 cm


No. 16060-11

FINESCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

RESEARCH ONLY

PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.

Bone Nipper



Angled
Cutting edge: 5 mm
11 cm

No. 16102-11

Offset Bone Nipper


Strong jaws for cutting tough cartilage.



Angled
Cutting edge: 7 mm
10 cm


No. 16101-10

Malleus Nipper




Straight
Serrated
Cutting edge: 9 mm
11 cm

No. 16140-11



Angled down
Serrated
Cutting edge: 9 mm
11 cm

No. 16141-11



Angled up
Serrated
Cutting edge: 9 mm
11 cm

No. 16142-11

Bone Cutting Spring Scissors





Straight
Cutting edge: 12 mm
13 cm

No. 16144-13

Delicate Bone Cutting Spring Scissors

Slim, strong blades for cutting fine bones and tissues.



Curved
Cutting edge: 12 mm
12 cm

No. 16143-12

Littauer Bone Cutter



Cutting edge: 15 mm
11 cm
No. 16152-11

Cutting edge: 17 mm
12.5 cm
No. 16152-12

Cutting edge: 19 mm
15 cm
No. 16152-15

Beebe Bone Scissors

Very strong jaws with sharp points.



MOST POPULAR

Straight
Cutting edge: 15 mm
10 cm

No. 16044-10

Tungsten Carbide Bone Scissors

Strong heavy blades for cutting bone.



TUNGSTEN CARBIDE

For more information see page 183.

Tungsten Carbide Cutting Edges

Straight
Cutting edge: 15 mm
12.5 cm


No. 16030-12

Straight
Cutting edge: 15 mm
16 cm

No. 16030-16

Boehler

Bone splitting cutter with very fine tips and double action joint to relieve strain on your hand.



Angled up 10°
Cutting edge: 18 mm
15 cm

No. 16130-15

Skull Flap Cutter

One tip has a flat and narrow platform which fits between dura and skull. Other tip has sharp cutting edge.



Angled up 15°
Cutting edge: 10 mm
15 cm

No. 16050-15

Cleveland Cutter

Liston

Gross anatomy bone cutter.

CUTTERS



Slightly angled

Cutting edge: 14 mm
15 cm
No. 16106-14

Cutting edge: 15 mm
17 cm
No. 16105-16



Straight

Cutting edge: 20 mm
14 cm
No. 16104-14

Cutting edge: 30 mm
20 cm
No. 16104-19

Bone Shears




75% of actual size

Cutting edge: 6.5 cm
24 cm

No. 16150-24

Bone Pliers

To peel back skull flaps.



Flat surface
15.5 cm

No. 16025-14

FINESCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

Self-Holding Pin and Bone Screw Forceps

Designed with a serrated tip and grooved cup for a stable and secure grip, these forceps hold pins and screws allowing precise placement at your target area. They are compatible with all Fine Science Tools insect pins, minuten pins and bone screws.



Polished stainless steel
14 cm

No. 26100-00



Miniature Self-Tapping Bone Screws

Used extensively to anchor dental cement to bone, these self-tapping screws have superior holding strength over ordinary machine screws. Stainless steel with fillister flat head.

Shaft diameter: 0.86 mm
Length: 4 mm

Pkg. of 100 screws
No. 19010-10

For pre-drilling use our 0.7 mm burs,
see page 157.

Shaft diameter: 1.19 mm
Length: 4.8 mm

Pkg. of 100 screws
No. 19010-00

For pre-drilling use our 0.9 mm burs,
see page 157.

Bone Wax

A beeswax-based compound for bone hemostasis. Soft, kneadable and ready to use. **Sterile.**



Box of 12 foil packs (2.5 g each)
No. 19009-00

Micro Curette

Curette tips consist of a scoop with sharp edges and are used for scraping or cleaning. They can also be used for separating and transporting, inoculating plates or transferring small amounts of chemicals.



Delicate Bone Scraper

For scraping tissue without cutting into bone.







Austin Chisel



Dissecting Chisel



Serrations on cutting edge




Von Graefe Knife

Used for cutting dura.



300%



Angled 90°
Cutting edge: 1.5 mm
13 cm


No. 10059-13

Cataract Knife

One of the most popular dissecting knives with a microfine point. The cutting edge is lance shaped to provide the ideal cutting angle.




Cutting edge: 4 mm
12.5 cm



Straight


No. 10055-12



Angled 30°

No. 10056-12


Sichel



Cutting edge: 9 mm
12 cm

No. 10073-14

Von Graefe Knife




Cutting edge: 28 mm
13 cm

No. 10370-13



200%




Side blade 20°
Cutting edge: 2 mm
15 cm

No. 10058-15

Circle Knife

Sharp cutting edge around tip.



250%



Angled 90°
Cutting edge: 2 mm
16 cm

No. 10059-15

Ceramic Blades

Advantages:

- Ceramic edge stays sharp 100 times longer than steel edge
- Rust and corrosion free
- Chemical and acid resistant
- Withstands up to 2400°C (4352°F)
- No electrostatic discharge concerns
- No trace metal contamination
- Fully nonmagnetic
- **Autoclavable**



Ceramic Blade

45° Cutting Edge
Cutting edge: 8 mm
33 x 6 x 0.5 mm

Pkg. of 5 blades
No. 10025-45

Aluminum Alloyed Handle

12.5 cm
No. 10025-50

Diamond Knives

This knife has a gem-quality, neutral diamond blade which is honed to the finest cutting edge possible. The blade is made to an ophthalmic surgical standard and is inspected under 400x magnification. The retractable handle aids in care and storage.

Cautionary note:

This blade is extremely fragile and vulnerable to lateral pressure.



Tip thickness: 0.15 mm
Cutting edge: 1 mm
12 cm

Grip slides up the handle to protect the tip for safe storage and packing.



Cutting angle: 30°
No. 10100-30



Cutting angle: 45°
No. 10100-45

Obsidian Stone Age Scalpels

For applications where extremely fine cuts are required or for studies where trace metals from ordinary scalpel blades cannot be tolerated. These ultra fine cutting edges have been used in human surgical procedures where objectionable scar tissue results from the use of standard scalpels.

The blade is made from obsidian—a type of volcanic glass—which allows a much finer blade than is possible with the conventional steel blade. In some cases this makes the relatively inexpensive obsidian scalpel a suitable substitute for an expensive diamond knife.

Patterned after “stone age” knives which first made their appearance about 18,000 years ago, these modern versions utilize hard wood and plastic dowels for handles. Plastic dowels are made of polyoxymethylene.

Cautionary note:
 Obsidian is a very fragile material. Great care should be taken to not exert any lateral pressure on the blade during cutting. Each blade is hand-fashioned, so sizes, shapes and points will vary. While all the blades will have at least one sharp edge, some will have two.



150%

Wood Dowel
 Straight
Not autoclavable

Approximate blade length: 6 mm
 No. 10110-01

Approximate blade length: 12 mm
 No. 10110-03



150%

Plastic Dowel
 Approximate blade length: 6 mm
Autoclavable

Straight
 No. 10110-05



150%

Plastic Dowel
 Approximate blade length: 6 mm
Autoclavable

Angled
 No. 10110-07

Gross Anatomy Knives

Handles are made of fiberglass reinforced yellow nylon with a slip resistant surface that allows little chance of bacterial accumulation. The blades are made of German Molybdenum Stainless Steel.

40% of actual size



Dissection knife

Cutting edge: 13 cm
28 cm
No. 10157-13

Cutting edge: 15 cm
30 cm
No. 10157-15

Cutting edge: 18 cm
33 cm
No. 10157-18


40% of actual size



Brain sectioning knife

Cutting edge: 30 cm
45 cm
No. 10152-30

Blade Holders and Breakers



Flat surface

Jaw width: 4 mm
11 cm
No. 10052-11



Surface with concave and convex jaws
Jaw width: 4 mm

Handle diameter: 5.5 mm
9 cm
No. 10053-09

Handle diameter: 8 mm
13 cm
No. 10053-13

Breakable Carbon Steel Blades

These special, high carbon content blades are the only blades that will break cleanly.

Not autoclavable.




Blade thickness: 0.1 mm


Box of 10 blades
No. 10050-00

Create Your Own Blade

With these blade holders/breakers and our special carbon steel blades, No. 10050-00, you can produce microblades in sizes that meet your own individual needs.



Cold forged from carbon steel and sharpened to eliminate tissue distortion and blade drag. 12.5 cm plastic handle with slip-proof grip. **Sterile.**




Cutting angle: 22.5°
Tip thickness: 0.15 mm
Cutting edge: 4.5 mm
13.5 cm

No. 10316-14 **MOST POPULAR**



Cutting angle: 15°
Tip thickness: 0.15 mm
Cutting edge: 5 mm
13 cm

No. 10315-12 **MOST POPULAR**



Crescent blade
Tip thickness: 0.20 mm
Cutting edge: 11 mm
14 cm

No. 10317-14



Needle blade
Tip thickness: 0.20 mm
Cutting edge: 4 mm
14.5 cm

No. 10318-14

Interchangeable Carbon Steel Blades

Not autoclavable.



Handle for Interchangeable Blades

9.5 cm
No. 10035-00

12.5 cm
No. 10035-12



Angled blade
Carbon steel
Cutting edge: 10 mm

Pkg. of 5 blades
No. 10035-15



Curved blade
Carbon steel
Cutting edge: 10 mm

Pkg. of 5 blades
No. 10035-20



Small flat blade
Carbon steel
Cutting edge: 1.5 mm

Pkg. of 5 blades
No. 10035-05



Large flat blade
Carbon steel
Cutting edge: 2.75 mm

Pkg. of 5 blades
No. 10035-10



Cane blade
Carbon steel
Cutting edge: 12 mm

Pkg. of 5 blades
No. 10035-25



Arc blade
Carbon steel
Cutting edge: 12 mm

Pkg. of 5 blades
No. 10035-30

Scalpel with Plastic Handle #4

For heavy, gross anatomy work.
Molded to fit hand.



#4 Plastic
13.5 cm
No. 10008-13

Standard Scalpel Handle #4 Solid

Especially suitable for large dissections.



#4 Solid
13 cm
No. 10004-13

Blades for #4 Scalpel Handle

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile. Not autoclavable.**



Box of 100 blades
No. 10020-00



Box of 100 blades
No. 10021-00



Box of 100 blades
No. 10022-00



Box of 100 blades
No. 10023-00

Standard Scalpel Handle #3 Solid



#3
12 cm

No. 10003-12




Secure Scalpel Handle #3

A safety lock holds the blade securely, and allows simple and safe blade attachment and removal.



#3
12 cm

No. 10003-13



Blades for #3 and #7 Scalpel Handles

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**
Not autoclavable.



Box of 100 blades
No. 10010-00



Box of 100 blades
No. 10011-00



Box of 100 blades
No. 10012-00



Box of 100 blades
No. 10015-00

**Short Scalpel
Handle #7 Solid**



#7 short
12 cm

No. 10007-12

**Standard Scalpel
Handle #7 Solid**



#7 long
16.5 cm

No. 10007-16

Scalpel Blade Remover

For safe removal of scalpel blades, simply insert scalpel with blade into the Scalpel Blade Remover and press the sides together. This will dislodge the blade from handle and hold the blade securely for release.



6.5 cm


No. 10002-00

Scalpel Blade Removal and Disposal Box

This plastic device will remove used scalpel blades safely and retain them for safe disposal. Can be used for blades that fit the #3, #4, #7 and Gross Anatomy handles.

Capacity approximately 80 blades
7.5 x 5 x 2.5 cm

Carton of 10 boxes
No. 10002-50



Gross Anatomy Blade and Handle



7.5 cm


Box of 100 blades
No. 10060-00

13 cm

No. 10060-13

Disposable Safety Scalpels

Plastic handle #3 with stainless steel blades. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Single-use and non-sterile.**



#10 scalpels
Pkg. of 10
No. 10000-10

#11 scalpels
Pkg. of 10
No. 10000-11

#15 scalpels
Pkg. of 10
No. 10000-15




Scalpel shown with safety cartridge closed and locked into place.

Plastic handle with stainless steel blades
14 cm

Safety Scalpel Handle #3 and Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**



Safety Scalpel Handle #3



Teflon coated stainless steel
12.5 cm

No. 10006-12

Safety Scalpel Blade Cartridges



#10 blades
Pkg. of 10
No. 10010-10



#11 blades
Pkg. of 10
No. 10011-10



#15 blades
Pkg. of 10
No. 10015-10



Scalpel blade shown with safety cartridge closed and not attached to handle.


Safety Scalpel Blade Cartridges shown open and attached to handle.
Handle and cartridges sold separately.



Forceps & Hemostats

Dumont	Pages	63 – 73
Fine	Pages	72 – 80
Moria	Page	74
S&T	Pages	75, 77
Standard	Pages	81 – 91
Hemostats	Pages	92 – 97

See page 189 for alloy and additional information.



Dumont #5SF

The finest tips ever produced by Dumont.



Super fine tip
0.025 x 0.005 mm
Inox
11 cm

No. 11252-00

**Dumont #5
Fine Tips**

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.



Biology tip
0.05 x 0.01 mm
Inox
11 cm

No. 11254-20

**Dumont #5
Ceramic Coated**

These forceps are non-reflective. The scratch and corrosion resistant coating guarantees durability.



Biology tip
0.05 x 0.01 mm
Ceramic coated inox
11 cm

No. 11252-50

Dumont #5C0

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.



Biology tip
0.05 x 0.01 mm
Dumostar
11 cm

No. 11295-20

For information on Dumont alloys and tip styles, see page 189.

MOST POPULAR

For more information about our ceramic instruments please visit page 183

FORCEPS

Dumont Micro-Blunted, Atraumatic Tipped Forceps

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.

FORCEPS



Straight
0.10 x 0.06 mm
Inox
11 cm

Medical #5
No. 11253-20




Off-center
0.13 x 0.08 mm
Inox
11.5 cm

Medical #5A
No. 11253-21



Short curve
0.17 x 0.10 mm
Inox
12 cm

Medical #7S
No. 11273-22



Curved
0.17 x 0.10 mm
Inox
11.5 cm

Medical #7
No. 11273-20



Angled 45°
0.10 x 0.06 mm
Inox
11 cm

Medical #5/45
No. 11253-25



Angled 90°
0.10 x 0.06 mm
Inox
11 cm

Medical #5/90
No. 11253-29

Dumont #55

Bevelled, like #5 but with extra light and fine shanks.



Biology tip
0.05 x 0.02 mm
11 cm

Inox
No. 11255-20

Dumostar
No. 11295-51

**Dumont #5
Mirror Finish Forceps**

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or any other adhesive tissue.



Standard tip
0.10 x 0.06 mm
Inox
11 cm

No. 11251-23

Biology tip
0.05 x 0.02 mm
Inox
11 cm

No. 11252-23

For information on Dumont alloys and tip styles, see page 189.

Dumont #5

These are the most widely used Dumont forceps. Bevelled, very fine shanks for best visibility.



Standard tip
0.10 x 0.06 mm
11 cm

MOST POPULAR

Inox
No. 11251-20

Dumoxel
No. 11251-30

Dumostar
No. 11295-00

Carbon
0.08 x 0.04 mm
Not autoclavable
No. 11251-10

Biology tip
0.05 x 0.02 mm
11 cm

Inox
No. 11252-20

MOST POPULAR

Dumoxel
No. 11252-30

Dumostar
No. 11295-10

TITANIUM
No. 11252-40

Dumont WA #5

These specially designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.

Dumont #5XL

For information on Dumont alloys and tip styles, see page 189.



Side View

Standard tip
0.10 x 0.06 mm
Inox
12 cm

No. 11251-21

Biology tip
0.05 x 0.02 mm
Inox
12 cm

No. 11252-21



Standard tip
0.10 x 0.06 mm
Inox
15 cm

No. 11253-10

Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion. **Autoclavable.**



Standard tip
0.10 x 0.06 mm
Inox
11 cm

No. 11253-27

**Dumont #5
Teflon® Coated**

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples. Teflon® coating provides a non-stick surface.



Standard tip
0.10 x 0.06 mm
Teflon coated inox
11 cm

No. 11626-11

Dumont #5/45

45° tips for improved visibility and control.



Standard tip
0.10 x 0.06 mm
Dumoxel
11 cm

No. 11251-35

MOST POPULAR

**Dumont #5/45
Cover Slip Forceps**

Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.



1 mm from tip to bend
Upper tip: 0.10 x 0.08 mm
Lower tip: 0.10 x 0.02 mm
Dumoxel
11.5 cm

No. 11251-33

Dumont #3

Tapered and sturdy shanks.



Standard tip
0.17 x 0.10 mm
12 cm

Dumoxel
No. 11231-30

Dumostar
No. 11293-00

Dumont #3c



Standard tip
0.17 x 0.10 mm
Inox
11 cm

No. 11231-20

Dumont #6

Sharply angled tips for access to difficult areas.



Standard tip
0.17 x 0.10 mm
Inox
11.5 cm

No. 11260-20

**Dumont #7
Fine Tips**

Finished under magnification and polished on the inside, the tips close flat to 3 mm and therefore less likely to open under excess pressure.



Biology tip
0.07 x 0.03 mm
Inox
11 cm

No. 11274-20

For information on Dumont alloys and tip styles, see page 189.

Dumont #7



Standard tip
0.17 x 0.10 mm
11.5 cm

Dumoxel
No. 11271-30

Dumostar
No. 11297-00

Biology tip
0.07 x 0.04 mm
11.5 cm

Dumoxel
No. 11272-30

Dumostar
No. 11297-10

·TITANIUM·

No. 11272-40

**Dumont #7
Ceramic Coated**



For more information about our ceramic instruments please visit page 183

Biology tip
0.07 x 0.04 mm
Ceramic coated inox
11 cm

No. 11272-50

Dumont #7B



Standard tip
Serrated
0.17 x 0.10 mm
Inox
11 cm

No. 11270-20

FORCEPS

Dumont #4

Similar to #5, but with broader shanks.



Standard tip
0.13 x 0.08 mm
Dumoxel
11 cm

No. 11241-30

Biology tip
0.06 x 0.04 mm
Dumoxel
11 cm

No. 11242-40

Dumostar
No. 11294-00

**Dumont #2
Laminectomy Forceps**

These forceps can be used to break off delicate bone during mouse laminectomies, as well as fine skull bone removal.



0.40 x 0.02 mm
Inox
12 cm

No. 11223-20

**Dumont #2AP
Epoxy Coated**

Provides good insulation for up to 220 AC voltage work and highly impervious to chemical solutions. Frozen or super cold sections will not adhere to the gripping surfaces.



Tip width: 1.5 mm
Epoxy coated Inox
12 cm

No. 11220-21

Dumont AA

**Dumont AA
Epoxy Coated**

Slip-proof acid and electric shock resistant epoxy coating covering 17.5 mm from the tips.



0.4 x 0.2 mm
Inox
12.5 cm

No. 11210-20



0.4 x 0.2 mm
Epoxy coated inox
12.5 cm

No. 11210-10

For information on Dumont alloys and tip styles, see page 189.

Dumont SS

The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.



Standard tip
0.20 x 0.12 mm
Inox
13.5 cm

No. 11203-23



Biology tip
0.10 x 0.06 mm
Dumoxel
13.5 cm

No. 11200-33



Angled 45°

No. 11203-25

FORCEPS

Dumont Mini Forceps



0.12 x 0.07 mm	0.14 x 0.06 mm	0.09 x 0.05 mm
Inox	Inox	Inox
7 cm	7 cm	8.2 cm
Style 3	Style 4	Style 5
No. 11200-10	No. 11200-12	No. 11200-14

Fine Forceps Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissue.




0.10 x 0.06 mm	0.05 x 0.02 mm
11 cm	11 cm
No. 11412-11	No. 11413-11

O-Rings for Forceps

These rubber O-rings fit our forceps and keep them closed with variable degrees of pressure on the tips.

Pkg. of 10
No. 11200-00



Fine Forceps Broad Shanks

Straight forceps with sturdy coarse tips.



0.2 x 0.12 mm
12 cm

No. 11445-12

Dumont #5AC



Biology Tip
0.07 x 0.02 mm
Inox
Type #5 Anti-Capillary
11.5 cm

No. 11258-20

**NEW
ITEM**

Fine Forceps Self-Closing

Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.



0.08 x 0.04 mm
11.5 cm

No. 11480-11



0.10 x 0.06 mm
11 cm

No. 11485-11



0.20 x 0.12 mm
11.5 cm

No. 11487-11

FORCEPS

These forceps have the most finely executed points available. They are extremely light, superbly balanced, and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.

Balanced with gentle spring action and tips that are perfectly matched.



Moria

MC40



Moria

9980



Moria

MC32

Tip width: 0.5 mm
Blunt
10 cm



Smooth
Moria MC32/B
No. 11373-22



Smooth
Moria MC31/B
No. 11373-12



Microerrated
Moria MC32
No. 11370-32



Microerrated
Moria MC31
No. 11370-31



Straight
11 cm

Moria MC40
No. 11370-40



Curved
11 cm

Moria MC40/B
No. 11370-42



Straight
13 cm

Moria 9980
No. 11399-80



Curved
13 cm

Moria 9987
No. 11399-87


SuperGrip Forceps

The tips are processed with MicroCrystals®, a method developed by S&T® to infuse tungsten carbide on stainless steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.



S&T®

0.3 x 0.25 mm
11 cm



Straight

No. 00108-11




Angled 45°

No. 00109-11



S&T®

0.3 x 0.25 mm
11 cm



The gripping surface is similar to a match head.



Straight


No. 00632-11




Angled 45°

No. 00649-11

Bonn




20x magnification



Smooth
Tip width: 0.3 mm
Tip platform: 5 mm
7 cm


No. 11083-07




1x2 teeth
Tip width: 0.45 mm
Teeth width: 0.1 mm
7 cm

No. 11084-07

Mirror Finish Bonn Forceps



20x magnification




Straight
1x2 teeth
Tip width: 0.12 mm
Partly polished
10 cm

No. 11090-10

**NEW
ITEM**

McPherson Forceps



Angled 45°
Smooth
Tip width: 0.4 mm
Platform
9 cm

No. 11063-07

**MOST
POPULAR**

Mirror Finish Suture Tying Forceps




Straight
Tip diameter: 0.3 mm
Tying Platform: 5 mm
Partly polished
10 cm

No. 11093-10


**NEW
ITEM**

Mirror Finish Suture Tying Forceps with Teeth

A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.



20x magnification



Straight
Tip width: 0.3 mm
Platform with 1x2 teeth
9 cm


No. 11090-09

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.



S&T®




Tip diameter: 0.3 mm
Tying platform: 6 mm
13.5 cm

No. 00272-13

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.




Tip diameter: 0.5 mm
Tying platform: 5 mm
10 cm

No. 18025-10

FORCEPS

Round Handled Suture Tying Forceps

Round handles allow easy fingertip adjustments.





Tip diameter: 0.35 mm
Tying platform: 5.5 mm
10.5 cm

No. 18026-10

Vial Forceps


Tips taper for 6 cm allowing easy access to specimens in vials.



Tip diameter: 0.5 mm
15 cm

No. 11006-15

Vitro Grasping Forceps



Serrated
Tip diameter: 0.7 mm
14 cm

No. 11900-14

Graefe Forceps



Tip width: 0.6 mm
7 cm




Straight
Serrated

No. 11064-07



Curved
Serrated

No. 11065-07



Straight
1x2 teeth

No. 11066-07



Curved
1x2 teeth

No. 11067-07

Bishop-Harman

Extra light, fenestrated handles ensure a good grip.




Tip width: 0.5 mm
8.5 cm




Serrated

No. 11069-08



1x2 teeth

No. 11070-08



10x magnification

Octagon Forceps

The octagon shaped grip provides a particularly secure finger hold.



Tip width: 0.8 mm
9.5 cm




Straight
Serrated

No. 11040-08



Curved
Serrated

No. 11041-08



Straight
1x2 teeth

No. 11042-08



Curved
1x2 teeth

No. 11043-08

Extra Fine Graefe Forceps






Tip width: 0.5 mm
10 cm




Graefe Forceps







Tip width: See below
10 cm

- 
 Serrated
 No. 11150-10
- 
 Serrated
 No. 11151-10
- 
 Serrated
 No. 11152-10

- 
 Smooth
 No. 11158-10
- 
 Smooth
 No. 11159-10
- 
 Smooth
 No. 11160-10

- 
 1x2 teeth
 No. 11153-10
- 
 1x2 teeth
 No. 11154-10
- 
 1x2 teeth
 No. 11155-10

- 
 Serrated
 Tip width: 0.8 mm
 No. 11050-10
- 
 Serrated
 Tip width: 0.8 mm
 No. 11051-10
- 
 Serrated
 Tip width: 0.8 mm
 No. 11052-10
- 
 Serrated
 Tip width: 0.8 mm
 No. 11049-10




- TITANIUM·

 Tip width: 1.2 mm
 No. 11650-10
- TITANIUM·

 Tip width: 1.2 mm
 No. 11651-10
- TITANIUM·

 Tip width: 1.2 mm
 No. 11652-10

For more information
see page 183.

- 
 1x2 teeth
 Tip width: 0.8 mm
 No. 11053-10
- 
 1x2 teeth
 Tip width: 0.8 mm
 No. 11054-10
- 
 1x2 teeth
 Tip width: 0.8 mm
 No. 11055-10

Episcleral Forceps

The tips of these forceps arch toward each other, closing flat. Exceptional gripping power is possible with minimal damage to tissue. A limit pin prevents excessive applied pressure.



Slide lock
Smooth
Tip width: 1 mm
11 cm

No. 11062-10



Tip thickness: 0.2 mm
10 cm

No. 11071-10

Pierson Fixation Forceps

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.



Tissue retention hole of 0.3 mm behind tips.

Straight
0.1 x 0.4 mm
13 cm


No. 18155-13

Plastic Forceps

These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240°C (464°F). Tips do not spread under pressure.



Acetyl
11.5 cm
Pkg. of 10 forceps




Sharp straight
0.40 x 0.25 mm

No. 11700-00




Blunt straight
1.5 x 0.40 mm

No. 11700-03




Sharp curved
0.30 x 0.20 mm

No. 11700-01



Blunt curved
1.5 x 0.40 mm

No. 11700-04




Sharp 45°
0.30 x 0.20 mm

No. 11700-02

Cross Action Forceps


These tissue transport forceps have a gentle action.




Cross serrated
Tip width: 4 mm
Tip depth: 8 mm
10 cm

No. 11075-00

Cover Glass Forceps



10.5 cm



Straight

No. 11074-02

Angled

No. 11073-10

Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.



ID: 1 mm	ID: 2.2 mm	ID: 4.8 mm
OD: 1.5 mm	OD: 3 mm	OD: 6 mm
8.5 cm	9 cm	9 cm
No. 11101-09	No. 11103-09	No. 11106-09

Circle Forceps

Cupped forceps for atraumatic gripping of organs and tissues.



Tip diameter: 0.7 mm
11.5 cm
No. 11072-11

Live Insect Handling Forceps

Very delicate.




Narrow	Wide
10 cm	10 cm
No. 26029-10	No. 26030-10

Micro-Adson

Our most delicate version of the popular Adson forceps.



Tip width: 0.8 mm
12 cm




Serrated No. 11018-12
1x2 teeth No. 11019-12

Micro-Adson with Fenestrated Handle

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.



12 cm




Serrated Tip width: 0.8 mm No. 11020-12
1x2 teeth Tip width: 0.5 mm No. 11032-12
1x2 teeth with platform Tip width: 0.8 mm No. 11022-12

Adson

Wide, strong grip with narrow tips.



Tip width: 1.5 mm
12 cm



Serrated No. 11006-12
1x2 teeth No. 11027-12
Cross serrated tungsten carbide inlaid tip No. 11506-12

MOST POPULAR

MOST POPULAR

**TUNGSTEN
CARBIDE**

For more information see page 183.

Adson DeBakey



Atraumatic DeBakey Serrations

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.

Adson-Graefe



Adson-Brown



FORCEPS



DeBakey serrations
Tip width: 1.5 mm
12.5 cm

No. 11617-12




DeBakey serrations
Tip width: 1.5 mm
15 cm

No. 11616-15



Fine sharp teeth
Tip width: 4.5 mm
12.5 cm

No. 11030-12




Shark teeth
Tip width: 1.4 mm
12 cm

No. 11627-12

Semken


Slim pattern with long, narrow shanks and gentle spring action.



Tip width (mm)	Length (cm)	Item
1.3	13	No. 11008-13
1.5	15	No. 11008-15

•TITANIUM•

1.5	15	No. 11608-15
-----	----	--------------




Tip width (mm)	Length (cm)	Item
1.3	13	No. 11009-13
1.5	15	No. 11009-15



Narrow Pattern


Lighter spring action than standard pattern for grasping more delicate tissue.



Tip width (mm)	Length (cm)	Item
2	12	No. 11002-12
2.15	13	No. 11002-13
2.25	14.5	No. 11002-14
2.35	16	No. 11002-16
2.4	18	No. 11002-18
2.75	20	No. 11002-20
3.2	25	No. 11002-25

•TITANIUM•

2.25	14.5	No. 11602-14
------	------	--------------



Tip width (mm)	Length (cm)	Item
2	12	No. 11003-12
2.15	13	No. 11003-13
2.25	14.5	No. 11003-14
2.35	16	No. 11003-16
2.4	18	No. 11003-18
2.75	20	No. 11003-20




•TITANIUM•


For more information see page 183.

Standard Pattern

Broad pattern with strong spring action.



Tip width (mm)	Length (cm)	Item
2.5	12	No. 11000-12
2.8	13	No. 11000-13
3.25	14.5	No. 11000-14
3.3	16	No. 11000-16
3.7	18	No. 11000-18
3.75	20	No. 11000-20
3.9	25	No. 11000-25
4	30	No. 11000-30



Tip width (mm)	Length (cm)	Item
2.5	12	No. 11001-12
2.8	13	No. 11001-13
3.25	14.5	No. 11001-14
3.3	16	No. 11001-16
3.7	18	No. 11001-18
3.75	20	No. 11001-20



Mouse Handling Forceps

Long handles make picking up small rodents easy and help prevent bites.



Forceps with serrated silicone tips
Gripping surface: 15 x 20 mm
21 cm

No. 11036-20



Replacement silicone tips

Pkg of 2 tips
No. 11036-90



Slim 1x2 teeth

10 cm No. 11023-10
14.5 cm No. 11023-14

12 cm No. 11023-12
15.5 cm No. 11023-15



1x2 teeth

12 cm No. 11021-12

14.5 cm No. 11021-14

15.5 cm No. 11021-15



2x3 teeth

14.5 cm No. 11022-14

15.5 cm No. 11022-15




1x2 teeth

14 cm No. 11029-14

Used with rongeur No. 16021-14 (page 36) in laminectomy to securely hold spinal column.

Gillies




Serrated
1x2 teeth
15 cm

No. 11028-15

Russian

Special cupped pattern
for superior grip.




15 cm

No. 11026-15

Organ Holding Forceps


With limit screw to prevent
excessive applied pressure.



Serrated
14.5 cm

No. 11031-15

London Forceps



Angled Serrated
16 cm

No. 11080-02

Titanium Forceps



·TITANIUM·

For more information
see page 183.



Straight Serrated
16 cm


No. 11602-16

Gerald Forceps



Straight Serrated
18 cm

No. 11014-18



Curved Serrated
18 cm

No. 11015-18

Taylor Forceps

Serrated and smooth versions available.



Straight
Serrated
17 cm

No. 11010-17



Curved
Serrated
17 cm

No. 11011-17



Straight
Smooth
17 cm

No. 11016-17



Curved
Smooth
17 cm

No. 11017-17

Potts-Smith Forceps



Straight
Serrated

18 cm
No. 11012-18

21 cm
No. 11012-21

25 cm
No. 11012-25



Curved
Serrated

18 cm
No. 11013-18

21 cm
No. 11013-21



Straight
1x2 teeth
18 cm

No. 11024-18



Curved
1x2 teeth
18 cm

No. 11025-18

FORCEPS

Ultra Fine Hemostat



Tip width: 0.6 mm
Smooth
12 cm



Straight

No. 13020-12



Curved

No. 13021-12

Fine Hemostat



Tip width: 1 mm
Smooth
12 cm



Straight

No. 13006-12




Curved

No. 13007-12

Micro-Mosquito



Tip width: 1.3 mm
Serrated
12 cm




Straight

No. 13010-12



Curved

No. 13011-12




Angled 90°

No. 13012-12

Halsted-Mosquito



Tip width: 1 mm
Serrated
12.5 cm



Straight

No. 13008-12



Curved

No. 13009-12



Straight

No. 13108-12



Curved

No. 13109-12

MOST POPULAR



LEFT HANDED




LEFT HANDED

HEMOSTATS

Crile




Tip width: 1.5 mm
Serrated
14 cm



Straight

No. 13004-14



Curved

No. 13005-14

Kelly



Tip width: 1.5 mm
Serrated
14 cm



Straight

No. 13018-14



Curved

No. 13019-14

Baby-Mixer


Providence-Hospital



HEMOSTATS

Tip width: 1.3 mm
Serrated
14 cm

Tip width: 1.5 mm
Serrated
14 cm



Curved

No. 13013-14



Straight

No. 13014-14



Curved

No. 13015-14

Hartman



Tip width: 1 mm
Serrated
10 cm



Straight

No. 13002-10



Curved

No. 13003-10

MOST POPULAR

Backhaus Towel Forceps



9 cm

No. 11095-09




13 cm

No. 11095-13

Allis Forceps

Tissue and organ holding forceps.



HEMOSTATS

⊕ 4 mm

5x6 teeth
Tip width: 4 mm
15 cm

Allis
No. 11091-15

⊕ 3 mm



4x5 teeth
Tip width: 3 mm
12 cm

Allis-Baby
No. 11092-12




Probes, Needle Holders, Wound Closure, Retractors & Clamps

Probes & Hooks	Pages	99 – 103
Spatulae	Pages	102 – 105
Hippocampal Tools	Page	106
Spoons	Page	107
Pins & Holders	Pages	108 – 109
Wound Closure	Pages	110 – 121
Retractors	Pages	122 – 129
Vascular Instruments	Pages	130 – 139



Double Pronged Pick

For peritoneum, pleura, endocardium, organ capsules and skin. Grasps and lifts skin, tissue and dura, etc.




The tip consists of two very sharp, nearly horizontally opposed points. By applying gentle downward pressure and twisting slightly in a clockwise fashion, the points will embed themselves horizontally into fine membranes or skin, etc., so that it may be lifted upward. This instrument also has been used successfully when separating fine tissue from an underlying area that is not to be cut.



11 cm

No. 18067-11

Spinal Cord Hook



Shaped like a ligation aid and sized to isolate the spinal cord from the dura of adult mice and neonatal rats. The cord can then be cut with minimal damage to the dura.



250%

Tip diameter: 3 mm
12 cm

No. 10162-12

Bonn Micro Probes



Length: 13.5 cm



Actual size

Straight
Tip diameter: 0.025 mm

No. 10030-13



200%

Angled 45°
Tip diameter: 0.025 mm

No. 10032-13



Actual size

Curved
Tip diameter: 0.025 mm

No. 10031-13



Actual size

Large curve
Tip diameter: 0.038 mm

No. 10033-13

Micro Points



Length: 15.5 cm



200%

Angled 90° short
Tip diameter: 0.05 mm

No. 10063-15



200%

Angled 90°
Tip diameter: 0.02 mm

No. 10065-15




200%

Angled 45°
Tip diameter: 0.038 mm

No. 10066-15

Probes and Explorers



Length: 15.5 cm



Actual size

Straight

Tip diameter: 0.25 mm

No. 10140-01

MOST POPULAR



Actual size

Short angle

Tip diameter: 0.12 mm

No. 10140-04



Actual size

Angled

Tip diameter: 0.15 mm

No. 10140-02



Actual size

Long angled

Tip diameter: 0.15 mm

No. 10140-03

Micro Hooks



175%

Short round hook

Tip diameter: 0.05 mm

Length: 13 cm

No. 10064-14



175%

Sharp hook

Tip diameter: 0.075 mm

Length: 12 cm

No. 10061-12



175%

Blunt hook

Tip diameter: 0.30 mm

Length: 12 cm

No. 10062-12

Titanium Micro Point, Y-Hook, and Spatula

These instruments are lightweight, color coded for easy identification, have an ergonomic design and a non-reflective surface.

Micro Point



·TITANIUM·
For more information see page 183.

Y-Hook




·TITANIUM·
For more information see page 183.

Micro Spatula




·TITANIUM·
For more information see page 183.




Angled 45°
Tip diameter: 0.4 mm
Titanium
12.5 cm

No. 10165-11



Angled 45°
Tip width: 0.5 mm
Titanium
12.5 cm


No. 10166-11



Angled 30°
Tip width: 0.6 mm
Tip thickness: 0.25 mm
Titanium
12.5 cm

No. 10167-11

Vessel Dilating Probe



200%

Tip diameter: 0.6 mm
12.5 cm

No. 10160-13

Gross Anatomy Probe




MOST POPULAR



Angled 45°
Tip diameter: 1.2 mm
15 cm

No. 10088-15


Combination Probe and Spatula



14 cm

No. 10090-13

Combination Spoon and Spatula



17.5 cm

No. 10090-17

Micro Spatula



Tip width: 1 mm
Tip thickness: 0.25 mm
11 cm

No. 10089-11

**Mirror Finish
Micro Spatula**


Mirror finished to provide a non-stick spatula.



Tip width: 0.8 mm
Tip thickness: 0.25 mm
12 cm

No. 10087-12

**Double-Ended
Micro Spatula**




Tip width: 2 mm
Tip thickness: 0.3 mm
13 cm

No. 10091-12

**MOST
POPULAR**

Iris Spatulae



Tip width: 3 mm
Tip thickness: 0.4 mm
13 cm

No. 10094-13



Tip width: 1.7 mm
Tip thickness: 0.3 mm
13 cm


No. 10093-13



Tip width: 1.8 mm
Tip thickness: 0.3 mm
12 cm

No. 10092-12

Micro Spatula Kit



Kit with 4 pieces

No. 10098-06

**NEW
ITEM**

Black



Straight
Tip width: 0.2 mm
6 cm

Blue



Straight
Tip width: 0.3 mm
6 cm

Green



Straight
Tip width: 0.5 mm
6 cm

Red



Straight
Tip width: 0.7 mm
6 cm

SPATULAE

Mini Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.




14.5 cm

No. 10099-12

Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



16 cm

No. 10099-15

PIN HOLDERS

Spoon



Diameter: 8 mm
Depth: 2 mm 12.5 cm

Moria 1121B
No. 10321-08

Mini Perforated Spoon

Most commonly used to take embryos out of solution and handling very small organs.




Perforations are 0.8 mm in diameter.

Diameter: 8 mm
Depth: 1 mm 10 cm

Moria MC 17C
No. 10370-19

Perforated Spoon

Most commonly used to take embryos out of solution and handling very small organs.



Perforations are 0.9 mm in diameter.

MOST POPULAR

Diameter: 15 mm
Depth: 3 mm 14.5 cm

Moria MC 17 BIS
No. 10370-18

Diameter: 20 mm
Depth: 5 mm 14.5 cm

Moria MC 17
No. 10370-17

Mirror Finish Cutting Spoon

Non stick cutting spoon.



Diameter: 4.5 mm
Depth: 0.15 mm 13 cm

No. 10360-13

PINS

Pin Holder

Light weight.



Nickel-plated chuck
Aluminum handle
Jaw opening: 0–1 mm
17 cm

No. 26018-17



Pin Holder



Nickel-plated
Jaw opening: 0–1 mm
12 cm

No. 26016-12



Self Holding Pin and Bone Screw Forceps

Designed with a serrated tip and grooved cup for a stable and secure grip, these forceps hold pins and screws allowing precise placement at your target area. They are compatible with all Fine Science Tools insect pins, minutien pins and bone screws.



200%

Polished stainless steel
14 cm

No. 26100-00

Insert Pins

All insert pins fit any of our pin holders. Pins are antimagnetic and acid resistant.

Stainless steel
5 cm




No. 26007-01 -02 -03 -04 -05

Black Anodized Minutien Pins

These high quality pins are black for best visibility under high magnification and bright light.

Tip diameter: 0.0175 mm
Rod diameter: 0.15 mm
10 mm

Box of 500 pins
No. 26002-15 **MOST POPULAR**



Stainless Steel Minutien Pins

The thinnest and finest pins available.

Tip diameter: 0.0125 mm
Rod diameter: 0.1 mm
10 mm

Box of 500 pins
No. 26002-10 **MOST POPULAR**


Tip diameter: 0.02 mm
Rod diameter: 0.2 mm
10 mm

Box of 500 pins
No. 26002-20 **MOST POPULAR**

Black Anodized Insect Pins

Nylon heads
Tip diameter: 0.03 mm

Pkg. of 100 pins



Size	000	00	0	1	2	3	4	5	6	7
Rod diameter (mm)	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70
No. 26000	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70

Stainless Steel Insect Pins


Nylon heads
Tip diameter: 0.03 mm

Pkg. of 100 pins

Size	000	00	0	1	2	3	4	5	6	7
Rod diameter (mm)	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70
No. 26001	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70

Etched Tungsten Micro Needles

These tungsten micro needles are drawn to a 1 micron tip and three different rod diameters are offered. Each provides lateral stability as well as minimal spring action during manipulation. The micro needles can be used with our pin holders shown on page 106.



Tip diameter: 1 µm (0.001 mm)
12 mm

Box of 10 needles

Rod diameter (mm)	Item
0.125	No. 10130-05
0.25	No. 10130-10
0.5	No. 10130-20

FEATURED PRODUCTS

FINESCENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

RESEARCH ONLY

PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.

Castroviejo

Micro pattern, with slightly blunted tips.



Straight
9 cm

With lock
No. 12060-01

Without lock
No. 12060-02



Curved
9 cm

With lock
No. 12061-01

Without lock
No. 12061-02

Round Handled Needle Holder with Suture Cutter

Round handles allow easy fingertip adjustments.



Curved
Cutting edge: 3.5 mm
14 cm

Without lock
No. 12075-14

Cautionary note:
Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 116).

Round Handled Needle Holder

Round handles allow easy fingertip adjustments.




Straight
12.5 cm

With lock
No. 12075-12

Without lock
No. 12076-12

Mathieu

Extra slim and narrow profile, with squeeze-lock.
Facilitates excellent wrist motion for suturing.



14 cm

With lock
No. 12010-14



With tungsten carbide jaws
14 cm

With lock
No. 12510-14

**TUNGSTEN
CARBIDE**

For more information
see page 183.

Castroviejo with Tungsten Carbide Jaws



**TUNGSTEN
CARBIDE**

For more information
see page 183.



With tungsten carbide jaws
14 cm

With lock
No. 12565-14

Halsey



Smooth
13 cm

No. 12001-13



With tungsten
carbide jaws
13 cm

No. 12501-13

**TUNGSTEN
CARBIDE**

For more information
see page 183.

Halsey with Tungsten Carbide Jaws



**TUNGSTEN
CARBIDE**

For more information
see page 183.



With tungsten
carbide jaws
12.5 cm

No. 12500-12

NEEDLE HOLDERS

**MOST
POPULAR**

Olsen-Hegar with Suture Cutter



10 mm cutting edge
1.5 mm jaw surface
12 cm

15 mm cutting edge
2 mm jaw surface
14 cm

MOST POPULAR

No. 12002-12

No. 12002-14



No. 12102-12

Olsen-Hegar with Suture Cutter and Tungsten Carbide Jaws



TUNGSTEN CARBIDE

For more information see page 183.



With tungsten carbide jaws
10 mm cutting edge
1.5 mm jaw surface
12 cm

With tungsten carbide jaws
15 mm cutting edge
2 mm jaw surface
14 cm

No. 12502-12

No. 12502-14



No. 12512-12

NEEDLE HOLDERS

Crile-Wood



15 cm

No. 12003-15



With tungsten carbide jaws
15 cm

No. 12503-15

**TUNGSTEN
CARBIDE**

For more information
see page 183.



No. 12504-15

Mayo-Hegar



16 cm
No. 12004-16

18 cm
No. 12004-18

**Slim Elongated Needle Holder
with Tungsten Carbide Jaws**

Ryder Mini-Select Needle Holder

This needle holder has been uniquely fashioned with tungsten carbide dust tips, giving the clamping platform an extra secure grip.



**TUNGSTEN
CARBIDE**

For more information
see page 183.

Side View



With tungsten
carbide jaws
15 cm

No. 12005-15



**TUNGSTEN
CARBIDE**

For more information
see page 183.



With tungsten
carbide dust tips
15 cm

No. 12505-15

NEEDLE HOLDERS

Microsurgical Needles with Suture Thread Attached


The combination of proprietary needle design technology and state-of-the-art manufacturing techniques has enabled S&T to provide a microsurgical needle that is unmatched in the industry. S&T microsurgical needles provide frictionless tissue penetration. They are inspected under the microscope at critical stages during the manufacturing process, and a multi-point final inspection of each suture and needle combination ensures a high quality product. The suture-to-needle attachment is tested to higher standards than the USP specifications.

Features:

- Needle and thread combination comprising of non-absorbable black nylon polyamide monofilament thread and stainless steel 3/8 circle needle. Nylon is suitable for closing ophthalmic, neurological and microvascular wounds.
- 3/8 circle precision taper point. Stainless steel needle honed under microscope by hand. Superfine round tip with flattened body to improve stability in needle holder. Easy penetration. Precise stitch placement.
- Grinding geometry and suture needle attachment are directed toward frictionless tissue penetration.
- Each needle suture combination is individually packed and sealed in a peel-open blister pack.

Sterile

Pkg. of 12 disposable units



Standard taper point needle



400% of actual size

No. 12051-11




No. 12051-10



No. 12051-09



No. 12051-08




Suture size	Suture length (cm)	Needle diameter (micron)	Needle diameter (mm)	Needle chord length (mm)	Circle	Arch (mm)	Item
11/0	10	50	0.05	3	3/8	3.8	No. 12051-11
10/0	10	70	0.07	3	3/8	3.8	No. 12051-10
9/0	15	100	0.1	4	3/8	5.1	No. 12051-09
8/0	15	140	0.14	5	3/8	6.4	No. 12051-08

Suture Needles

Polished stainless steel
 3/8 curved
 Round with standard eye
 Diameter 0.35 mm
 Suitable for sutures up to 0.32 mm diameter

Non-sterile

Pkg. of 12 needles



Size	Item
00	No. 12050-20
0	No. 12050-10
1	No. 12050-01
2	No. 12050-02
3	No. 12050-03

Silk Suture

Silk suture has a smooth flow through tissue while maintaining knot security.

Braided silk

Non-sterile



Size	Diameter (mm)	Spool length (m)	Item
7/0	0.05	91	No. 18020-70
6/0	0.08	23	No. 18020-60
5/0	0.12	23	No. 18020-50
4/0	0.17	23	No. 18020-40
3/0	0.22	23	No. 18020-30
2/0	0.32	23	No. 18020-20
0	0.37	23	No. 18020-00
1	0.45	23	No. 18020-01
2	0.55	23	No. 18020-02
3	0.65	23	No. 18020-03

For Suture Tying Forceps, see pages 76, 77 and 78.

Nylon Monofilament Suture

Nylon is known for its uniform diameter flexibility and outstanding consistent knot security.

Nylon monofilament

Non-sterile




Size	Diameter (mm)	Spool length (m)	Item
8/0	0.04	91	No. 18030-80
7/0	0.05	91	No. 18030-70
6/0	0.07	91	No. 18030-60
5/0	0.10	91	No. 18030-50
4/0	0.15	91	No. 18030-40
3/0	0.20	91	No. 18030-30

SUTURES

Suturing Principles and Techniques in Laboratory Animals

Introduces the basic principles, materials and surgical instruments required for suturing and wound closure used on animals. The manual provides descriptions and pictures portraying proper tissue handling and aseptic technique, correct hand placement and use of surgical instruments, proper needle placement on needle holders, and provides an in-depth explanation of various suture patterns and associated principles for proper knot tying during wound closure. The DVD provides descriptive narrative and step-by-step video demonstrations for each of the suturing techniques.

Manual and DVD




Includes: Fine Science Tools Item Number Reference Page for all surgical instruments used in the manual.

No. 23005-10

Michel Suture Clips

Anti-magnetic, acid-resistant stainless steel
Pkg. of 1,000 clips

Size (mm)	Item
7.5 x 1.75	No. 12040-01
11 x 2	No. 12040-02
12 x 2.5	No. 12040-03



Applying Forceps



For all Michel suture clips
12.5 cm

No. 12018-12

Applying and Removing Instruments



For clip sizes 12040-02 and larger
Curved
13 cm

No. 12028-12




For clip size 12040-01 only
Angled
13 cm

No. 12029-12

SUTURE CLIPS

Reloadable Skin Stapler with Rotating Head

The 360° degree swivel nose and unique design offers maximum visibility at the delivery point. The stainless steel staples are non-sterile and feature a patented staple design which make for quick and easy removal. The disposable staple cartridge includes a printed staple counter. **The handle is reusable and autoclavable. Staples are non-sterile. Components sold separately or as a kit.**



Surgical staple kit


- 1 Handle
- 1 Remover
- 12 Disposable staple cartridges

No. 12030-20

Single disposable cartridge
35 staples per cartridge
No. 12030-22


12 disposable cartridges
35 staples per cartridge
No. 12030-23

Handle
No. 12030-01



Surgical Staple Remover

Compatible with Reloadable Skin Stapler with Rotating Head and Manipler® Skin Stapler.



75% of actual size

10 cm
No. 12030-04


Manipler® Skin Stapler

Quality, slim, lightweight design with consistent actuation and staple count indicator. **Disposable, sterile, and not autoclavable.**

15 cm
35 staples per cartridge
No. 12035-00




75% of actual size



AutoClip® System

The AutoClip® System is a safe, secure method of wound closure. Faster and easier than suture, this system is perfect when staples may be too thin to provide adequate closure. **Non-sterile and not autoclavable. Components sold separately or as a kit.**


MOST POPULAR



Applier



Clips



Remover

AUTOCLIP SYSTEM

AutoClip® Kit

- 1 Applier
- 9 mm clips (100)
- 1 Remover
- Storage case

No. 12020-00

AutoClip® applier
11.5 cm

No. 12020-09

AutoClip® 9 mm clips
Pkg. of 100 clips

No. 12022-09

AutoClip® remover
12.5 cm

No. 12023-00

Guthrie

Extra delicate pattern.

2.5 mm



2 Pronged
Blunt
13 cm

No. 17021-13

6 mm



2 Pronged
Blunt
13.5 cm

No. 17023-13

Blair

6 mm



4 Pronged
Blunt
13.5 cm

No. 17022-13

Fomon

13 mm



2 Pronged
2 mm Ball at each tip
17 cm

No. 17020-17


Slide Retractor with Blades



Maximum spread: 1 cm
Atraumatic blades
2 cm

No. 17004-03

Mini-Goldstein



Maximum spread: 0.5 cm
3x3 Sharp teeth
2 cm

No. 17002-02

Mini-Colibri



Maximum spread: 1 cm
2 cm

No. 17000-01



Slide Retractor with Teeth



Maximum spread: 1 cm
2x2 Blunt teeth
2 cm

No. 17005-03


Goldstein



Maximum spread: 1.8 cm
3x3 Sharp teeth
3 cm

No. 17003-03


Colibri



Maximum spread: 1.5 cm

3 cm
No. 17000-03

4 cm
No. 17000-04



Maximum spread: 1.2 cm

3 cm
No. 17000-02


**Fine Adjustable
Wire Retractor**



Maximum spread: 3.5 cm
Thin, curved blades
5 cm

No. 17004-05


Agricola



Maximum spread: 3.5 cm
3x3 Sharp teeth
4 cm

No. 17005-04


Speculum



Maximum spread: 3.5 cm
Thin, curved blades and grooved finger grips
4.5 cm

Moria 7699
No. 17370-53

Alm Retractor with Wire Teeth



Maximum spread: 4 cm
Arms gently curved down
7 cm

No. 17010-07


Alm Retractor with Blunt Teeth



Maximum spread: 4 cm
Arms gently curved down
7 cm




Blunt teeth
No. 17008-07



Long blunt teeth
No. 17009-07

Alm Retractor with Blades



Maximum spread: 4.5 cm
Arms gently curved down
Thin, curved blades
7.5 cm


No. 17009-08

RETRACTORS

Spring-Loaded Retractor




Curved atraumatic blades



Maximum spread: 3 cm
Blade dimensions: 14 x 10 mm
5.5 cm


No. 17006-05



Maximum spread: 4 cm
Blade dimensions: 22 x 16 mm
8 cm

No. 17007-08


Bowman



Maximum spread: 2.5 cm
8 cm

No. 17001-07


Heiss



Maximum spread: 2.3 cm
 4x4 Blunt teeth
 10 cm

No. 17011-10



Gelpi



Maximum spread: 3 cm
 Angled down
 1x1 Sharp teeth
 10 cm

No. 17017-10



Weitlaner-Loektite



Maximum spread: 4.5 cm
 2x3 Blunt teeth
 11 cm
 No. 17012-11


Maximum spread: 6.5 cm
 3x4 Blunt teeth
 13 cm
 No. 17012-13

Wullstein



Maximum spread: 4.5 cm
 Angled down
 3x3 Blunt teeth
 11 cm

No. 17018-11



Magnetic Fixator Retraction System

This Small Animal Retraction System simplifies set-up procedure and provides the examiner with an excellent overview of the operative site. It consists of three components: Base Plate (Nos. 18200-03 & 18200-04); Fixators (Nos. 18200-01 & 18200-02); and Retractors (Nos. 18200-05 through 18200-12).

The Base Plates are made from magnetic stainless steel and are available in two sizes. The surface is nonreflective and both plates have a window in the center which allows the animal contact with body temperature control systems. The window sizes are 10 x 13 cm for the small base plate and 15 x 25 cm for the large.

The Fixators are movable anchors made from anodized aluminum with a surgical grade rare earth magnet in the base for attachment anywhere on the Base Plate. The magnets do not interfere with lab electronics and can be used in close proximity (3 cm) to ferro-magnetic items. They incorporate pushbutton-activated spring locks that grip either the Wire or Elastomer Retractors.

The Retractors are interchangeable Retractor Tips (Nos. 18200-08 through 18200-12) which attach to either Retractor Wire (Nos. 18200-05 & 18200-06) for static retraction or to Elastomer (No. 18200-07) for dynamic retraction. The Retractor Tips are light and atraumatic to delicate tissue or membrane.

All system components are autoclavable.

Kit for animals up to 200 g

Includes:

- 1 Small base plate (No. 18200-03)
- 2 Short fixators (No. 18200-01)
- 1 Tall fixator (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 1 mm wide (No. 18200-09)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)

No substitutions

No. 18200-20

Kit for animals from 200 g up to 5 kg

Includes:

- 1 Large base plate (No. 18200-04)
- 2 Short fixators (No. 18200-01)
- 2 Tall fixators (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)
- 1 Package of retractors, blunt, 5 mm wide (No. 18200-11)

No substitutions

No. 18200-50

Individual parts:

Short fixator, 2.5 cm high
Each
No. 18200-01

Tall fixator, 5 cm high
Each
No. 18200-02

Small base plate, (20 x 30 cm)
Each
No. 18200-03

Large base plate, (25 x 35 cm)
Each
No. 18200-04

Wire handles, 10 cm long
Pkg. of 10
No. 18200-05

Wire handles, 14 cm long
Pkg. of 10
No. 18200-06

Elastomer, 2 m roll
No. 18200-07

Sharp retractors
Pkg. of 10
No. 18200-08

Blunt retractors, 1 mm wide
Pkg. of 10
No. 18200-09

Blunt retractors, 2.5 mm wide
Pkg. of 10
No. 18200-10









Blunt retractors, 5 mm wide
Pkg. of 10
No. 18200-11



Blunt retractors, 7.5 mm wide
Pkg. of 10
No. 18200-12

Clamp Size and Clamp Pressure

Clamp pressure is determined by the closing force of the clamp (in grams), divided by the area of the vessel wall that is compressed between the jaws (in square millimeters). Thus, the smaller the vessel, the higher the pressure exerted.

Despite the wide range of closing forces, the pressure exerted by each clamp, big or small, remains consistent throughout the series. Each size of clamp exerts a pressure of 5g/mm² when used on the largest vessel in its range, and 15g/mm² when used on the smallest vessel. Even at the higher range, S&T's micro clamps have the gentlest working pressure of any small vessel clamp available.

Clamp (ea)	L x W (mm)	Vessel Diameter Range (mm)
00396-01 & 18040-11	3.5 x 1.0	0.4 - 1.0  
00398-02 & 18040-22	5.5 x 1.5	0.6 - 1.5  
00400-03 & 18040-33	7.5 x 1.75	1.0 - 2.25  
00325-00	10 x 2.15	2.0 - 5.0  



See page 131 for Micro Clamp and Double Clamp Appliers.

MICRO CLAMPS

Micro Clamps S&T®



S&T B-1
No. 00396-01



S&T B-2
No. 00398-02



S&T B-3
No. 00400-03



S&T HD-S
No. 00325-00

Double Micro Clamps

For vascular approximation at anastomosis. These clamps are mounted on a 10 mm sliding bar and can easily be moved by applying gentle force. The distance between the jaws of the clamps is adjustable from 3 to 16 mm.



No. 18040-11



No. 18040-22



No. 18040-33

Micro Clamp Applying Forceps




S&T®

Only compatible with
S&T Micro Clamps
14 cm

With lock
No. 00071-14

Without lock
No. 00072-14

Micro Clamp Applying Forceps



Compatible with S&T
Micro Clamps and
Double Micro Clamps
14.5 cm

No. 18040-14

Micro Clip Applicator with Lock




MOST POPULAR

For use with our 18055 series micro serrefines 14 cm

No. 18056-14

Forceps Style Clip Applicator

This applicator features special U-shaped side supports for improved seating of the clips.



For use with our 18055 series micro serrefines 14 cm

No. 18057-14

Stainless Steel Micro Serrefines

Used to obtain a clear surgical field for extended arterial cross-clamping.

Delicate atraumatic serrations
Spring width: 2 mm

MOST POPULAR



	No. 18055-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125



	No. 18055-05	-06
Jaw length (mm)	6	4
Jaw width (mm)	1	0.75
Total length (mm)	17	16
Jaw pressure (g)	100	125

Titanium Micro Serrefines

TITANIUM

Lightweight with strong clamping pressure.

For more information see page 183.

Delicate atraumatic serrations
Spring width: 2 mm



	No. 18555-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125

Cautionary note: Micro Serrefines should never be compressed with fingers; use only the appropriate applicator No. 18056-14 or No. 18057-14.

Moria Vessel Clamp

Finely serrated (atraumatic)
 Light pressure
 For vessels up to 2 mm in diameter
 Calibrated to 15g/mm²
 1.8 mm wide, 3 cm long
 Straight
 33 mm



Moria 201/A
 No. 18320-11



Moria Bulldog Type Clamps

Non-serrated
 Strong pressure
 2 mm wide
 53 mm



Straight
 Moria MC43
 No. 18374-43



Curved
 Moria MC44
 No. 18374-44



Dietrich Bulldog Clamps

Serrated
 Good access to deep seated vessels
 Closing pressure: 50 g (light)
 Weight: 3 g



Straight
 52.5 mm
 No. 18038-45



Angled
 50 mm
 No. 18039-45

Bulldog Type Serrefines

Serrated

Straight
 Medium pressure
 28 mm
 No. 18050-28



Curved
 Medium pressure
 28 mm
 No. 18051-28



Straight
 Strong pressure
 35 mm
 No. 18050-35



Straight
 Strong pressure
 50 mm
 No. 18050-50



Curved
 Strong pressure
 35 mm
 No. 18051-35



Curved
 Strong pressure
 50 mm
 No. 18051-50

Schwartz Micro Serrefines

Non-serrated
 Strong pressure
 26 mm



Straight
 No. 18052-01



Light bend
 No. 18052-02



Sharp bend
 No. 18052-03



Mini Serrefines

Smallest bulldog-type hemostatic clamps
 Medium pressure
 Gentle serrations
 2 mm wide
 28 mm

Straight
 No. 18054-28



Curved
 No. 18053-28



Bulldog Artery Spring Clamp

Can be used with a minimum of distortion for MRI investigations.

Straight
 Serrated
 Light pressure
 30 mm



For more information see page 183.

No. 18144-30



Silver Neuro Clips

These single-use, silver neuro clips are meant for permanent vessel occlusion.

Pkg. of 100 clips
No. 18040-00

Vascular Occluders

Applications

- Fast, dependable zero-flow baseline determination in blood flow studies.
- Partial to full occlusion of vessels for circulation research studies.
- Prolonged implantations, such as chronic blood flow studies.
- Constriction of soft organs in acute or chronic applications.

Operation

Step 1 Apply the occluder cuff around the exposed blood vessel. Secure it in place with suture material through the eyelets.

Step 2 Occlude the vessel to the desired degree by inflating the diaphragm with air or liquid injected into the actuating tube using a syringe and blunt needle. Clamp the tubing to maintain occlusion of the vessel over time.

Step 3 To deflate, simply withdraw the air or liquid.

Benefits


- Occlusion is accomplished without traction on vessels or surrounding tissues.
- The actuating tube may be exteriorized from the occlusion site for remote actuation.
- Performance during implantations is reliable and consistent.
- Autoclavable or cold sterilized, and easily maintained.
- Made from soft, flexible 100% silicone rubber.
- Fully operational with instant response using air, liquids, or inert gases.

Selection

The lumen diameter when deflated is usually the determining factor in the selection of the proper device. Select the occluder size that provides a slightly loose fit around the subject vessel. The cuff width and thickness will vary, depending on models and sizes.



The actuating tube length is 90 cm and measures 0.76 mm ID x 1.6 mm OD. Detailed instructions are included.



VO-1.5 N	VO-2	VO-3
Lumen diameter: 1.5 mm	Lumen diameter: 2 mm	Lumen diameter: 3 mm
Cuff width: <3.5 mm	Cuff width: 5 mm	Cuff width: 5 mm
Cuff thickness: 1.5 mm	Cuff thickness: 1.5 mm	Cuff thickness: 1.5 mm
No. 18080-01	No. 18080-02	No. 18080-03

V-Hook

Aids in feeding fine suture around blood vessels, works very similar to ligation aids.



400%

Tip diameter: 0.4 x 0.2 mm
11 cm

No. 18052-12

Ligation Aids

A handy instrument for leading a fine suture under and around a blood vessel for tying-off purposes. Also useful for ligating peripheral nerves. Grooves toward hole help threading.



150%

Ultrafine
Hole diameter: 0.4 mm
10.5 cm

No. 18062-12



150%

Hole diameter: 1 mm
13.5 cm

No. 18062-13



150%




Hole diameter: 1 mm
13.5 cm

No. 18063-13

LIGATION

Vessel Dilators

Highly modified forceps with elongated, parallel tips which are highly polished. Designed for controlled intraluminal vessel dilation.



DILATORS



Angled 10°
11 cm

Tip diameter: 0.1 mm
No. 00126-11

Tip diameter: 0.2 mm
No. 00125-11



Angled 45°
13.5 cm

Tip diameter: 0.2 mm
No. 00276-13



Angled 10°
12 cm

Tip diameter: 0.1 mm
No. 18131-12

Tip diameter: 0.2 mm
No. 18132-12

Balanced Instruments

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

Vessel Dilators

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.

Vessel Dilator



86% of actual size



Straight
Suture tying platform
Tip diameter: 0.1 mm
14.5 cm

No. 18601-15



86% of actual size



Straight
Suture tying platform
Tip diameter: 0.3 mm
15 cm

No. 18602-15



86% of actual size



Angled
Smooth
Tip diameter: 0.2 mm
14.5 cm

No. 18603-14

Micro Cannulation System

This micro cannula is most helpful for quick and easy insertion in arteries and veins. It can be used as an “indwelling” catheter during long term experiments. With care, thorough rinsing and sterilization, it can be reused several times. Detailed instructions are included.



Features

- Biocompatible Teflon® tubing.
- Cannula size 0.33 mm OD – 0.16 mm ID
- A pointed stainless steel stylus (trocar), to aid in vascular penetration and allow a maximum range of cannula manipulation during insertion.
- Contoured tip for easy insertion, fitted with shoulder for “tie-in” to prevent accidental removal.
- Female luer connection for linkage to infusion lines.

8 cm

No. 18000-10

**MOST
POPULAR**

CANNULATION

1 Approach
Cannulation Forceps (Item No. 18403-11) and Spinal Cord Hook (Item No. 10162-12) aid in the insertion process.


2 Insertion
Remove trocar and advance cannula.

3 Secure
Use shoulder hub and suture to “tie in” cannula to prevent accidental removal.

Instruments sold separately.

Vessel Cannulation Forceps

These vessel cannulation forceps are useful whenever a fine plastic tube has to be introduced into a small blood vessel of almost equal size. The hollowed jaws hold the tubing securely without deforming it. The tip of the tubing is directed exactly into the vessel opening without damage to the vessel from unwanted movement.



S&T®



DUMONT
S W I S S M A D E



CANNULATION

For tubing between
0.5 and 1 mm OD
11 cm

No. 00574-11

For tubing of 0.35 mm OD
11 cm
No. 11280-11

For tubing of 0.5 mm OD
11 cm
No. 11281-11

For tubing of 1 mm OD
11 cm
No. 11282-11

For tubing of 0.35 mm OD
11.5 cm
No. 18403-11

For tubing of 0.6 mm OD
11.5 cm
No. 18406-11

For tubing of 0.6 mm OD
13.5 cm
No. 18406-13



Surgical & Laboratory Accessories

Animal Accessories	Pages	141 – 143
Instrument Care & Accessories	Pages	144 – 155
Surgical Accessories	Pages	156 – 159
Laboratory Accessories	Pages	160 – 171



Reusable Gavage Feeding Needles

Stainless steel feeding needles with luer lock hub. Also ideal for transcardiac perfusions with a fixative.




Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item
24	25	1.25	Straight	>14 g			No. 18061-24*
22	25	1.25	Straight	15-20 g			No. 18061-22*
20	30	Barrel	Straight	20-25 g		50-75 g	No. 18060-20*
20	38	2.25	Straight	20-25 g		50-75 g	No. 18064-20
20	38	2.25	Curved	20-25 g		50-75 g	No. 18065-20
18	38	2.25	Straight	20-30 g	100-200 g	250-300 g	No. 18061-38
18	50	2.25	Curved	25-30 g	100-200 g	250-300 g	No. 18061-50*
16	75	3.00	Curved		150-300 g	350-450 g	No. 18061-75
16	100	3.00	Curved		150-300 g	350-450 g	No. 18061-10

* MOST POPULAR

Single Use Gavage Feeding Needles

These economical feeding needles feature plastic luer hubs with silicone tips. They are nontoxic and nonpyrogenic. Needles can be easily formed to any desired shape. **Sterile.**

MOST POPULAR



Pkg. of 5 needles

Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item
20	38	1.75	Flexible	20-25 g	50-75 g		No. 18061-20
18	50	2.50	Flexible	25-30 g	100-200 g		No. 18061-18
15	75	3.00	Flexible		200-350 g	400-600 g	No. 18061-15

GenoPunch

The interchangeable GenoPunch aids in the fast and simple collection of the 2 mm tissue sample for DNA analysis and/or genotyping. FST Exclusive Item. **Autoclavable.**



80% of actual size

GenoPunch includes:

- 1 GenoPunch
- 1 0.5 ml tube holder
- 1 1.6 ml tube holder
- 1 Screwdriver
- 4 Screws



FST does not supply microtubes.

Stainless steel and anodized aluminum
Punch diameter: 2 mm
11.5 cm

No. 24215-02



Ear Punch

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand. FST Exclusive Item. **Autoclavable.**



80% of actual size

Stainless steel and anodized aluminum
Punch diameter: 2 mm
11.5 cm

No. 24214-02

Finger Loop Ear Punch

This ear punch provides stability and control for researchers using the numbering system. The 1 mm ear punch offers greater numbering variations and/or patterns.



80% of actual size

10.5 cm

Punch diameter: 1 mm
No. 24212-01

Punch diameter: 2 mm
No. 24212-02

Self Piercing Ear Tags

Ideal for use in small animals such as mice and rats, these ear tags come numbered from 1-100 or 1-500. Silver colored tags with black numbers provide high visibility making them easy to read. Once applied, tags seal and cannot be removed, providing an easy to use, permanent identification method. These ear tags are safe for use in salt water.




Ear tags
Alloy: Monel
7.8 x 2.8 mm

Black numbers 1-100
No. 24220-10


Black numbers 1-500
No. 24220-50

Black numbers 501-1000
No. 24220-90

**NEW
ITEM**



Ear Tags (enlarged view)



80% of actual size

Applicator
Stainless steel
14 cm

No. 24220-00

Animal Microtattoo System

A quick, efficient and affordable method of permanently identifying laboratory animals (mice as early as 1 day old). Designed and tested by laboratory animal technicians, the system utilizes a hypodermic needle at one end of a stainless steel forceps and a small metal cup containing green tattoo paste at the other side of the forceps.

By squeezing the forceps together, the needle penetrates the toe, footpad or ear of the animal and injects a deposit of green tattoo paste into the animal. A grid location pattern provided enables a numbering system that extends over 1 million.

Use of the microtattoo system is humane and in compliance with regulatory agencies for the care and use of laboratory animals. Detailed instructions are included. **Both the microtattoo forceps and green tattoo paste are autoclavable.**

Animal microtattoo system includes:

- 1 Pair plated steel microtattoo forceps
- 1 Tube (1 oz.) of green tattoo paste
- 1 Aluminum planchette
- 2 Hypodermic needles
- 1 Plastic holding case



55% of actual size

Animal microtattoo system
13 cm

No. 24201-00



Green tattoo paste
1 oz / 29.6 ml

No. 24201-01

IDENTIFICATION



Silicone Seal and Lubricant

This stiff non-melting silicone base maintains its consistency from -40°C to 200°C (40°F to 392°F) with less than 2% evaporation after 24 hours of exposure to 150°C (302°F). Typical applications include lubrication of stopcock rotating parts and other lab items. Seals vacuum and low pressure systems. Compatible with glass, plastics, metals, synthetic rubber gaskets and seals. **Autoclavable.**

15 ml container
No. 29051-45

Demagnetizer

This safe and easy to operate tabletop demagnetizer has a large coil opening of 8 x 4 cm in a rigid, molded housing. Can be used to demagnetize or magnetize instruments.

12 x 5.5 x 9 cm
No. 18000-15




European version differs from photo.

Instrument Sharpening Stones

Natural Arkansas oil stones feature unequaled fineness, hardness and structural density. When used with mineral oil, they will produce a sharper cutting edge.

6 mm x 9 cm
Square stone
No. 29008-01

Triangular stone
No. 29008-12



Instrument Oil and Oil Pen

Physiologically inert oil for lubricating surgical instruments, box locks, ratchets and any overlapping joints. Oil pen is refillable.

50 ml bottle
No. 29055-00



7 mm needle
12.5 cm

12 ml oil pen
No. 29055-12



Sharpening Stone for Fine Forceps

This natural Arkansas stone assists in reshaping the tips of fine forceps. The stone has two grooves, 0.8 mm and 1.6 mm, and comes in a cedar box with ten O-rings.

4 x 1 x 10 cm

No. 29008-22



Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forceps tips can be restraightened with the chain nose pliers. The sharpening stone has two grooves, 1.6 mm and 0.8 mm, to assist in reshaping the forceps tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.

Kit includes:

- 1 Sharpening stone for fine forceps with ten O-rings (No. 29008-22)
- 1 Instrument oil, 50 ml bottle (No. 29055-00)
- 1 Chain nose pliers

No. 29000-00

MOST POPULAR

Optical Cleaning Kit and Lens Paper

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

Kit

No. 29000-10

Lens Paper

15 x 10 cm

Book of 50 sheets

No. 29015-50



Instrument Marking Tape

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. **Autoclavable.**

Material: Vinyl
290 x 0.6 cm (each roll)



Green
No. 29071-01



Blue
No. 29071-02



Yellow
No. 29071-03



Red
No. 29071-04



White
No. 29071-05



Black
No. 29071-06



Brown
No. 29071-07



Orange
No. 29071-08

**Instrument Marking Tape
8 Assorted Colors**

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. Includes 8 assorted color rolls: Yellow, Red, Black, White, Green, Brown, Blue and Orange. **Autoclavable.**

Material: Vinyl
107 x 0.6 cm (each roll)

No. 29080-00



Instrument Tip Protectors

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. Instrument tip protectors are recommended during handling, storage, and sterilization. **Autoclavable.**
Material: Plastisol



1.6 x 19.1 mm

Pkg. of 25
No. 29060-01



2 x 19 mm

Pkg. of 25
No. 29060-02



2.8 x 19.1 mm

Pkg. of 25
No. 29060-03



3.2 x 25.4 mm

Pkg. of 25
No. 29060-04



4.8 x 25.4 mm

Pkg. of 25
No. 29060-05



2 x 9.5 x 25.4 mm

Pkg. of 25
No. 29060-06



Assorted pack, five of each size

Pkg. of 30
No. 29060-00

MOST POPULAR

Double Tip Protectors

These vented tip protectors are designed to hold hemostats and rongeurs firmly while allowing the jaws, box hinge and tips to stay open for thorough sterilization. **Autoclavable.**
Material: Plastisol



12.7 x 20 mm

Pkg. of 10
No. 29066-01



9 x 25.5 mm

Pkg. of 10
No. 29066-02



15 x 25 mm

Pkg. of 10
No. 29066-03



25 x 26 mm

Pkg. of 10
No. 29066-04



Assorted pack, three of each size

Pkg. of 12
No. 29066-00

Self Sealing Sterilization Pouches

Preformed pouches with self adhering tape are blue tinted on one side for visualization of contents, and paper-backed on the other side. Pouches will work with either steam autoclave or ethylene oxide sterilization.

Advantages:

- Protects instruments during sterilization.
- Provides sterile storage until use.
- Write on pouches for easier identification during sterilization.



10 x 18 cm
For instruments up to 13 cm long

Pkg. of 100 pouches
No. 28000-07

13 x 26 cm
For instruments up to 23 cm long

Pkg. of 100 pouches
No. 28000-10

18 x 30 cm
For instruments up to 26 cm long

Pkg. of 100 pouches
No. 28000-12

Hot Bead Sterilizer

The sterilizer provides a safe, effective and convenient method for sterilizing your surgical instruments prior to and during surgery or tissue culture. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants.

The beads take 15–20 minutes to reach 240°C to 270°C (464°F to 518°F), and then the sterilizer is ready for use. The temperature is thermostatically maintained, and the unit can be left on all day. Instruments require approximately 20 seconds of contact with the beads for complete sterilization. The sterilizer is safe to use even in laminar flow hoods.

Sterilization test results conducted by the Pasteur Institute in Lille, France, are available upon request. Available in 110V and 220V. CE Certified and UL Approved.

Sterilizer includes:

- Sterilizer unit
- 2 Bags of glass beads
- 1 Dust cover for well
- 1 Small heat-tempered glass dish for small objects (only with FST 250)



FST 250 shown.
Instruments not included.

STERILIZER

FST 250 Sterilizer

Well diameter: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Total unit size: 14.5 x 12.5 x 13.5 cm

No. 18000-45

Replacement glass beads for FST 250
No. 18000-46

FST 350 Sterilizer

Well diameter: 4 cm
Well depth: 14 cm
Well volume: 175 ml
Total unit size: 20.5 x 12.5 x 13.5 cm

No. 18000-50

Replacement glass beads for FST 350
No. 18000-51

Autoclave Tape Dispenser

Easy loading core with heavy duty steel construction and a non-skid base. Serrated cutting blade cuts tape fast and cleanly.




Coated steel
23.5 cm

Tape sold separately.

No. 28001-00

Autoclave Tape

Tape will permanently indicate diagonal stripes after exposure to steam autoclave temperature between 121°C and 130° C during a 40-60 minute time period. Use with sterilization pouches, sterilization wraps and sterilization cases.



2 cm x 55 m

No. 28001-02

Surgical Skin Marker

This marker features a versatile tip for precise fine (0.2 mm) line marking, or when held at an angle, a broad (2 mm) line marking.

The marker's violet ink is nontoxic, non-tattooing and surgical prep-resistant. Markings can be removed from the skin with isopropyl alcohol. A six-inch ruler calibrated in both centimeters and inches is included.

14 cm

No. 18000-30



80% of actual size

Silicone Mat

High quality, extra soft mat for safe and secure placement of delicate instruments. This mat can easily be cut along the premarked grooves to fit in various sized instrument cases. **Autoclavable.**



30 x 20 cm

No. 20325-00

Magnetic Sterilization Mat

Used during sterilization and for safe anti-slip placement around surgical settings. **Autoclavable.**



Instruments not included.

30 x 20 cm


No. 20350-00

Silicone Mat

Large, economical silicone mat. **Autoclavable.**

46 x 25 cm

No. 20325-10




Sterilization Container

This plastic sterilization container includes a silicone mat for safe placement of instruments. Perforated top is clear for visual identification of instruments. **Suitable for autoclave or ethylene oxide sterilization.**



19 x 10 x 2 cm
No. 20810-01



27 x 16 x 4 cm
No. 20810-02



Two Tiered Sterilization Container

This plastic sterilization container has two tiers of silicone slots that will accommodate up to 12 different instruments. Hinged top and bottom lock tight. Container is perforated. **Suitable for autoclave or ethylene oxide sterilization.**

25 x 12 x 3 cm
No. 20820-00

CASES & WRAPS

Disposable Sterilization Wraps

These biodegradable cellulose fiber wraps are resistant to tears and conform easily to maintain a breathable yet impervious barrier to airborne bacteria, saline, blood and water. Wrapping your instrument case securely will ensure the sterility of your instruments until ready for use. Available in two sizes.



38 x 38 cm

51 x 51 cm

Pkg. of 25 wraps
No. 28015-15

Pkg. of 25 wraps
No. 28020-20

Cases not included.


Sterilization Container

This sterilization container is made from Ultem® polymer to ensure strength and long lasting durability. The transparent perforated lid provides easy identification of your surgical instruments. Silicone mat is included for a safe and secure hold. Trays are also stackable for convenience. **Suitable for autoclave or ethylene oxide sterilization.**




Single tier
19 x 7 x 2 cm

No. 20840-01




Single tier
17 x 10 x 2 cm

No. 20840-02



Double tier
25 x 15 x 4 cm

No. 20842-03



Single tier
25 x 15 x 2 cm

No. 20840-03

**MOST
POPULAR**

CASES

Dual Clasping Stainless Steel Sterilization Container

This container will assist in the sterilization and storage of your fine surgical instruments. It comes with a custom fit silicon mat and one single-use filter for keeping the instruments sterile while they remain in the container. **Suitable for autoclave or ethylene oxide sterilization.**



30 x 14 x 4 cm

No. 20850-00

5 Long-term textile filters
No. 20850-10

Stainless Steel Sterilization Container

Removable perforated interior plates hold long-term textile filters which keep the instruments sterile while they remain in the container. Lid can be locked in place. Comes with two textile filters installed. **Suitable for autoclave or ethylene oxide sterilization.**



20 x 10 x 4 cm

No. 20890-51

10 Long-term textile filters
No. 20890-72

Utility Instrument Case

Comes with a silicone mat for safe placement of instruments. **Case and silicone insert are autoclavable but should not be used for sterilizing surgical instruments.**

18 x 9 x 3 cm

No. 20311-21

**MOST
POPULAR**



Instrument Case

This plastic case is compact, safe, secure, and slotted for placement of individual surgical instruments, aiding in the prevention of tip damage. Seven colors available.

Case is autoclavable but should not be used for sterilizing surgical instruments.

17 x 8 x 2 cm

MOST POPULAR



Instruments not included.




Blue

No. 20830-00



Green

No. 20830-01



Clear

No. 20830-02



Yellow

No. 20830-03



Pink

No. 20830-04



Orange

No. 20830-05



Purple

No. 20830-06

CASES




Instrument Beaker with Silicone Bottom

Instruments are placed in the beaker with their tips immersed in distilled water when not in immediate use. This keeps the instruments clean and functional and ready to grasp. The instrument tips are protected from damage by the soft silicone rubber bottom. Segmented lid keeps instruments organized and secure.

Diameter: 10 cm
Height: 8 cm

No. 00081-00



Instrument Holding Spring

For the safe placement of delicate surgical instruments during use. Pin the sharp ends into the drape to secure the mounting spring.

Diameter: 2 cm
Length: 4 cm (closed)

No. 18090-00

Stainless Steel Burrs

Shaft diameter: 2.3 mm
Length: 44 mm
Pkg. of 10 burrs



Diameter (mm)	Item
0.7*	No. 19008-07
0.9**	No. 19008-09
1.4	No. 19008-14

* Use this size for screws No. 19010-10.
** Use this size for screws No. 19010-00.

Carbon Steel Burrs

Shaft diameter: 2.3 mm
Length: 44 mm
Pkg. of 10 burrs



Diameter (mm)	Item
0.5	No. 19007-05
0.7*	No. 19007-07
0.9**	No. 19007-09
1.4	No. 19007-14
2.1	No. 19007-21
2.9	No. 19007-29

* Use this size for screws No. 19010-10.
** Use this size for screws No. 19010-00.

MOST POPULAR

Tungsten Carbide Burrs

Shaft diameter: 2.3 mm
Length: 44 mm
Pkg. of 5 burrs



**TUNGSTEN
CARBIDE**

For more information see page 183.


Diameter (mm)	Item
0.5	No. 19009-05
0.7*	No. 19009-07
0.9**	No. 19009-09

* Use this size for screws No. 19010-10.
** Use this size for screws No. 19010-00.

Stainless Steel Trepines

Side opening for clearing of material.

Shaft diameter: 2.3 mm
Length: 44 mm
Sold individually



Diameter (mm)	Item
1.8	No. 18004-18
2.3	No. 18004-23
2.7	No. 18004-27
5	No. 18004-50

DRILL BITS

Stainless Steel Circular Saw

For cutting bone and other hard substances.
Attaches to mandrel (No. 18000-18), right.

Diameter: 16 mm
Thickness: 0.1 mm



Pkg. of 10 saws
No. 18000-20

Stainless Steel Mandrel

Screw allows attachment of discs and circular saws for use with high speed drills.

Shaft diameter: 2.3 mm
Length: 45 mm

No. 18000-18



Low Cost Cautery Kit

This low cost, high temperature cauterizer is a great alternative to disposable cautery units. Temperature at tips is approximately 1000°C (1832°F). Replacement cautery tips are available. **Not autoclavable.**



Plastic body
Stainless steel tips: 0.2 mm diameter
Total weight: 60 g
Length: 17.5 cm (without tip)

- Cautery kit includes:
- 1 Cautery handle
 - 2 AA Batteries
 - 2 Standard tips
 - 1 Storage case
 - 2 Fine tips

Cautery kit
No. 18010-00

MOST POPULAR

65% of actual size



Replacement tips
Straight standard

Box of 10 tips
No. 18010-01

MOST POPULAR



Replacement tips
Straight fine

Box of 10 tips
No. 18010-02

MOST POPULAR

Small Vessel Cauterizer

This small hand-held unit keeps bleeding to a minimum and therefore provides a surgical field clear of clamps and hemostats. The cauterizer should be activated momentarily so the delicate tips do not burn out. Temperature at tips is approximately 1000°C (1832 °F). Replacement cautery tips are available. **Autoclavable.**



Heavy gauge stainless steel body
Platinum-iridium tips: 0.3 mm diameter
Total weight: 100 g
Length: 13.5 cm (without tip)

- Cautery kit includes:
- 1 Cautery handle
 - 2 AA Batteries
 - 1 Straight fine tip
 - 1 Storage Case
 - 1 Angled fine tip

Cautery kit
No. 18000-00

Cautionary note:
Remove batteries before autoclaving.

65% of actual size



Replacement tip
Straight fine

No. 18000-01



Replacement tip
Angled fine

No. 18000-02



Replacement tip
Straight knife

No. 18000-03




Replacement tip
Straight knob

No. 18000-04

Neuro Punches

N.I.H. style neuro punches for punch removal of frozen brain microregions.




ID (mm)	OD (mm)	Gauge	Length (cm)	Item
0.31	0.61	24	4.2	No. 18036-24
0.41	0.70	22	4.5	No. 18036-22
0.69	1.00	19	4.5	No. 18036-19

Sample Corers

For quantitative analysis. Comes with plunger.

8.5 cm



ID (mm)	OD (mm)	Gauge	Item
0.35	0.80	21	No. 18035-35
0.50	1.00	19	No. 18035-50
0.80	1.45	17	No. 18035-80
1.00	1.80	15	No. 18035-01
2.00	3.00	11	No. 18035-02
3.00	4.00	8	No. 18035-03
5.00	6.00	4	No. 18035-05

Absorption Spears and Triangles

These synthetic surgical sponges absorb fluids twice as fast as the best cotton sponges and have three times their fluid-holding capacity. They are made from strong, soft, lint-free biocompatible-proven material that is non-irritating to delicate tissue and leaves no fibrous residue that might cause wound contamination. The Absorption Spears are sterilized by radiation.

MOST POPULAR



Absorption Spears Sterile
7 cm


Box of 200 spears
No. 18105-01



Absorption Triangles Sterile
2 cm

Box of 500 triangles
No. 18105-03

Fiber Optic Swabs



Straight


Pack of 100
Tip diameter: 2.5 mm
15 cm

No. 18106-01

NEW ITEM

Miniature File Set


Comes with 8 different file profiles in a vinyl pouch.
Not autoclavable.



10 cm
 No. 30076-14

4-in-1 Screwdriver

With 4 hardened, interchangeable blades stored in handle: 1.5, 2, 2.5, and 3 mm.



10.5 cm
 No. 30051-10

Ceramic Blade Cutter




No. 10025-70

**NEW
 ITEM**

TOOLS

Utility Scissors

These scissors are extremely hard (54 on the Rockwell scale). Useful for cutting tin or aluminum sheets, bone, plastics, etc. The strong, 3 mm thick blades are magnetic. The plastic handles are anatomically shaped. **Not autoclavable.**



75% of actual size

Stainless steel with plastic handle
21 cm

Right-handed
No. 37500-00



No. 37000-00

Universal Scissors

Lorem ipsum. **Not autoclavable.**



Stainless steel with plastic handle
13 cm


Right-handed
No. 37500-05




Ruler with Gauge Measurements

Stainless steel
15 cm (6")
No. 30085-15

90% of actual size



Front



Back

Ruler with Metric Conversion Table

Stainless steel
30 cm (12")
No. 30085-30

50% of actual size



Front



Back

Ruler Label

Used for stable measurements in all surgical platforms.

6 cm
Pkg. of 25 labels
No. 29027-00



Plastic Vernier Caliper

Tough polymer is unbreakable under normal conditions. Measures inside, outside, step and depth, metric and inch to 0.1 mm or 1/64". Capacity is 13 cm.



75% of actual size

21 cm

No. 30087-20

Digital Electronic Caliper

Wide screen LED display with the ability to measure in millimeters, inches and fractions. Measures inside, outside, step and depth. Battery, spare battery and plastic storage case included.



70% of actual size

Stainless steel
23.5 cm

No. 30087-00

Castroviejo Surgical Caliper

Used for precise measurement during surgery.



0-20 mm with 0.5 mm divisions
Tip diameter: 0.5 mm
8.5 cm

No. 18000-35

Magnifying Loupe with Micrometer and LED

High quality loupe features a removable micrometer and ultra-bright LED lights surrounding the circumference for a defined image and clear contrast.

Magnification: 10x
 Field of view: 30 mm
 Working distance: 10 mm (without scale)
 Illumination: Ultra-bright LED
 38 x 38 x 40 mm

No. 29026-10




Stage Micrometers

These are highly accurate stage micrometers for use with transmitted light in both compound and stereo microscopes. Comes with a plastic case.

76 x 26 mm

10 mm with 100 divisions (0.1 mm)
 No. 29025-01

1 mm with 100 divisions (0.01 mm)
 No. 29025-02



Electronic Clock / Triple Timer

Three activities can be timed up or down simultaneously or individually. Time can be displayed either in 12 or 24 hours and features a memory function. Maximum countdown time is 19 hours, 59 minutes, 59 seconds. Minimum time interval is 1 second. The timer housing includes a powerful magnet for mounting.

LCD display: 4.5 x 4.5 cm

7 x 8.5 x 1.5 cm

AAA battery included

No. 27000-01



Gold Wire Contacts

Matching pin and socket. Contacts are crimp terminated, but also can be used for solder connections.

Total length: 16 mm (when connected together)

Diameter: 1.2 mm

Opening for wire: 0.63 mm

Pkg. of 50 male contacts

No. 19003-00

Pkg. of 50 female contacts

No. 19003-01



Enlarged

Headband Magnifier

Precision ground and polished optical glass lenses. The padded headband is lightweight and fully adjustable. Can be worn with spectacles.



Headband magnifier shown with VisorLIGHT™ (sold separately).

MAGNIFIERS

Magnification: 2.5x
Working distance: 200 mm (8")

No. 28030-02

Magnification: 2.75x
Working distance: 150 mm (6")

No. 28030-03

Magnification: 3.5x
Working distance: 100 mm (4")

No. 28030-04

VisorLIGHT™

Small, portable light source with 3.9 cm cord for attachment to headband. It comes with a battery pack that holds two AA batteries. Completely adjustable. Replacement bulbs are available upon request.



No. 28030-10

Interchangeable Magnifier Headset with LED

Economical and fully interchangeable headband magnifier with LED light.

Includes:

- Multiple Lens Magnifications (1.0x, 1.5x, 2.0x, 2.5x, 3.5x)
- LED Light Source
- Tilting Functionality
- Cushioned Nose Pads
- Adjustable Headband
- Interchangeable Lens Frames
- Requires 3 AAA Batteries (Batteries not included)

Magnification: 1x, 1.5x, 2x, 2.5x, and 3.5x

Field of view: Variable

Working distance: Variable

No. 28080-10

**MOST
POPULAR**



Can be used with or without the adjustable head strap (included).

FINESCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

RESEARCH ONLY

PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.

Galilean Loupes

These loupes are lightweight and easy to use. Made from the finest optical coated lenses which deliver excellent clarity and high resolution. The loupes are mounted onto a strong yet flexible wraparound safety frame with a headband for stability and comfort. Ability to flip loupes up for use as safety glasses. Comes with mini screwdriver for fine adjustments, micro cloth, and storage case.

Magnification: 3x
Working distance: 400 mm (16")
Weight: 72 g

No. 28050-30

Magnification: 3.5x
Working distance: 300 mm (12")
Weight: 77 g

No. 28050-35



MAGNIFIERS

Eschenbach Magnifier Spectacles

These magnifier spectacles allow full adjustments on almost all parts. Headband keeps spectacles steady and in place. (Sold separately.)
Leather case and Headband included.

Magnification: 2.5x
Working distance: 350 mm (14")
Weight: 70 g
Plastic frame reinforced with fiberglass

No. 28040-30



Spectacles Headband

Compatible with the Eschenbach Max Detail Spectacles (Item No. 28030-20) and Eschenbach Magnifier Spectacles (Item No. 28040-30).

Material: Neoprene

No. 28080-90



Eschenbach Max Detail Spectacles

These spectacles are portable, lightweight, and easily adjustable. Designed with frosted objective lens housing which eliminates distracting reflections. Bendable ear pieces for a secure, comfortable fit. Protective case is included.

Magnification: 2x

Field of view: 110 mm (4")

Working distance: 400 mm (16")

Weight: 49 g

No. 28030-20

MOST
POPULAR



Max Detail Spectacles shown with Eschenbach Clip-On LED Light (sold separately).

Eschenbach Clip-On LED Light

A compact and lightweight light source with two high-performance SMD LED's and a lens that concentrates the light producing a more powerful, bright and homogenous field of view. Light can be set high or low. Compatible with the Max Detail Spectacles and Headband Magnifiers. Comes with 3 AA batteries and storage case.

Gross Weight: 106 g (including batteries)

No. 28030-25

MOST
POPULAR





Optical Cleaning Kit

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

No. 29000-10



Lens Paper

This premium grade optical lens tissue is extremely soft and safe for any glass or plastic optical lens surface.

15 x 10 cm

Book of 50 sheets

No. 29015-50

Eschenbach Vario Flex with LED

The Vario LED Flex ensures ease and precision by its smooth flexible neck and tiltable magnifying lens. This magnifier's innovative features provide a spacious working platform suitable for any application. Mounting clamp provides uncompromised workspace due to its sturdy, slim design. The magnification lens is illuminated with shadow-free full or half ring optimum bright LEDs.

Magnification: 2.5x

Diopter: 6D

Lens size: 76 mm

Lens shape: Aspheric

Working distance: Variable

Lens material: PXM® lightweight lens with patented

Ceratec® scratch-resistant coating

Illumination: Latest SMD LED technology

Power source: 120V & 220V

No. 28015-25

**Eschenbach Scribolux Magnifier**

This magnifier provides an illuminated platform suitable for any working condition. The open design allows for a spacious working platform. Supplied in a microfiber pouch for protecting and cleaning the lens.

Magnification: 2.8x

Diopter: 7/11D

Lens size: 100 x 75 mm

Lens shape: Aspheric

Working distance: 75 mm (3")

Lens material: PXM® lightweight lens with patented


Ceratec® scratch-resistant coating

Illumination: Latest SMD LED technology

Power source: 4 AA batteries (included)


No. 28020-28





Student Quality Instruments

Scissors	Pages	173 – 174
Cutter	Page	174
Vessel Dilator	Page	175
Forceps	Pages	175 – 177
Hemostat, Needle Holder, Pin Holder, Scalpel Handle & Retractor	Pages	178 – 179




Vannas Spring Scissors

Ideal for introductory courses in microdissection. The manufacturer, material and general pattern are the same as our No. 15003-08 but with much of the costly hand finishing omitted.



Cutting edge: 5 mm
Tip diameter: 0.35 mm
9 cm



Straight

No. 91500-09



Curved

No. 91501-09

MOST POPULAR

Fine Scissors



11.5 cm



Straight

No. 91460-11



Curved


No. 91461-11

MOST POPULAR

Quantity discount for student instruments:
5-9 = 5%
10+ = 10%
Per item, selection cannot be assorted for discount.

For more info on student instruments see page 187.

Surgical Scissors



90% of actual size



Sharp/Sharp

10.5 cm
No. 91402-10



Sharp/Blunt

10.5 cm
No. 91401-10



Blunt/Blunt

10.5 cm
No. 91400-10

12 cm
No. 91402-12

12 cm
No. 91401-12

12 cm
No. 91400-12

14.5 cm
No. 91402-14

14.5 cm
No. 91401-14

14.5 cm
No. 91400-14

STUDENT

Lister Scissors

Longer blunt blade prevents damaging tissue underneath skin without losing the cutting line.



Angled to side
Blunt/Blunt
14 cm

No. 91413-14

Bone Scissors

For cutting fine bone.



Curved

Cutting edge: 9 mm
9 cm

No. 91604-09




Quantity discount for student instruments:

5-9 = 5%
10+ = 10%

Per item, selection cannot be assorted for discount.

For more info on student instruments see page 187.

Bone Cutter



Angled 30°

Cutting edge: 19.5 mm
Blue Plastic Handle
11 cm

No. 91601-11

NEW ITEM



Vessel Dilator




Angled 10°

Tip diameter: 0.3 mm
11 cm

No. 91815-11

Standard Pattern

Broad pattern with strong spring action.




Serrated

Tip width: 2.5 mm
11.5 cm
No. 91100-12



Tip width: 3.5 mm
16 cm
No. 91100-16



1x2 teeth

Tip width: 2.5 mm
12 cm
No. 91121-12

Quantity discount for student instruments:
5-9 = 5%
10+ = 10%
Per item, selection cannot be assorted for discount.

Adson

Wide, strong grip with narrow tips.




Tip width: 1.5 mm
12 cm



Serrated

No. 91106-12



1x2 teeth

No. 91127-12

STUDENT

Dumont #5



**MOST
POPULAR**

Standard tip
0.1 x 0.06 mm
Inox
11 cm

No. 91150-20

**Quantity discount for
student instruments:**

5-9 = 5%

10+ = 10%

*Per item, selection cannot
be assorted for discount.*

For more info on
student instruments
see page 187.

Dumont #7



**MOST
POPULAR**

Standard tip
0.17 x 0.1 mm
Inox
11 cm

No. 91197-00

**Fine Forceps
Straight**



0.2 x 0.1 mm
11 cm

No. 91115-10

**Fine Forceps
Broad Shanks**



0.2 x 0.2 mm
12 cm

No. 91113-10

**Fine Forceps
Curved**



0.2 x 0.2 mm
12 cm

No. 91117-10

**Fine Forceps
Angled**



0.2 x 0.2 mm
11 cm

No. 91110-10

**Quantity discount for
student instruments:**

5-9 = 5%
10+ = 10%

*Per item, selection cannot
be assorted for discount.*

STUDENT

Halsted-Mosquito Hemostat

Halsey Needle Holder

Quantity discount for student instruments:
 5-9 = 5%
 10+ = 10%
Per item, selection cannot be assorted for discount.

For more info on student instruments see page 187.



Straight
12.5 cm

No. 91308-12



Curved
12.5 cm

No. 91309-12



13 cm


MOST POPULAR

No. 91201-13

For suture needles, see page 116 & 117.

STUDENT

Pin Holder



Nickel-plated
Jaw opening: 0-1 mm
7.5 cm

No. 91606-07

For pins, see
page 107.

**Standard Scalpel
Handle #3**




12 cm

No. 91003-12

For scalpel blades,
see page 58.

**Quantity discount for
student instruments:**
5-9 = 5%
10+ = 10%
*Per item, selection cannot
be assorted for discount.*

Spring-Loaded Retractor



Curved atraumatic blades
Maximum spread: 3 cm
Blade dimensions: 14 x 10 mm
8.5 cm

No. 91706-05

STUDENT




Reference Pages

Worldwide Locations	Page	181
Scissors Test	Page	182
Features and Alloys	Page	183
Maintenance and Care	Pages	184 – 185
Quality Control	Page	186
Student Line	Page	187
Selection	Page	188
Dumont	Page	189
Numerical Index	Pages	190 – 193
Alphabetical Index	Pages	194 – 199
Additional Information	Page	200


Fine Science Tools Around the World


Commitment to excellence

For decades, we've demonstrated our commitment to excellence with genuine quality and a 100% satisfaction guarantee. As a result, our products continue to be the preferred instruments among scientists and biomedical researchers worldwide.



We have offices and dealers throughout the world and have been shipping globally since 1974.

	Offices finescience.com finescience.de finescience.ca	USA Europe Canada/International
---	---	---------------------------------------

	Dealers To see a complete list of Fine Science Tools dealers, please visit us at finescience.com/en-US/Contact/FST-Dealers .
---	--

FINESCIENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

RESEARCH ONLY

PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.


WORLDWIDE

Does paying more for a pair of scissors really buy more value and a longer cutting life?

Pictured below is a scissors testing device used to compare various alloys and cutting edge styles. The scissors repeatedly cut through a continuous feed of cotton cloth, and a counter keeps track of the number of cuts made to evaluate when the scissors begin to show a decrease in cutting quality.

The results verify that the addition of various features dramatically increases the cutting life of the scissors. Most notably, the cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

See the chart below for a comparison of four different scissors sold by FST.



The cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

Alloy/Material	Lasts longer than stainless steel by:
Tungsten Carbide	1.9x
Stainless Steel with ToughCut	2.3x
Tungsten Carbide with ToughCut	4.1x
CeramaCut (Ceramic Coated Tungsten Carbide with ToughCut)	6.6x

See page 183 for more information on ToughCut, Tungsten Carbide and CeramaCut.

Tungsten Carbide



When you place heavy demands on your surgical instruments, be it scissors, needle holders, or forceps, you should consider the benefits of tungsten carbide, one of the hardest alloys available. Tungsten carbide scissors last almost two times longer than stainless steel, and needle holder tips can be made with a pyramid cross pattern that holds suture needles much more securely. Inlays are either glued or welded into place.

Compare the extra cost of these instruments with the length of useful wear and you have a cost effective solution for your instrument requirements. Tungsten carbide instruments are identified by their gold handles.

- Bone Cutters: page 41
- Scissors: pages 9–10, 20–21, 23, 30–32, 34 and 44
- Forceps: page 84
- Needle Holders: pages 111–115
- Burrs: page 157

Look for this symbol



ToughCut® Scissors



ToughCut scissors feature two unique cutting edges that cut through the toughest tissue with exceptional ease and accuracy. One blade is honed to razor sharpness, and the other is micro-serrated to minimize tissue slippage during cutting. Scissors with ToughCut edges are identified by their black handles.

For ToughCut scissors that last almost two times longer, select ToughCut with tungsten carbide cutting edges.

- Scissors: pages 6, 15, 20–21, 30, 33–34

Look for this symbol



Ceramic and CeramaCut® Instruments



One of the hardest materials on Earth, ceramic is used in surgical instruments to form edges that last longer than stainless steel and even longer than tungsten carbide. Ceramic also has a high slide capacity which reduces surface tension and results in a much cleaner cut than metal instruments. Our CeramaCut scissors combine ToughCut technology with tungsten carbide edges and a ceramic coating for one of the best, cleanest cutting scissors available on the market today.

- CeramaCut Scissors: page 21
- Ceramic Blades: page 52
- Ceramic Cutter: page 160
- Ceramic Coated Forceps: pages 63 and 69
- Ceramic Coated Spring Scissors: pages 7 and 10

Look for this symbol



Titanium

Titanium instruments are over 40% lighter than equivalent stainless steel instruments, with better flexibility and strength. Elemental titanium (Ti) is a very strong, lustrous, white metal with a specific gravity of 4.54. Titanium and titanium alloys readily form stable protective surface layers, giving them excellent corrosion resistance to saltwater, laboratory saline solutions, blood and other bodily fluids, oxidizing acids, alkalis and chlorides. Titanium is 100% nonmagnetic; a great benefit when working with nerves. Its inherent surface oxide film provides bactericidal and non-allergenic properties. Titanium alloys can be heated up to 440°C (824°F).

- Scissors: pages 5 and 10
- Forceps: pages 65, 69, 80, 86 and 90
- Probes, Y-Hook and Spatula: page 102
- Vascular Clamps: pages 132–133

Look for this symbol



Cleaning, Sterilization, Maintenance, & Storage of Surgical Instruments

Proper care of your surgical instruments will improve their longevity and function. Below are different cleaning, sterilization, and maintenance processes to guide you through your techniques.

General Care & Maintenance

Guidelines to extend the life of your surgical instruments.

- Clean and thoroughly dry your instruments as soon as possible after each use, paying special attention to joints, hinges, and anywhere there is metal to metal contact.
- Handle your instruments delicately and with care.
- Use your instruments for their intended purpose.
- Store your instruments with tip protectors, and always place them so that they do not touch each other.

Cleaning

Fine surgical instruments should be cleaned immediately after use. Blood or saline solutions left on instruments for any length of time can quickly start corrosive action. Time, temperature, and agitation play important roles in the cleaning process. Time affects the efficiency of cleaning solutions as most are effective after a certain time period. Higher temperature cleaning solutions result in better cleaning. During manual or ultrasonic cleaning it is helpful to loosen any surgical residue. Before any of the below procedures, rinse your instruments under warm running water to remove all blood and tissue. Instruments can be cleaned manually or ultrasonically, but always:

- Use a neutral pH (pH 7) cleaning solution.
 - Clean instruments in the open position to ensure a thorough and effective cleaning process.
 - Use soft textile or paper cloths, soft plastic brushes made of nylon, or water spray guns.
- Do **NOT** use steel wool, wire brushes, or scouring pads as these are abrasive to the instruments.

Manual Cleaning

- Make sure all instruments are visibly clean and free from stains, wiping them carefully to remove all blood and tissue matter.
- Rinse instruments thoroughly with distilled water, paying close attention to joints and hinges as these areas can accumulate unwanted material.
- Air dry your instruments completely and use a can of compressed air to blow out any water at the joints and hinges. Then store them only in clean and dry environments.

Ultrasonic Cleaning

Ultrasonic cleaning is the most effective cleaning method. The vibrating sound waves create micron-sized bubbles in the solution that grow with the alternating pressure. When the bubbles reach a particular size, they collapse creating a force that dislodges dirt and particles, even in the smallest of crevices.

- **NOT** recommended for delicate and micro instruments.
- Follow the manufacturer's guidelines for specific instructions and cleaning cycle times. Instruments should be processed for the full recommended cycle time.
- Place instruments in the open position in the ultrasonic cleaner.
 - Do **NOT** allow instruments with sharp blades to touch other instruments.
 - Do **NOT** place dissimilar metals (stainless, copper, chrome plated) in the same cleaning cycle.
 - Make sure all instruments are completely submerged.
- After the ultrasonic cleaning cycle is complete, rinse instruments thoroughly to remove all ultrasonic cleaning solution.
- Dry instruments thoroughly with a clean towel.
- Use a spray lubricant in the hinges to minimize the risk of corrosion and maintain functionality.

Sterilization

It is important that instruments are free from all traces of organic or other matter prior to sterilization.

Steam Sterilization/Autoclaving

The autoclave process utilizes moist heat (or steam) under pressure for sterilization. The steam used must be from distilled water and free of all impurities.

- Lubricate all instruments that have any metal to metal interaction such as; scissors, rongeurs, needle holders, hemostats, and retractors. Do **NOT** use WD-40 or other industrial lubricants.
- Instruments may be autoclaved individually or in sets.
 - **Individual instruments:** Disposable wraps or sterilization pouches are ideal. Make sure the pouch size is sufficient for the instrument to be in an open (unlocked) position.
 - **Instrument sets:** Open and unlock all instruments. Place the heavier instruments on the bottom of the set when two layers are needed.
- Do **NOT** lock instruments during autoclaving. This will prevent the steam from reaching and sterilizing the metal to metal surfaces, and heat expansion during autoclaving can cause cracks in the hinge areas.
- Do **NOT** over load the autoclave chamber as this may hinder steam penetration.
- Place a towel on the bottom of the pan to absorb excess moisture during autoclaving. Make sure the towel has no detergent residue and is pH neutral if immersed in water.
- At the end of the autoclave cycle (before the drying cycle) unlock the autoclave door and open it slightly. Run the dry cycle for the recommended time period by the autoclave manufacturer.

IMPORTANT NOTE: Do **NOT** mix instruments of different or unknown alloys in the autoclave.

Please note: If the autoclave door is fully opened before the drying cycle, cold air will rush into the chamber, which can cause condensation on the instruments. This will result in water stains on the instruments.

Hot Bead Sterilization

Recommended for speed and convenience when instrument tips or blade sterilization is required. The Hot Bead Sterilizer does not use dangerous gases, flames, or chemicals. Highlights:

- Bench top set up.
- Only 20 seconds of contact required to ensure your instruments are free of pathogens and microbial contaminants.
- Can be left on all day.
- Beads reach temperature of 240° - 270°C (464° - 518°F) within 15-20 minutes heating time.

Please see page 149 for more information on the FST Hot Bead Sterilizers.

Ethylene Oxide (ETO) Sterilization

This method is recommended for instruments that will not tolerate high temperatures or moisture (e.g., catheters, cannulae, etc.). This is a process consisting of 4 primary variables; gas concentration, humidity, temperature and time. Sterilization pouches and wraps available, see pages 148 and 152.

Storage

Surgical instruments should be properly stored in a clean and dry environment. It is highly recommended to use tip protectors and instrument cases to avoid possible damage to your instruments. Instrument tip protectors are available, see page 147. Instrument cases are available, see pages 152 – 155.

Oxidation (Rust)

All FST stainless steel surgical instruments are manufactured from medical grade stainless steel under strict European standards. It is very important to properly take care of your instruments to extend their lifespan.

Although stainless steel is corrosive resistant, it can still rust or stain if handled improperly. Under unfavorable conditions instruments may oxidize because stainless steel that is exposed to physical, thermal, or chemical manipulations may lose some of its stainless properties.

Quality Control

The high quality of Fine Science Tools surgical and microsurgical instruments is the result of our relentless attention to detail. Almost every instrument we sell is manufactured by skilled European craftsmen, designed to exacting specifications made from the finest German stainless steel alloys, and forged from the strongest, lightest materials available, and tested to ensure precision performance and ergonomics.

We are dedicated to quality control, with technicians in our German office inspecting most FST instruments. Aside from checking instrument dimensions and specifications, we thoroughly inspect tip sharpness, cutting edges, springs, joints, and other various components. Only after passing our detailed inspections, instruments are approved and sealed with our "FST Inspected" sticker.

We are proud to guarantee all of our products with your 100% satisfaction. If, for any reason, you are not completely satisfied with your purchase, you may return it for a full refund.





FST Student Quality Instruments

One of the hallmarks of FST has always been to accurately assess the needs of our customers. We gather information not only from the lab, but from conferences, journals and researchers. Whether it is designing new tools or finding new applications for existing instruments, we believe our best information comes directly from you.

Our customers wanted reduced costs and quantity discounts without sacrificing the precision and quality inherent in German instruments. To meet their needs, we have developed a full line of "student" instruments. They were created for use in the classroom where students are learning proper instrument care.

Unlike our competitors, the quality of these instruments does not drop dramatically with the price. Our student line uses quality stainless steel and maintains the precision you expect from FST. In addition they carry our unconditional satisfaction guarantee while being offered at a significantly reduced price.

Not intended as a substitute for our highest quality instruments, the student line may require extra care as the alloys used are more susceptible to corrosion. All of our shipments come with an instruction pamphlet describing the use and care of surgical instruments. Visit our website at finescience.com for more information.

Features:

- Economy
- Quantity discounts
- Quality
- Less hand finishing
- Less expensive alloys

We Proudly Stock



Fine Science Tools is proud to offer a large selection of left-handed surgical instruments to the research community. To find our left-handed instruments in this catalog, look for the “left-handed” icon on the pages below.

Scissors: pages 17, 29 and 161

Hemostatic Forceps: page 93

Needle Holders: pages 113-114

Ligation Aid: page 135



FST features a selection of scissors with larger than normal finger loops. Most of these loops are easily adjustable to fit larger fingers more comfortably. To find our large loop scissors please look for the “large loop” icon on the pages below.

Scissors: pages 19, 28 and 31



Fine Science Tools has noted which items are most frequently purchased for use in a variety of surgical procedures. To find our most popular items, look for the “most popular” icon throughout the catalog.



Fine Science Tools offers a wide selection of the latest and most popular Dumont forceps. Hand crafted in Switzerland for more than a century, these forceps are known for their consistent and uncompromised fineness. Dumont forceps come in a wide array of styles and alloys. On page 189, you will find detailed descriptions to help guide you in choosing the right Dumont forceps best suited for your needs.



Moria of France is one of the most respected and well known ophthalmic instrument manufacturers in the world, offering some of the finest surgical instruments in the industry for almost 200 years.

Only quality Swedish and German stainless alloys are selected; and many hours of highly skilled labor are put into the manufacturing process, which includes hand crafted sharpening, balancing, and polishing, often done under 40x magnification. Moria’s product line includes scissors, spring scissors, forceps, spoons, vessel clamps, and more.



This Swiss manufacturer has established itself as one of the premier suppliers of superb microsurgical instruments worldwide. Unique designs, precise instrument balance, and optimum angles gives S&T instruments the “right feel” which is important for all procedures. S&T’s product line includes forceps, needle holders, scissors, vessel clamps, sutures, vessel cannulation forceps, vessel dilators, and more.

Finding the Dumont forceps best suited for your needs:



Alloys	Hardness	Magnetic	Temperature resistance	Autoclavable	Advantages
Titanium	Least Hard	No	Up to 430° C	Yes	Resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than stainless steel.
Dumoxel	Hard	No	400° C	Yes	The most popular alloy available for Dumont forceps offers the best resistance to corrosion, sulphuric environments, hydrochloric acids, and all other mineral and organic acids.
Inox	Harder	Yes	400° C	Yes	Available for most Dumont forceps. Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities and resistance to corrosion.
Dumostar	Harder	No	500° C	Yes	More durable and corrosion resistant than the best stainless steels. Highly resistant to mineral and organic acids, and salt water. Dumostar lasts an average of four times longer than Dumoxel and Inox. Most cost effective alloy for laboratory use.
Carbon	Hardest	Yes	N/A	No	Extremely hard; ensuring strong tips. Easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.

Tip profiles: Dimensions vary. See each style for specific dimensions (width x thickness).

Standard	Made for high precision and consistently precise work under a microscope.
Biology	Twice as fine as "Standard Tips." Especially produced for high precision laboratory work under the microscope.
Super Fine Tips	Four times finer than the "Standard Tips." These tips are extremely delicate for the finest work under the microscope. Extra care is needed for these tips as they are very fragile.

Styles

#2	Straight forceps with wide yet fine tips, referred to as Mouse Laminectomy Forceps because of their popularity in breaking off delicate bone from mouse skulls.
#2AP	Epoxy coated with flat wide blunt tips.
#3	Long straight forceps with coarse tips. Popular in low magnification procedures.
#3C	Shorter version of #3.
#4	Similar to the #5 but with broader shanks and stronger tips.
#5	Most popular style of Dumont straight forceps with fine tips which come in several styles.
#55	Similar to the #5 but with lighter shanks, giving the forceps a lighter spring action.
#5CO	Similar to the #55 but with even finer shanks producing the lightest spring action and longest meeting surface of any Dumont style.
#5L	Medical #5 forceps with slide sleeve for a secure hold and retention.
#5SF	The finest tips ever produced by Dumont.
#5XL	Extra Long #5 forceps.
#5/45	Tips angled at 45°.
#5/45C	Designed to pick up cover slips from multi-well plates.
#5/90	Tips angled at 90°.
#6	Sharply angled, broad tips.
#7	Most popular style of Dumont curved forceps with fine tips which come in several styles.
#7B	Curved serrated tips.
AA	Strong broad tips.
M	Mini forceps.
Medical	Denotes distinctive ribbed handle to maximize grip.
SS	Long and narrow shanks with thin tips.
WA	One piece design with no soldering grooves allows the forceps to be thoroughly and easily cleaned preventing biofilm residue.

FINESCENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

RESEARCH ONLY

PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.

INDEX

Item No.	Page No.										
		10030-13.....	100	10096-16.....	49	11001-12.....	87	11023-10.....	88	11092-12.....	97
		10031-13.....	100	10097-16.....	49	11001-13.....	87	11023-12.....	88	11093-10.....	77
		10032-13.....	100	10098-06.....	105	11001-14.....	87	11023-14.....	88	11095-09.....	96
00071-14.....	131	10033-13.....	100	10099-12.....	106	11001-16.....	87	11023-15.....	88	11095-13.....	96
00072-14.....	131	10035-00.....	56	10099-15.....	106	11001-18.....	87	11024-18.....	91	11101-09.....	83
00081-00.....	156	10035-05.....	56	10100-30.....	52	11001-20.....	87	11025-18.....	91	11103-09.....	83
00108-11.....	75	10035-10.....	56	10100-45.....	52	11002-12.....	86	11026-15.....	89	11106-09.....	83
00109-11.....	75	10035-12.....	56	10110-01.....	53	11002-13.....	86	11027-12.....	84	11150-10.....	80
00125-11.....	136	10035-15.....	56	10110-03.....	53	11002-14.....	86	11028-15.....	89	11151-10.....	80
00126-11.....	136	10035-20.....	56	10110-05.....	53	11002-16.....	86	11029-14.....	88	11152-10.....	80
00272-13.....	77	10035-25.....	56	10110-07.....	53	11002-18.....	86	11030-12.....	85	11153-10.....	80
00276-13.....	136	10035-30.....	56	10130-05.....	109	11002-20.....	86	11031-15.....	89	11154-10.....	80
00325-00.....	130	10050-00.....	55	10130-10.....	109	11002-25.....	86	11032-12.....	84	11155-10.....	80
00396-01.....	130	10052-11.....	55	10130-20.....	109	11003-12.....	86	11036-20.....	87	11158-10.....	80
00398-02.....	130	10053-09.....	55	10140-01.....	101	11003-13.....	86	11036-90.....	87	11159-10.....	80
00400-03.....	130	10053-13.....	55	10140-02.....	101	11003-14.....	86	11040-08.....	79	11160-10.....	80
00574-11.....	139	10055-12.....	50	10140-03.....	101	11003-16.....	86	11041-08.....	79	11200-00.....	72
00632-11.....	75	10056-12.....	50	10140-04.....	101	11003-18.....	86	11042-08.....	79	11200-10.....	72
00649-11.....	75	10058-15.....	51	10152-30.....	54	11003-20.....	86	11043-08.....	79	11200-12.....	72
10000-10.....	60	10059-13.....	50	10157-13.....	54	11006-12.....	84	11049-10.....	80	11200-14.....	72
10000-11.....	60	10059-15.....	51	10157-15.....	54	11006-15.....	78	11050-10.....	80	11200-33.....	71
10000-15.....	60	10060-00.....	60	10157-18.....	54	11008-13.....	86	11051-10.....	80	11203-23.....	71
10002-00.....	59	10060-13.....	60	10160-13.....	103	11008-15.....	86	11052-10.....	80	11203-25.....	71
10002-50.....	59	10061-12.....	101	10162-12.....	99	11009-13.....	86	11053-10.....	80	11210-10.....	71
10003-12.....	58	10062-12.....	101	10165-11.....	102	11009-15.....	86	11054-10.....	80	11210-20.....	71
10003-13.....	58	10063-15.....	100	10166-11.....	102	11010-17.....	91	11055-10.....	80	11215-01.....	40
10004-13.....	57	10064-14.....	101	10167-11.....	102	11011-17.....	91	11062-10.....	81	11215-02.....	40
10006-12.....	61	10065-15.....	100	10315-12.....	56	11012-18.....	91	11063-07.....	76	11220-21.....	70
10007-12.....	59	10066-15.....	100	10316-14.....	56	11012-21.....	91	11064-07.....	79	11223-20.....	70
10007-16.....	59	10073-14.....	50	10317-14.....	56	11012-25.....	91	11065-07.....	79	11231-20.....	68
10008-13.....	57	10075-16.....	49	10318-14.....	56	11013-18.....	91	11066-07.....	79	11231-30.....	68
10010-00.....	58	10080-05.....	49	10321-08.....	107	11013-21.....	91	11067-07.....	79	11241-30.....	70
10010-10.....	61	10081-10.....	49	10360-13.....	107	11014-18.....	90	11069-08.....	79	11242-40.....	70
10011-00.....	58	10082-15.....	49	10370-13.....	51	11015-18.....	90	11070-08.....	79	11251-10.....	65
10011-10.....	61	10083-20.....	49	10370-17.....	107	11016-17.....	91	11071-10.....	81	11251-20.....	65
10012-00.....	58	10087-12.....	104	10370-18.....	107	11017-17.....	91	11072-11.....	83	11251-21.....	66
10015-00.....	58	10088-15.....	103	10370-19.....	107	11018-12.....	84	11073-10.....	82	11251-23.....	65
10015-10.....	61	10089-11.....	104	11000-12.....	87	11019-12.....	84	11074-02.....	82	11251-30.....	65
10020-00.....	57	10090-13.....	103	11000-13.....	87	11020-12.....	84	11075-00.....	82	11251-33.....	67
10021-00.....	57	10090-17.....	103	11000-14.....	87	11021-12.....	88	11080-02.....	90	11251-35.....	67
10022-00.....	57	10091-12.....	104	11000-16.....	87	11021-14.....	88	11083-07.....	76	11252-00.....	63
10023-00.....	57	10092-12.....	104	11000-18.....	87	11021-15.....	88	11084-07.....	76	11252-20.....	65
10025-45.....	52	10093-13.....	104	11000-20.....	87	11022-12.....	84	11090-09.....	77	11252-21.....	66
10025-50.....	52	10094-13.....	104	11000-25.....	87	11022-14.....	88	11090-10.....	76	11252-23.....	65
10025-70.....	160	10095-12.....	49	11000-30.....	87	11022-15.....	88	11091-15.....	97	11252-30.....	65

11252-40..... 65	11506-12..... 84	12050-10..... 117	14000-13.....29	14018-13.....32	14080-11.....27
11252-50..... 63	11515-02.....41	12050-20..... 117	14000-14.....29	14018-14.....32	14081-09.....26
11253-10..... 66	11602-14..... 86	12051-08.....116	14000-16.....29	14018-18.....32	14082-09.....26
11253-20..... 64	11602-16..... 90	12051-09.....116	14000-18.....29	14019-13.....32	14083-08.....15
11253-21..... 64	11608-15..... 86	12051-10.....116	14000-20.....29	14019-14.....32	14084-08.....15
11253-25..... 64	11616-15..... 85	12051-11.....116	14001-12.....29	14019-18.....32	14084-09.....15
11253-27..... 67	11617-12..... 85	12060-01.....110	14001-13.....29	14024-14..... 33	14085-08.....15
11253-29..... 64	11626-11.....67	12060-02.....110	14001-14.....29	14028-10.....22	14085-09.....15
11254-20..... 63	11627-12..... 85	12061-01.....110	14001-16.....29	14029-10.....22	14086-09.....27
11255-20..... 65	11650-10..... 80	12061-02.....110	14001-18.....29	14037-10.....28	14088-10.....18
11258-20.....73	11651-10..... 80	12075-12.....110	14002-12.....29	14040-10.....19	14090-09.....16
11260-20..... 68	11652-10..... 80	12075-14.....110	14002-13.....29	14041-10.....19	14090-11.....16
11270-20..... 69	11700-00.....82	12076-12.....110	14002-14.....29	14054-13..... 30	14091-09.....16
11271-30..... 69	11700-01.....82	12102-12.....113	14002-16.....29	14058-09.....20	14091-11.....16
11272-30..... 69	11700-02.....82	12500-12.....112	14003-12.....29	14058-11.....20	14094-11.....16
11272-40..... 69	11700-03.....82	12501-13.....112	14003-13.....29	14059-09.....20	14095-11.....16
11272-50..... 69	11700-04.....82	12502-12.....113	14003-14.....29	14059-11.....20	14101-14.....31
11273-20..... 64	11900-14.....78	12502-14.....113	14003-16.....29	14060-09.....17	14105-12.....25
11273-22..... 64	12001-13.....112	12503-15.....114	14003-18.....29	14060-10.....17	14106-09.....28
11274-20..... 69	12002-12.....113	12504-15.....114	14003-20.....29	14060-11.....17	14108-09.....28
11280-11.....139	12002-14.....113	12505-15.....115	14004-12.....29	14061-09.....17	14110-15.....34
11281-11.....139	12003-15.....114	12510-14.....111	14004-13.....29	14061-10.....17	14110-17.....34
11282-11.....139	12004-16.....114	12512-12.....113	14004-14.....29	14061-11.....17	14111-15.....34
11293-00..... 68	12004-18.....114	12565-14.....111	14004-16.....29	14062-09.....17	14111-17.....34
11294-00.....70	12005-15.....115	13002-10..... 96	14004-18.....29	14062-10.....17	14116-14.....33
11295-00..... 65	12010-14.....111	13003-10..... 96	14005-12.....29	14063-09.....17	14116-18.....33
11295-10..... 65	12018-12.....119	13004-14..... 94	14005-13.....29	14063-11.....17	14117-14.....33
11295-20..... 63	12020-00.....121	13005-14..... 94	14005-14.....29	14064-11.....24	14117-18.....33
11295-51..... 65	12020-09.....121	13006-12.....92	14005-16.....29	14065-11.....24	14130-17.....30
11297-00..... 69	12022-09.....121	13007-12.....92	14007-14..... 30	14066-11.....24	14131-14.....31
11297-10..... 69	12023-00.....121	13008-12.....93	14008-14.....29	14067-11.....24	14160-10.....17
11370-31..... 74	12028-12.....119	13009-12.....93	14010-15..... 34	14068-12.....19	14161-10.....17
11370-32..... 74	12029-12.....119	13010-12.....93	14010-17..... 34	14069-12.....19	14171-10.....28
11370-40..... 74	12030-01.....120	13011-12.....93	14011-15.....34	14070-12.....19	14173-12.....25
11370-42..... 74	12030-04.....120	13012-12.....93	14011-17.....34	14071-12.....19	14184-09.....15
11373-12..... 74	12030-20.....120	13013-14.....95	14012-15.....35	14072-10.....27	14185-09.....15
11373-22..... 74	12030-22.....120	13014-14.....95	14012-17.....35	14074-09.....23	14200-21.....35
11399-80..... 74	12030-23.....120	13015-14.....95	14013-15.....35	14074-11.....23	14370-22.....18
11399-87..... 74	12035-00.....120	13018-14.....94	14013-17.....35	14075-09.....23	14370-23.....18
11412-11.....72	12040-01.....119	13019-14.....94	14014-17.....35	14075-11.....23	14501-14.....30
11413-11.....72	12040-02.....119	13020-12.....92	14015-17.....35	14076-09.....26	14502-14.....30
11445-12.....73	12040-03.....119	13021-12.....92	14016-14..... 33	14077-09.....24	14504-14.....30
11480-11.....73	12050-01.....117	13108-12.....93	14016-18..... 33	14077-10.....24	14505-14.....30
11485-11.....73	12050-02.....117	13109-12.....93	14017-14..... 33	14078-10.....22	14508-15.....32
11487-11.....73	12050-03.....117	14000-12.....29	14017-18..... 33	14079-10.....22	14509-15.....32

FINESCENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE



PRODUCTS ARE FOR RESEARCH AND VETERINARY PURPOSES ONLY.

INDEX

14510-15 34	15010-09 11	15750-11 7	17000-04 123	18010-02 158	18052-12 135
14510-17 34	15010-10 11	15751-11 7	17001-07 126	18020-00 117	18053-28 133
14511-15 34	15011-12 10	16000-14 38	17002-02 123	18020-01 117	18054-28 133
14511-17 34	15012-12 10	16001-15 38	17003-03 123	18020-02 117	18055-01 132
14512-15 34	15013-12 10	16002-18 37	17004-03 123	18020-03 117	18055-02 132
14512-17 34	15015-11 11	16004-16 38	17004-05 124	18020-20 117	18055-03 132
14518-14 32	15017-10 10	16005-16 38	17005-03 123	18020-30 117	18055-04 132
14518-18 32	15018-10 4	16015-17 36	17005-04 124	18020-40 117	18055-05 132
14519-14 32	15019-10 4	16016-17 36	17006-05 126	18020-50 117	18055-06 132
14519-18 32	15020-15 7	16020-14 36	17007-08 126	18020-60 117	18056-14 132
14531-09 31	15021-15 7	16021-14 36	17008-07 125	18020-70 117	18057-14 132
14558-09 21	15023-10 9	16022-15 37	17009-07 125	18025-10 77	18060-20 141
14558-11 21	15024-10 9	16023-15 37	17009-08 125	18026-10 78	18061-10 141
14559-09 21	15025-10 9	16025-14 47	17010-07 125	18030-30 117	18061-15 141
14559-11 21	15027-18 12	16030-12 44	17011-10 127	18030-40 117	18061-18 141
14568-09 20	15028-18 12	16030-16 44	17012-11 128	18030-50 117	18061-20 141
14568-12 20	15030-14 13	16044-10 44	17012-13 128	18030-60 117	18061-22 141
14569-09 20	15031-14 13	16050-15 45	17017-10 127	18030-70 117	18061-24 141
14569-12 20	15032-08 14	16060-11 41	17018-11 128	18030-80 117	18061-38 141
14574-09 23	15032-13 14	16101-10 42	17020-17 122	18035-01 159	18061-50 141
14574-11 23	15033-09 9	16102-11 42	17021-13 122	18035-02 159	18061-75 141
14575-09 23	15036-14 13	16103-11 41	17022-13 122	18035-03 159	18062-12 135
14575-11 23	15037-14 13	16104-14 46	17023-13 122	18035-05 159	18062-13 135
14958-09 21	15040-11 9	16104-19 46	17370-53 124	18035-35 159	18063-13 135
14958-11 21	15042-11 9	16105-16 46	18000-00 158	18035-50 159	18064-20 141
14959-09 21	15070-08 5	16106-14 46	18000-01 158	18035-80 159	18065-20 141
14959-11 21	15071-08 5	16107-14 39	18000-02 158	18036-19 159	18067-11 99
15000-00 4	15110-08 12	16109-14 39	18000-03 158	18036-22 159	18080-01 134
15000-01 6	15111-08 12	16120-14 36	18000-04 158	18036-24 159	18080-02 134
15000-02 6	15123-12 6	16121-14 36	18000-10 138	18038-45 133	18080-03 134
15000-03 3	15124-12 6	16130-15 45	18000-15 144	18039-45 133	18090-00 156
15000-04 3	15300-00 14	16140-11 43	18000-18 157	18040-00 134	18105-01 159
15000-08 3	15370-50 8	16141-11 43	18000-20 157	18040-11 130	18105-03 159
15000-10 4	15370-52 8	16142-11 43	18000-30 150	18040-14 131	18106-01 159
15000-11 6	15371-92 12	16143-12 43	18000-35 163	18040-22 130	18131-12 136
15000-12 6	15396-00 5	16144-13 43	18000-45 149	18040-33 130	18132-12 136
15001-08 3	15396-01 5	16150-24 47	18000-46 149	18050-28 133	18144-30 133
15002-08 3	15400-12 7	16152-11 44	18000-50 149	18050-35 133	18155-13 81
15003-08 4	15401-12 7	16152-12 44	18000-51 149	18050-50 133	18200-01 129
15004-08 4	15514-12 10	16152-15 44	18004-18 157	18051-28 133	18200-02 129
15005-08 4	15610-08 6	16220-14 36	18004-23 157	18051-35 133	18200-03 129
15006-09 8	15615-08 6	16221-14 36	18004-27 157	18051-50 133	18200-04 129
15007-08 5	15617-08 6	17000-01 123	18004-50 157	18052-01 133	18200-05 129
15008-08 4	15650-11 11	17000-02 123	18010-00 158	18052-02 133	18200-06 129
15009-08 8	15651-11 11	17000-03 123	18010-01 158	18052-03 133	18200-07 129

18200-08.....129	20830-01.....155	26002-10.....109	29055-00.....144	91308-12.....178
18200-09.....129	20830-02.....155	26002-15.....109	29055-12.....144	91309-12.....178
18200-10.....129	20830-03.....155	26002-20.....109	29060-00.....147	91400-10.....173
18200-11.....129	20830-04.....155	26007-01.....109	29060-01.....147	91400-12.....173
18200-12.....129	20830-05.....155	26007-02.....109	29060-02.....147	91400-14.....173
18200-20.....129	20830-06.....155	26007-03.....109	29060-03.....147	91401-10.....173
18200-50.....129	20840-01.....153	26007-04.....109	29060-04.....147	91401-12.....173
18320-11.....133	20840-02.....153	26007-05.....109	29060-05.....147	91401-14.....173
18374-43.....133	20840-03.....153	26016-12.....108	29060-06.....147	91402-10.....173
18374-44.....133	20842-03.....153	26018-17.....108	29066-00.....147	91402-12.....173
18403-11.....139	20850-00.....154	26029-10.....83	29066-01.....147	91402-14.....173
18406-11.....139	20850-10.....154	26030-10.....83	29066-02.....147	91413-14.....174
18406-13.....139	20890-51.....154	26100-00...48,108	29066-03.....147	91460-11.....173
18555-01.....132	20890-72.....154	27000-01.....165	29066-04.....147	91461-11.....173
18555-02.....132	23005-10.....118	28000-07.....148	29071-01.....146	91500-09.....173
18555-03.....132	24201-00.....143	28000-10.....148	29071-02.....146	91501-09.....173
18555-04.....132	24201-01.....143	28000-12.....148	29071-03.....146	91601-11.....174
18601-15.....137	24212-01.....142	28001-00.....150	29071-04.....146	91604-09.....174
18602-15.....137	24212-02.....142	28001-02.....150	29071-05.....146	91606-07.....179
18603-14.....137	24214-02.....142	28015-15.....152	29071-06.....146	91706-05.....179
19003-00.....165	24215-02.....142	28015-25.....171	29071-07.....146	91815-11.....175
19003-01.....165	24220-00.....143	28020-20.....152	29071-08.....146	
19007-05.....157	24220-10.....143	28020-28.....171	29080-00.....146	
19007-07.....157	24220-50.....143	28030-02.....166	30051-10.....160	
19007-09.....157	24220-90.....143	28030-03.....166	30076-14.....160	
19007-14.....157	26000-25.....109	28030-04.....166	30085-15.....162	
19007-21.....157	26000-30.....109	28030-10.....166	30085-30.....162	
19007-29.....157	26000-35.....109	28030-20.....169	30087-00.....163	
19008-07.....157	26000-40.....109	28030-25.....169	30087-20.....163	
19008-09.....157	26000-45.....109	28040-30.....168	37000-00.....161	
19008-14.....157	26000-50.....109	28050-30.....168	37500-00.....161	
19009-00.....48	26000-55.....109	28050-35.....168	37500-05.....161	
19009-05.....157	26000-60.....109	28080-10.....167	91003-12.....179	
19009-07.....157	26000-65.....109	28080-90.....168	91100-12.....175	
19009-09.....157	26000-70.....109	29000-00.....145	91100-16.....175	
19010-00.....48	26001-25.....109	29000-10..145,170	91106-12.....175	
19010-10.....48	26001-30.....109	29008-01.....144	91110-10.....177	
20311-21.....154	26001-35.....109	29008-12.....144	91113-10.....177	
20325-00.....151	26001-40.....109	29008-22.....145	91115-10.....177	
20325-10.....151	26001-45.....109	29015-50..145,170	91117-10.....177	
20350-00.....151	26001-50.....109	29025-01.....164	91121-12.....175	
20810-01.....152	26001-55.....109	29025-02.....164	91127-12.....175	
20810-02.....152	26001-60.....109	29026-10.....164	91150-20.....176	
20820-00.....152	26001-65.....109	29027-00.....162	91197-00.....176	
20830-00.....155	26001-70.....109	29051-45.....144	91201-13.....178	

FINESCENCE.COM · MOST ITEMS SHOWN ACTUAL SIZE

Alphabetical Index

A

Absorption Spears and Triangles	159
<i>Adson</i> forceps.....	84-85
<i>Adson</i>	84
<i>Adson-Brown</i>	85
<i>Adson DeBaKey</i>	85
<i>Adson-Graefe</i>	85
Micro <i>Adson</i>	84
Micro <i>Adson</i> Fenestrated.....	84
<i>Agricola</i> retractor	124
<i>Allis</i> hemostatic forceps	97
<i>Alm</i> retractors.....	125
Applicators	
Micro serrefine	130-132
Suture clips	119-121
Applying forceps, clamp.....	131-132
Arc blade.....	56
Arteriotomy knives	50-53
Artery scissors	27
<i>Austin</i> Chisel	49
AutoClip® System.....	121

B

<i>Baby-Beyer</i>	37
<i>Baby-Mixer</i> hemostatic forceps	95
<i>Backhaus</i> towel forceps.....	96
Balanced Instruments	137
Ball Tipped	
Scissors	27
Spring Scissors	9
<i>Beebee</i> bone scissors	44
<i>Beyer</i> rongeurs.....	37
<i>Biemer</i> spring scissors	14
<i>Bishop-Harman</i> forceps.....	79
<i>Bonn-Strabismus</i> scissors	15
Blade	
Breakers	55
Cartridges.....	61
Holders	52-61
Blades	
Breakable	55
Ceramic	52
Scalpel.....	52-61
<i>Blair</i> retractor	122
<i>Boehler</i> bone cutter.....	45

Bone

Cutters.....	40-47
Delicate scraper.....	49
Forceps	41
Nipper.....	42-43
Pliers	47
Rongeurs	36-39
Scissors	44
Scissors, Student.....	174
Scraper.....	49
Screw forceps	48
Screws, self-tapping.....	48
Shears	47
Wax	48

Bone cutters

<i>Beebee</i>	44
Bone Trimmers	40
<i>Boehler</i>	45
Cartilage Cutter	40
<i>Cleveland</i>	46
Dumont carbon steel	40
Dumont epoxy coated.....	40
<i>Liston</i>	46
<i>Littauer</i>	44
Malleus Nipper.....	43
Micro	41
Offset Bone Nipper.....	42
Skull Flap	45
Spring Scissors	43
Tungsten Carbide	41, 44

Bone Nipper

Bonn

Artery	27
Forceps	76
Micro probes.....	100
Scissors	15, 27
Strabismus	15

Book and DVD-*Suturing Principles*.....

118	
<i>Bowman</i> retractor	126
Bulldog clamps	133
Burrs.....	157

C

Calipers

<i>Castroviejo</i>	163
Digital electronic.....	163
Plastic Vernier	163
Cane blade	56

Cannulation aids.....	135-139
Cartilage Cutter.....	40
Cases, instrument	152-155

Castroviejo

Caliper	163
Needle holders.....	110-111
Spring scissors.....	10

Cauterizers, vessel

158

CeramaCut, scissors.....

21

Ceramic

About.....	183
Blades.....	52
Cutter.....	160
Dumont forceps.....	63, 69
Scissors	21
Spring scissors.....	7
Titanium	10

Chisels

<i>Austin</i>	49
Dissecting.....	49

Circle forceps.....

83

Circle knife.....

51

Clamps

Applying forceps.....	131-132
Bulldog Artery Spring Clamps.....	133
Bulldog Type Serrefines.....	133
<i>Dietrich</i> Bulldog Clamps.....	133
Double Micro Clamps.....	130
Mini Serrefines	133
Moria	133
S&T	130
<i>Schwartz</i> Micro Serrefines.....	133
Silver Neuro Clips	134
Titanium	132
Vascular.....	130, 132-133
Vascular Occluders	134

Cleveland bone cutters

46

Clip-On LED Light.....

169

Clipper style scissors

14

Cohan-Vannas spring scissors

5

Colibri retractor

123

Colibri retractor (mini)

123

Combination Probe and Spatula

103

Combination Spoon and Spatula

103

Contacts, Gold wire.....

165

Corers, sample.....

159

Cover glass forceps.....

82

Cover slip forceps.....

67

Crile hemostatic forceps

94

Crile-Wood needle holders..... 114
 Currettes, micro..... 49

D

DeBakey forceps..... 85
 Decapitation scissors..... 35
 Demagnetizer..... 144
 Diamond knives..... 52
Dietrich bulldog clamps..... 133
 Digital Electronic Caliper..... 163
 Dilator, vessel..... 136-137
 Disposable safety scalpels..... 60-61
 Disposable scalpel box..... 59
 Dissecting Chisel..... 49
 Dissecting knives..... 50-51
 Double-Ended Micro Spatula..... 104
 Double Micro Clamps..... 130
 Double pronged tissue pick..... 99
 Double tip protectors..... 147
Dowell spring scissors..... 9
 Dressing forceps..... 80, 86-87
 Dumont
 Bone Cutter..... 40
 Ceramic..... 63, 69
 Coverslip..... 67
 Epoxy..... 70-71
 Forceps..... 40, 63-73, 139
 Forceps repair kit..... 145
 Forceps sharpening stones..... 145
 Laminectomy..... 70
 Mini Forceps..... 72
 Slide Lock..... 67
 Super Fine Tip..... 63
 Teflon..... 67
 Titanium..... 65, 69
 Tweezers..... 63-72, 139
 Dura cutting knife..... 50
 Dura hook..... 99

E

Ear
 Punches..... 142
 Tags..... 143
 Tattoo system..... 143
 Electronic timers..... 165
 Etched micro needles..... 109
 Eschenbach magnifiers..... 168-169, 171

Extra Fine *Bonn*..... 15
 Explorers..... 101

F

Feeding needles..... 141
 File set..... 160
 Filters, sterilization containers..... 153
 Fine
 Bonn..... 15
 Forceps..... 73-79
 Iris Scissors..... 16
 Scissors..... 15-28
 Spring scissors..... 3-14
 Fine Hemostat..... 92
 Fixation forceps, *Pierson*..... 81
Fomon retractor..... 122
 Forceps
 Adson..... 84-85
 Adson-Brown..... 85
 Adson DeBakey..... 85
 Adson-Graefe..... 85
 Applying and removing..... 119
 Bishop-Harman..... 79
 Bone..... 41
 Bonn..... 76
 Cannulation..... 139
 Ceramic..... 63, 69
 Circle..... 83
 Cover glass..... 82
 Cover slip..... 67
 Cross action..... 82
 Dressing..... 80, 86-87
 Dumont..... 63-72, 139
 Epoxy coated..... 70-71
 Fine..... 73-79
 Fixation..... 81
 Gerald..... 90
 Gillies..... 89
 Graefe..... 80
 Grasping..... 78
 Hemostatic..... 92-97
 Insect handling..... 83
 Laminectomy..... 70
 London..... 90
 Micro..... 63-76
 Mirror Finish..... 65, 72, 77
 Moria..... 74
 Mouse laminectomy..... 70

Mouse handling..... 87
 Narrow Pattern..... 86
 Octagon..... 79
 Organ holding..... 89
Pierson fixation..... 81
 Pin & bone screw holding..... 48, 108
 Plastic..... 82
Potts-Smith..... 91
 Repair kit..... 145
 Ring..... 83
Russian..... 89
 S&T..... 75, 77, 139
 Self-Closing..... 73
Semken..... 86
 Standard Forceps..... 81-91
 Standard Pattern..... 87
 Student..... 175-177
 SuperGrip..... 75
 Suture tying..... 77-78
Taylor..... 91
 Titanium..... 65, 69, 80, 86, 90
 Tungsten carbide..... 84
 Vetro Grasping..... 78
 Vial..... 78
Friedman rongeur..... 38
Friedman-Pearson rongeur..... 36

G

Galilean Loupes..... 168
 Gavage feeding needles..... 141
Gelpi retractor..... 127
 GenoPunch..... 142
Gerald forceps..... 90
Gillies forceps..... 89
 Gold wire contacts..... 165
Goldstein retractor..... 123
Graefe forceps..... 80
Graefe knife..... 50
 Grasping forceps..... 78
 Grease, silicone..... 144
 Gross anatomy
 Knives..... 54
 Probe..... 103
 Scalpel..... 60
 Scissors..... 29-35
Guthrie retractor..... 122

H

Halsey needle holders 112
Halsted-Mosquito hemostatic forceps 93
 Handles, scalpel 57-61
 Hardened Fine Iris Scissors 16
Hartman hemostatic forceps 96
 Headband magnifier 166
 Headband, spectacles 168
Heiss retractor 127
 Hemostatic forceps
 Allis Forceps 97
 Baby-Mixer 95
 Backhaus Towel Forceps 96
 Crile 94
 Fine 92
 Halsted-Mosquito 93
 Hartman 96
 Kelly 94
 Left-handed 93
 Micro-Mosquito 93
 Providence-Hospital 95
 Smooth 92
 Student 178
 Ultra Fine 92
 Hippocampal dissecting tools 106

Holders

Blade 52-61
 Ceramic blade 52
 Micro needle 110
 Needle 110-115, 178
 Pin 108
 Scalpel blade 52-61

Hooks

Micro 101-102
 Spinal cord 99
 Y-Hook 102
 V-Hook 135

Hot bead sterilizers 149

I

Identification, animal

Tattoo system 143
 Ear punches 142
 Ear tags 143

Insect

Handling forceps 83
 Pins 109

Insert

Pin holders 108, 179
 Pins 109

Instrument

Beaker 156
 Cases 152-155
 Holding spring 156
 Oil and Oil Pen 144
 Sharpening Stones 144-145
 Tape, identification 146
 Tip protectors 147
 Iridectomy scissors 3-14
 Iris Spatulae 104

K

Kaye scissors 28
Kelly hemostatic forceps 94

Knives

Circle 51
 Diamond 52
 Dura cutting 50
 Gross anatomy (blade) 60
 Micro 50-52
 Sichel 50
 Stone age 53
Von Graefe 50

L

LaGrange scissors 25
 Laminectomy forceps, mouse 70
 Large Loops 19, 28, 31
 Left-handed
 Fine scissors 17
 Hemostatic forceps 93
 Ligation aid 135
 Needle holders 113-114
 Surgical scissors 29
 Universal scissors 161
Lempert rongeur 38
 Lens paper 145, 170
Lexer-Baby scissors 22
 Ligation aid 135
 Ligation scissors 26
Lister scissors 31
Liston gross anatomy cutter 46
Littauer bone cutter 44
 Live Insect Handling Forceps 83
 Lubricant, silicone 144
Luer rongeur 38

M

Magnetic sterilization mat 151
 Magnifiers
 Eschenbach Clip-On LED Light 169
 Galilean Loupes 168
 Headband 168
 Interchangeable Headset with LED 167
 Magnifying Loupe with Micrometer
 and LED 164
 Spectacles 166-169
 Stands 171
 Scribolux 171
 Vario Flex 171
 Malleus Nipper 43
 Mandrel 157
 Manipler®, skin stapler 120
 Manual and DVD, *Suturing Principles
 and Techniques in Laboratory Animals* 118
 Marker, skin 150
 Mat, silicone 151
Mathieu needle holder 111
 Max Detail spectacles 169
Mayo scissors 34
Mayo-Hegar needle holder 114
Mayo-Noble scissors 35
Mayo-Stille scissors 35
Metzenbaum scissors
 Baby scissors 32
 Scissors 33
 ToughCut *Metzenbaum* 33
 Tungsten Carbide *Metzenbaum Fino* 32
Michel suture clips 119
 Micro-
 Bone cutter 41
 Cannulation System 138
 Curettes 49
 Dissecting knives 50-52
 Dissection scissors 3-14
 Forceps 63-76
 Hooks 101-102
 Needles, etched 109
 Needle holders 110
 Needles and sutures 116-117
 Points 100, 102
 Probes 100-102
 Rongeurs 36
 Serrefine applicators 131-132
 Serrefines 130, 132
 Spatulae 102-104
 Micrometers 164

Micro-Mosquito Hemostat 93
Mini-Biemer spring scissors 14
Mini-Colibri retractor..... 123
Mini-Lister..... 31
Mini-Vannas spring scissors 5
 Minutien pins..... 109
 Mirror finish
 Cutting spoon..... 107
 Forceps 65, 72
 Micro spatula 104
 Suture tying forceps 77
 Moria
 Forceps 74
 Instrument case 154
 Retractors..... 124
 Scissors 18
 Spoons..... 107
 Spring scissors..... 12
 Vascular clamps 133
 Mosquito hemostatic forceps..... 93
 Mouse
 Feeding needles 141
 Laminectomy forceps..... 70
 Handling forceps 87

N
 Narrow Pattern Forceps..... 86
 Needle Holders
 Castroviejo..... 110
 Castroviejo with Tungsten Carbide Jaws . 111
 Crile-Wood..... 114
 Halsey..... 112
 Halsey with Tungsten Carbide Jaws..... 112
 Mathieu 111
 Mayo-Hegar 114
 Needle Holder with Suture Cutter 110
 Olsen-Hegar with Suture Cutter 113
 Round Handled..... 110
 Ryder Mini-Select Needle Holder 115
 Slim Elongated Needle Holder 115
 Needles
 Etched, micro..... 109
 Feeding 141
 Micro needles and sutures 116
 Neuro punches..... 159
 Neuro clips, silver 134
Noyes spring scissors..... 10
 Nylon suture thread 117

O
 Obsidian scalpels..... 53
 Occluders, vascular 134
 Octagon Forceps..... 79
 Offset Bone Nipper 42
 Oil, instrument 144
 O-rings for forceps 72
Olsen-Hegar needle holders 113
 Optical cleaning kit..... 145, 170
 Organ holding forceps 83

P
Pascheff-Wolff spring scissors..... 12
Pearson rongeur 36
 Pen
 Oil..... 144
 Skin Marker 150
 Perforated Spoons..... 108
 Pick
 Double Pronged Pick 99
Pierse fixation forceps..... 81
 Pin holders 108
 Pins
 Etched Tungsten Micro Needles 109
 Insect..... 109
 Insert 109
 Minutien 109
 Plastic cases 152-155
 Plastic forceps 82
 Plastic sterilization container 152-153
 Plastic Vernier Caliper 163
Potts-Smith forceps 91
 Pouches, sterilization 148
 Probes
 Bonn Micro Probes..... 100
 Combination Probe and Spatula 103
 Gross Anatomy Probe 103
 Micro Hooks 101-102
 Micro Points 100, 102
 Probes and Explorers 101
 Vessel Dilating Probe..... 103
Providence-Hospital hemostatic forceps..... 95
 Punches
 Ear..... 142
 Neuro..... 159

R
 Repair kit, forceps 145

Retractors
 Agricola 124
 Alm Retractors 125
 Blade..... 123-125
 Blair..... 122
 Bowman..... 126
 Colibri..... 123
 Fine Adjustable Wire Retractor 124
 Fomon 122
 Heiss..... 127
 Gelpi 127
 Goldstein 123
 Guthrie 122
 Large..... 124-129
 Mini-Goldstein..... 123
 Mini-Colibri..... 123
 Moria 124
 Slide..... 123
 Small..... 123
 Speculum..... 124
 Spring-Loaded..... 126
 Student..... 179
 Systems 129
 Weitlaner-Locktite 128
 Wire..... 124
 Wullstein 128
 Ring forceps..... 83
 Rongeurs
 Baby-Beyer 37
 Beyer..... 37
 Bone..... 36-38
 Friedman..... 38
 Friedman-Pearson..... 36
 Lempert..... 38
 Luer 38
 Micro 36
 Pearson..... 36
 Round Handled
 Needle holder..... 110
 Spring scissors 6
 Suture tying forceps 78
 Rulers
 Label Tape 162
 Steel 162
Russian forceps 89

S
 S&T
 Cannulation forceps..... 139

INDEX

Forceps.....	75, 77, 131, 136, 139	<i>Strabismus</i>	23	Perforated Spoon.....	108
Instrument beaker.....	156	Student.....	173-174	Spring scissors	
Micro needles and suture.....	116	Student Lister.....	174	Angled.....	3-5, 8-9, 11-13
SuperGrip forceps.....	75	Surgical.....	29-35	Ball Tipped.....	8
Suture tying forceps.....	77	Titanium.....	5	<i>Biemer</i>	14
Vascular clamps.....	130	ToughCut.....	6, 15, 20, 25, 30, 33-34	Bone Cutter.....	44
Vessel dilator.....	136	ToughCut with tungsten carbide.....	21	<i>Bonn</i>	15
Safety scalpel		Tungsten carbide.....	9, 20, 21, 23, 30, 32, 34	<i>Castroviejo</i>	10
Blade cartridges.....	61	Universal.....	160	Ceramic coated.....	7
Disposable.....	60	Utility.....	161	Clipper Scissors II.....	14
Handle.....	61	Vitrectomy.....	13	<i>Cohan-Vannas</i>	5
Sample corers.....	159	<i>Walton</i>	24	<i>Dowell</i>	9
Saw, Circular.....	157	Screwdrivers.....	160	Extra fine.....	3-5, 12-13
Scalpel		Screws, self-tapping bone.....	48	Iridectomy.....	3-14
Blade handles.....	52-61	Secure scalpel handle.....	58	<i>Mini-Vannas</i>	3
Blade removers.....	59	Self closing forceps.....	73	Moria.....	5, 7, 12, 18
Blades.....	52-61	Self Holding Pin and Bone Screw Forceps ..	48, 106	<i>Noyes</i>	9
Ceramic blades.....	52	Self-Sealing Sterilization Pouches.....	148	<i>Pascheff-Wolff</i>	12
Disposal Box.....	59	<i>Semken</i> forceps.....	86	Round Handled.....	6
Disposal Safety.....	60	Serrefines.....	132, 133	Serrated.....	4, 6
Gross anatomy.....	60	Sharpening stones.....	144-145	Student <i>Vannas</i>	173
Safety Scalpels.....	60-61	<i>Shea</i> scissors.....	25	Superior Line Spring Scissors.....	3
Stone age.....	53	Shears, bone.....	47	Superior Line Vannas-Tubingen	
<i>Schwartz</i> micro serrefine.....	133	<i>Sichel</i> knife.....	50	Spring Scissors.....	4
Scissors		Silicone lubricant.....	144	Titanium <i>Vannas</i>	5
Bone.....	44	Silicone mats.....	151	ToughCut.....	6
<i>Bonn</i>	15, 27	Silicone tips, forceps.....	87	Trident II.....	11
CeramaCut.....	21	Silk sutures.....	117	<i>Vannas</i>	3-7, 173
Clipper.....	14	Skin marker.....	150	<i>Vannas-Miniature</i>	5
Decapitation.....	35	Skin staplers.....	120-121	<i>Vannas-Tubingen</i>	4
Dissector.....	26	Skull flap cutter.....	45	<i>Vannas-Wolff</i>	7
<i>Dowell</i>	9	Slide retractors.....	123	Vessels.....	14
Fine.....	15-28	Spatulae		Vitrectomy.....	13
<i>Kaye</i>	28	Combination Spoon and Spatula.....	103	<i>Wescott</i>	10
<i>LaGrange</i>	25	Combination Probe and Spatula.....	103	Spring, instrument holding.....	156
Large loops.....	19, 28, 31	Double-Ended Micro Spatula.....	104	Stage micrometers.....	164
Left-handed.....	17, 29, 161	Hippocampal Dissecting Tool.....	105	Standard Pattern Forceps.....	87
<i>Lexer-Baby</i>	22	Iris Spatulae.....	104	Standard Pattern Scissors	
Ligature.....	26	Micro Spatula.....	102, 104	Large Loops.....	31
<i>Lister</i>	31	Micro Spatula Kit.....	105	Scissors.....	29-31
<i>Mayo</i>	34	Mini Hippocampal Dissecting Tool.....	105	Serrations.....	31
<i>Mayo-Noble</i>	35	Mirror Finish Micro Spatula.....	104	ToughCut.....	30
<i>Mayo-Stille</i>	35	Spears, absorption.....	159	Tungsten Carbide.....	30
<i>Metzenbaum</i>	32-33	Spectacles Headband.....	168	Staplers, skin.....	120-121
Mini- <i>Lister</i>	31	Spectacles, magnifier.....	166-169	Sterilizers, hot bead.....	149
Moria.....	5, 7, 12, 18	<i>Spencer</i> Ligature.....	26	Sterilizing containers.....	152-153
<i>Shea</i>	25	Spinal Cord Hook.....	99	Sterilizing mats.....	151
<i>Spencer</i> Ligature.....	26	Spoons		Sterilizing pouches.....	148
Spring.....	3-14	Mini Perforated Spoon.....	108	Sterilizing wraps.....	152
Standard Pattern.....	29	Mirror Finish Cutting Spoon.....	108	<i>Stevens</i> tenotomy scissors.....	24
<i>Stevens</i> Tenotomy.....	24	Moria Spoon.....	108	Stone Age Scalpels.....	53

- Strabismus* 23
- Student
- Bone Scissors..... 174
 - Bone Cutter 174
 - Dumont forceps..... 176
 - Forceps 175-177
 - Hemostatic forceps..... 178
 - Instruments, About..... 183
 - Lister..... 174
 - Needle holder..... 178
 - Pin holder..... 179
 - Retractor 179
 - Scalpel handle..... 179
 - Scissors 173-174
 - Spring scissors, *Vannas*..... 173
- Superior Line
- Spring Scissors 3
 - Vannas-Tubingen..... 4
- SuperGrip forceps 75
- Surgical scissors..... 29-35
- Left-handed..... 29
- Surgery plate..... 129
- Suture
- Clips, AutoClip..... 121
 - Clips, *Michel*..... 117
 - Needles 116-117
 - Nylon 117
 - S&T micro needles and suture 116
 - Suturing Principles and Techniques in Laboratory Animals*, Manual and DVD... 118
 - Thread 116-117
 - Tying forceps..... 77-78
- Swabs
- Fiber Optic 159
- T**
- Tags, Ear..... 143
- Tape
- Dispenser 150
 - Identification..... 146
 - Sterilization 150
 - Ruler Label 162
- Tattoo system..... 143
- Taylor* forceps 91
- Timers 165
- Tip protectors 147
- Tip Replacement..... 87
- Tissue
- Pick 99
 - Scissors 27
- Titanium
- About..... 183
 - Artery clamp..... 133
 - Ceramic 10
 - Forceps 65, 69, 80, 86, 90
 - Micro Point..... 102
 - Micro Spatula..... 102
 - Scissors 5
 - Serrefines..... 132
 - Vascular Clamps..... 130, 132
 - Y-Hook 102
- Tools 160-161
- ToughCut
- About..... 183
 - Bonn-Strabismus*..... 15
 - Mayo*..... 34
 - Metzenbaum*..... 33
 - Scissors 6, 15, 20, 30, 33-34
 - Spring scissors 6
 - Scissors with tungsten carbide..... 21
 - Standard Pattern..... 30
- Trephines 157
- Trident II spring scissors 11
- Tungsten needles, etched 107
- Tungsten carbide
- About..... 183
 - Burrs 157
 - Cutter..... 41
 - Forceps 84
 - Mayo*..... 34
 - Metzenbaum Fino*..... 32
 - Needle holders..... 111-115
 - Noyes*..... 9
 - Scissors 9, 20-21, 23, 30-32, 34, 44
 - Scissors with ToughCut 21
 - Standard Pattern..... 30
 - Strabismus*..... 23
- Tweezers, Dumont..... 41, 63-72, 139
- U**
- Ultra Fine Clipper Scissors II..... 14
- Ultra Fine Hemostat 92
- Utility scissors 161
- V**
- Vannas* spring scissors..... 3-7, 173
- Vannas-Miniature* spring scissors..... 5
- Vannas-Tubingen* spring scissors..... 4
- Vannas-Wolff* spring scissors 7
- Vascular clamps..... 130, 132-133
- Vascular occluders 134
- Vernier caliper..... 163
- Vessel cannulation aids 136-139
- Vessel cauterizer 158
- Vessel dilating probe..... 103
- Vessel dilators 103, 136-137
- Vessel spring scissors 14
- Vetro grasping forceps 78
- Vial forceps..... 78
- VisorLight..... 166
- Vitreotomy scissors 13
- V-Hook..... 135
- Von Graefe* knife 50
- W**
- Wagner* 19
- Walton*..... 24
- Wax 48
- Weitlaner-Locktite* retractor 128
- Westcott* spring scissors 10
- Wire contacts, gold..... 165
- Wire teeth retractor 125
- Wound Closure 110-121
- Wraps, sterilization..... 152
- Wullstein* retractor 128

Fine Science Tools Online

Helping you find and buy the right tools

Whether you contact us at our offices, through dealers, or online—our priority is customer service. As part of that service, we have a variety of features to help you research, quote, and purchase Fine Science Tools products at **finescience.com**. These features enhance and streamline your shopping experience by helping you:

- Quickly identify products by type and attributes with advanced search
- Get detailed specs and enlarged product views
- Use the extensive FAQs and pop-up glossary
- Save quotes and convert to orders online
- Pay with credit card or purchase order*
- View your online order history
- Track your shipments

*Payment by purchase order is available only for customers with a Net 30 account.

Our website is more engaging and informative than ever.



Zoom
Feature



High-Resolution
Images



Multi-Language
Support



Updated
Event Listings

We are continuously adding new products to our inventory.
Visit **finescience.com** to view all of our products.

Featured Products Online

Our Featured Products are available in limited quantities, for a limited time while supplies last. Please visit our website, **finescience.com** for updates on what's new and currently available.

All of our European suppliers are ISO 9001 certified.

All FST surgical instruments are made from the finest German stainless steel alloys (unless otherwise noted) and manufactured by skilled European craftsmen.

Most surgical instruments are shown actual size. As these instruments are handcrafted, dimensions may vary slightly from those stated in this catalog.

THE INFORMATION IN THIS CATALOG IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. DESIGNS, STYLES AND DIMENSIONS DEPICTED IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, AND WE DISCLAIM ANY LIABILITY INCURRED IN CONNECTION WITH ANY RECOMMENDATION. WITH THE PURCHASE OF ANY PRODUCT FROM THIS CATALOG THE USER ASSUMES ALL RISKS AND LIABILITIES WHATSOEVER IN THE USE OF SUCH PRODUCTS. NEITHER SELLER NOR MANUFACTURER SHALL BE LIABLE IN TORT OR CONTRACT FOR ANY LOSS OR DAMAGE (DIRECT, INCIDENTAL, OR CONSEQUENTIAL) ARISING OUT OF THE USE, MISUSE, OR INABILITY TO USE SUCH PRODUCT.

FST IS A REGISTERED TRADEMARK OF FINE SCIENCE TOOLS INC. FINE SCIENCE TOOLS, TOUGH CUT, CERAMA CUT, AND FINE SURGICAL INSTRUMENTS FOR RESEARCH ARE TRADEMARKS OF FINE SCIENCE TOOLS INC. FST, TOUGH CUT, AND CERAMA CUT ARE REGISTERED TRADEMARKS OF FINE SCIENCE TOOLS (USA) INC. FINE SCIENCE TOOLS AND FINE SURGICAL INSTRUMENTS FOR RESEARCH ARE TRADEMARKS OF FINE SCIENCE TOOLS (USA) INC. FINE SCIENCE TOOLS AND FST ARE REGISTERED TRADEMARKS OF FINE SCIENCE TOOLS GMBH.

© COPYRIGHT 2020 THE TEXT, PHOTOS AND DRAWINGS CONTAINED IN THIS CATALOG ARE PROPRIETARY TO FINE SCIENCE TOOLS INC. AND MAY ONLY BE COPIED, DUPLICATED OR OTHERWISE REPRODUCED WITH THE WRITTEN CONSENT OF FINE SCIENCE TOOLS INC.