

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Molybdenum Diselenide Powder
Synonyms Molybdenum (IV) selenide, Molybdenum selenide
Chemical Name Molybdenum diselenide
Chemical Formula MoSe₂
CAS No. 12058-18-3
EC No. 235-027-9
Index No. 034-002-00-8
REACH Registration No. Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC21 Laboratory chemicals, Research and development use *only*

1.3 Details of the supplier of the safety data sheet

Company Identification Ossila Limited
Address of Supplier Solpro Business Park
Windsor Street
Sheffield
Postal code S4 7WB, UK
Telephone: +441142999180
E-mail info@ossila.com
Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone # +44 (0) 20 3885 0382 (CHEMTREC)

Other Regions	Emergency Phone Number (CHEMTREC)
Europe, Middle East, Africa	+44 20 3885 0382
North America	+1 703 527 3887
Central America	+52 55 8526 4930
South America	+55 11 4349 1359
Asia, India, and Oceania	+65 3163 8374

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Acute Tox. 3: Toxic if swallowed.
Acute Tox. 3: Toxic if inhaled
STOT RE 2: May cause damage to organs through prolonged or repeated exposure
Aquatic Acute 1: Very toxic to aquatic life
Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)
Product Name Molybdenum Diselenide Powder

Hazard Pictogram(s)



Signal Word(s)

Danger

Hazard Statement(s)

H301+H331: Toxic if swallowed or if inhaled
H373: May cause damage to organs through prolonged or repeated exposure
H400: Very toxic to aquatic life
H410: Very toxic to aquatic life with long lasting effects

Precautionary Statement(s)

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P273: Avoid release to the environment.
P301 + P310 + P330: IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P304 + P340 + P311: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P314: Get medical advice/attention if you feel unwell.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

2.4 Additional Information

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	CAS No.	EC No.	%W/W	Hazard Statement(s)
Molybdenum diselenide	12058-18-3	235-027-9	≤100	Acute Tox. 3 H301 Acute Tox. 3 H331 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

3.2 Mixtures

Not applicable.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice

First aiders should ensure they have taken adequate steps to protect themselves from exposure (see Section 8 for recommended personal protection equipment) Show this safety data sheet to the doctor in attendance.

Inhalation

Remove person to fresh air and keep comfortable for breathing. If not breathing give artificial respiration. Call a POISON CENTER or doctor/physician.

Skin Contact

Rinse skin with water. If skin irritation occurs, get medical advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed, are included on labelling (Section 2.2) and in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire.

Unsuitable extinguishing media

As appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

Molybdenum oxides

Selenium/selenium oxides

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Follow safe handling advice and personal protective equipment recommendations (as per section 8). Provide adequate ventilation.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Sweep up spilled substance - avoid making dust. Use vacuum equipment for collecting spilt materials, where practicable. Dispose of contents in accordance with local, state or national legislation.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Avoid inhalation, ingestion, and contact with skin and eyes. Use only in a well-ventilated area. Wear protective clothing as per section 8.

Hygiene measures

Keep away from food and drink. Wash hands after handling, before breaks, and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage life

Ambient.

Stable under normal conditions.

Incompatible materials
7.3 Specific end use(s)

None known.

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

UK – EH40 Workplace Exposure Limits (WEL).

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Selenium and compounds, except hydrogen selenide (as Se)	12058-18-3		0.1			

Region EU
Source EU Occupational Exposure Limits
United Kingdom UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment
Eye Protection

Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use and proper glove removal techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.

Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	Solid: Powder.
Colour	Black.
Odour	Not known.
Odour threshold	Not known.
Melting point/freezing point	>1200 °C
Initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature (°C)	Not known.
Decomposition temperature (°C)	Not known.
pH	Not known.
Kinematic viscosity	Not known.
Solubility(ies)	Solubility (Water): Not known. Solubility (Other): Not known.
Partition coefficient: n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density	Not known.
Relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Not known.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the event of fire: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Toxic if swallowed. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).
Acute toxicity - Skin Contact	No data available.
Acute toxicity - Inhalation	Toxic if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).
Skin corrosion/irritation	No data available.
Serious eye damage/irritation	No data available.
Skin sensitization data	No data available.
Respiratory sensitization data	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
Lactation	No data available.
STOT - single exposure	No data available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).
Aspiration hazard	No data available.

11.2 Information on other hazards
11.2.1 Endocrine disrupting properties

None known.

11.2.2. Information on other hazards

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not known.
Toxicity - Terrestrial Compartment	Not known.

12.2 Persistence and Degradation

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Not known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator.


13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 3283



Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative



SAFETY DATA SHEET

Last Review Date: 12/05/2026

Revision Date: 10/11/2022

Revision #: 5

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Ossila Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Ossila Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.