



UVAQUAFINE

ULTRAVIOLET DISINFECTION SYSTEM

ultraviolet

Replacement Parts Accessories

UVAQUAFINE

上海知帮水处理设备有限公司

UVAQUAFINE TECHNOLOGY LIMITED



Ultraviolet radiation in the 200-300 nanometer(nm) range is extremely effective in killing microorganisms such as airborne and surface bacteria, viruses, yeasts and molds.

UVAQUAFINE TECHNOLOGY LIMITED low-pressure,mercury-arc germicidal lampsear specially designed to produce the highestamounts of UV radiation-typically about 90% of the total rated energy is at 253.7nm. This radiation is very close to the peak of germicidal effectiveness curve of 265nm, the most lethal wavelength to microorganisms (see graph below). Our germicidal lamps are used extensively in air and water purification appcations such as in the food and beverage industry, medical applications, HVAC systems(Heating, Ventilating, and Air Conditioning, pharmaceutical and semiconductor sterilization applications. in addition, they are used in drinking water, waste water and ground water remediation.

UV Lamp White

UV Lamp Part #	POWER	BF-BF	WAVELENGTH	MODEL
GPH212T5L/4-LT	10W	212mm	254nm	LT1
GPH303T5L/4-LT	14W	303mm	254nm	LT2
GPH436T5L/4-LT	24W	436mm	254nm	LT6
GPH645T5L/4-LT	32W	645mm	254nm	LT8
G36T5L/4-LT	39W	843mm	254nm	LT12
GHO36T5L/4-LT	87W	843mm	254nm	LT24
GPH212T5L/4C	10W	212mm	254nm	AB-1A
GPH287T5L/4C	14W	287mm	254nm	AB-2A
GPH436T5L/4C	24W	436mm	254nm	AB-6A
GPH645T5L/4C	32W	645mm	254nm	AB-8A
17491	39W	843mm	254nm	AB-12A AB-12B and above

UV Lamp Red

UV Lamp Part #	POWER	BF-BF	WAVELENGTH	MODEL
E287LS	14W	282mm	254nm	PA-2/PE-2S/S1E
E330LS	17W	325mm	254nm	PA-3/PE-3/ASUB/S2E
E463LS	25W	458mm	254nm	PA-6/PE-6/ASUB/S5E
E810LS	37W	805mm	254nm	PA-8/PE-8/S8E
E36LS	39W	835mm	254nm	VAL12,24,35,50,60 /PE-12 /PA-12/ASUB-39/S12E
T201LS	30W	300mm	254nm	ST201
T321LS	36W	415mm	254nm	PA-18/ST321
T411LS	45W	505mm	254nm	PA-24/ST411
T601LS	65W	695mm	254nm	PA-35/ST601
T741LS	80W	835mm	254nm	AB-8A/PA-42/ST741
T951LS	100W	1045mm	254nm	PA-52/ST951
THO36LS	87W	838mm	254nm	VAL75,100,125,150 /PB CXL-4L100,5L125,6L150
THO64LS	155W	1549mm	254nm	SCUR CXL-4L190 and above

UV Lamp White

UV Lamp Part #	POWER	BF-BF	WAVELENGTH	MODEL
GPH212T5LVH/4-LT	10W	212mm	185nm	LT1
GPH303T5LVH/4-LT	14W	303mm	185nm	LT2
GPH436T5LVH/4-LT	24W	436mm	185nm	LT6
GPH645T5LVH/4-LT	32W	645mm	185nm	LT8
GHO36T5LVH/4-LT	39W	843mm	185nm	LT12
GHO36T5LVH/4-LT	87W	843mm	185nm	LT24
GPH212T5LVH/4C	10W	212mm	185nm	AB-1A
GPH287T5LVH/4C	14W	287mm	185nm	AB-2A
GPH436T5LVH/4C	24W	436mm	185nm	AB-6A
GPH645T5LVH/4C	32W	645mm	185nm	AB-8A
GOLD-S	39W	843mm	185nm	AB-12A AB-12B and above

Quartz Sleeve

Quartz Sleeve Part#	Tube length mm	Inside diameter mm	Outside diameter mm	Spring Part#	MODEL
EQS287	287	20.00	23.00	SP-4446	S1E
EQS330	330	20.00	23.00	SP-4446	S2E
EQS463	463	20.00	23.00	SP-4446	S5E
EQS810	810	20.00	23.00	SP-4446	S8E
EQS36	890	20.00	23.00	SP-4446	S12E
TQS201	201	20.00	23.00	SP-4446	ST201
TQS321	321	20.00	23.00	SP-4446	ST321
TQS411	411	20.00	23.00	SP-4446	ST411
TQS601	601	20.00	23.00	SP-4446	ST601
TQS741	741	20.00	23.00	SP-4446	ST741
TQS951	951	20.00	23.00	SP-4446	ST951

Quartz Sleeve

Quartz Sleeve Part#	Tube length mm	Inside diameter mm	Outside diameter mm	Spring Part#	Model	Quartz Sleeve Part#	Tube length mm	Tube length mm	Outside diameter mm	Spring Part#	Model
QS245	245	20.00	23.00	NONE	AB-1A/ LT-1	QS732	732	20.00	23.00	SP3315	PA-35
QS331	331	20.00	23.00	SP4015	AB-2A/ PE-1/PA-2/LT2	QS845	845	20.00	23.00	SP4015	PA-8/PE-8
QS370	370	20.00	23.00	SP3315	ASUB-17/ PE-3/PA-3	QS872	872	20.00	23.00	SP3315	PA-42
QS452	452	20.00	23.00	SP3315	PA-18	QS890	890	20.00	23.00	SP4515	VAL/ASUB-39/PB CXL-4L100,5L125, 6L150/LT-12/PA-12
QS535	535	20.00	23.00	SP8015	ASUB-25/ PE-6/PA-6/LT6	QS1082	1082	20.00	23.00	SP3315	PA-52
QS542	542	20.00	23.00	SP3315	PA-24	QS1560	1560	20.00	23.00	NONE	SCUR CXL4L190 and above




Tube current 800mA High Output(HO) germicidal lamps yield 1/3 to 2/3 more UV output than standard output 425mA lamps of the same length. High Output lamps are available in most of the common lamp lengths in use today. Custom designed lengths can also be supplied. High Output lamps offer the system designer unique opportunities to reduce the number of lamps required to perform the function of the system and possibly reduce the footprint of the system, or increase the efficiency and capacity of an existing system while keeping the same footprint.

Ozone Action: Our "VH" germicidal lamps generate energy at 185nm in addition to the 253.7nm line. this UV emission produces abundant amounts of ozone in air. ozone is an extremely active oxidizer. it destroys microorganisms on contact and acts as a deodorizer. One of its primary advantages is that it can be carried by air into places that the UV radiation cannot directly reach. we design and manufacture lamps to produce various amounts of ozone to meet specific application requirements. "VH" lamps are typically used in the treatment of air, pool and spa water, T.O.C.(Total Organic Compound)reduction, and HVAC.












Advantages of UV--Radiation:

- Environmentally friendly, no dangerous chemicals to handle or store, no problems of overdosing
- low initial capital cost and reduced operating expenses when compared with other technologies such as chemical processing
- Immediate treatment process, no need for holding tanks, long retention times
- No chemicals added to water supply: no by-products
- No change in taste, odor, pH, conductivity or the general chemistry of the water
- No handling of toxic chemicals, no need for specialized storage requirements
- Simplicity and ease of maintenance, periodic cleaning(if applicable) and annual lamp replacement
- Highly compatible with other water and air treatment processes Germicidal applications



Worldwide Patent Number: 7,604,505

SPARE PARTS#	DESCRIPTION	APPLICATION	PHOTO
AB-680	UV Detector	AB,PB,CXL,SUV,VALSeries(Optional)	
AB-R680-3M	UV Monitor HM3	AB,PB,CXL,SUV,VALSeries(Optional)	
AB-7472	Hours Timer	AB,PB,CXL,LT ,SUV,VAL,PE,Splenvue Series	
AB3222/AB3022	Washer and O-Ring	All UV Series	
SP-4446/AB-2006/ AB-3177/AB-4445/ AB-5288/AB-8255	Spring	Splenvue,PA and ASUB Series	
AB-2000W/AB-2500W	Plastic Clip	LT1-LT12 AB1A-AB12A PE2-PE12 Series	
AC-630846/AC-890076	Aluminum Clamp	PA and All Splenvue Series	
LT-403020	Plastic Nut	LT1-LT6	
AB-30140195/ AB30130190	Aluminum Cap	All UV Series Except ASUB Series	
AB-82VR/AB-82VG	Indicating Lamp	AB24B-CSLAB520B,PB,CXL Series	
AB-19	Black Stopper	All UV Series	

SPARE PARTS#	DESCRIPTION	APPLICATION	PHOTO
AB-S	Setscrew	AB, PB, CXL, ASUB Series	
LT-4044	Connector	LT1,LT2 AB-1A,AB-2A	
AB-BC	Blue Cap	All UV Series	
AB-TMW	Temp Management Valve	AB,PB,CXL Series	
RUW-1401	Output Line	All UV products except LT,AB,Series	
REW-1402	Output Line	LT,AB,Series	
PAR-1403	American 1-round		
PAF-1404	American 2-flat prongplug (1-big,2-small)		
PER-1405	European Two Round Pins		
PBF-1406	British 3-flat prong plug		
PIR-1407	Indian 3-round prong plug		



SPARE PARTS#	DESCRIPTION	APPLICATION	PHOTO
PC-1408	Chinese 3-prong plug		
PC-1409	Chinese 2-prong plug		
PAF-1410	Australian 3-flat prong plug		
PSR-1411	Switzerland 3-round prong plug		
PIR-1412	Italy 3-round prong plug		



www.aquafirst.com.cn

上海知帮水处理设备有限公司
UVAQUAFINE TECHNOLOGY LIMITED

上海市闵行区沪松公路788号
电话：021-64610060